MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

n: Report of the

eaths + Marriages

Lent Reminder Ret^d

MEDICAL LIBRARY

22500993262

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be reborrowed for a further period upon written request provided it is not required by another officer.

21214 6410/3646a 5m(2) 7/24 J.P.D207 Gp.132

8689
18

THIRD
DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN SCOTLAND.

7

Presented to both Houses of Parliament by Command of Her Majesty.



EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

1862.

MEDICAL LIBRARY
MINISTRY OF HEALTH

WELLCOME INSTITUTE
LIBRARY

Coll.	welMOmec
Call	SUP
No.	WB

REPORT.

TO THE

RIGHT HON^BLE. SIR GEORGE GREY, BART., M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 3d *April* 1862.

SIR,

IN conformity with the Seventh Section of the Scottish Registration Act (17° & 18° VICT. c. 80), I had the honour in 1858 to submit to Secretary Mr Walpole a General Abstract of the Births, Deaths, and Marriages which were registered in Scotland during the year 1857, in order that the same might be laid before Parliament.

I now submit to you more extended Abstracts of the Births, Deaths, and Marriages registered in every District of Scotland during that year; together with the number of Illegitimate Births in every District, distinguishing the sexes.

All the Tables given in the Detailed Reports for 1855 and 1856 are reproduced for 1857, in order that each year's results may be strictly comparable with each other. One or two additional Tables, however, are inserted relative to the Marriages and to the Deaths under 5 years of age, which, I trust, will add to the interest of the Report

The striking differences in the proportion of Births and of Deaths in the Three Great Groups into which I have divided the Inhabitants of Scotland, viz. :—the Insular, the Mainland Rural, and the Town Populations, cannot fail to interest and instruct, as showing how many agencies injurious to life must be at work in Towns, from which Rural Districts are comparatively free. The

Tables of the Causes of Deaths in each of these several Groups also enables the special Diseases to be traced which induce this greater waste of Life in the Towns.

As in former Reports, I have appended a Table showing the influence of Season on the mortality.

The interesting conclusions relative to the small mortality from Consumption in Argyllshire, to which attention was directed in my Reports for 1855 and 1856, have been confirmed by the results of the Registrations of 1857.

It is gratifying to be able to state that the examination of the Marriage Registers of 1857 corroborates the results of 1855 and 1856, as to the high proportion of men and of women in Scotland who are able to sign their names;—seeing that 87·9 per cent. of the men, and 75·2 per cent. of the women who married in Scotland in 1857 were able to sign their names.

I have the honour to be,

SIR,

Your faithful Servant,

W. P. DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of the Registrar-General to the Secretary of State,	iii
Table of Population of Scotland in 1851 and 1861; also the Estimated Population for 1857, in Scotland, and its Three Great Divisions, the Insular, the Mainland, and the Town Districts, distinguishing the Sexes	ix
Summary Table of the Births, Deaths, and Marriages in Scotland, and in its Three Great Division in 1857, and their Proportion to the Population; also the Number of Illegitimate Births, and their Proportion to the Total Births	x

BIRTHS IN 1857.

Number of Births in 1857, and their Proportion to the Population,	x
Whether Birth-rate is influenced by Food,	xi
Close connection between Birth-rate and Death-rate,	xi
Influences of other Causes on Birth-rate	xi
Proportion of Sexes at Birth,	xiii
Number and Proportion of Illegitimate Births,	xiii
Number and Proportion of Twin and Triplet Births	xv
Proportion of Legitimate Births to Marriages in Scotland, England, and France,	xv

MARRIAGES IN 1857.

Number of Marriages, and their Proportion to the Population,	xvi
Scottish, English, and French Marriage-rates Compared,	xvi
Number of Marriages an Index of Commercial Prosperity,	xvi
Effect of the Commercial Crisis of November 1857 on the Number of Marriages	xvi
Number and Proportion of Marriages according to the Rites of the several Religious Denominations	xvii
Marriage Law of Scotland,	xvii
Ages of Men and Women who Married in 1857,	xix
Proportion of Men and of Women who Marry in Scotland, England, and France, under 20 years of age; also the Number who Marry in these Countries under 25 years of age,	xx
Number of Marriages between Bachelors and Spinsters; Bachelors and Widows; Widowers and Spinsters; and Widowers and Widows; also the Number and Proportion of Men and Women who re-marry,	xxiv
Number and Proportion of Men and of Women who signed their names by Mark,	xxv

DEATHS IN 1857.

Number of Deaths in Scotland in 1857, and their Proportion to the Population,	xxvii
Death-rate in Scotland, England, and France compared,	xxvii
Influence of Locality on the Mortality,	xxvii
Influence of Sex and Age on the Mortality,	xxviii

Page

Table of the Number of Males and of Females living in Scotland in 1857 at the different quinquennial periods of life; the Number of Deaths at the same Ages; and the Proportion of Deaths to the Living at these various Ages xxviii
Similar Tables for the Eight Principal Towns of Scotland, ... xxxi to xxxiv
Number and Proportion of Deaths at each year of Life under 5 years in Scotland, and in its Three Great Divisions, ... xxx

CAUSES OF DEATH.

Table showing the Proportion of Deaths from Different Diseases in every hundred thousand persons of the general Population, and also the Proportion in each Sex in Scotland and its Three Great Divisions, the Insular, the Mainland, and the Town Districts, xxxvi
Table showing the Proportion of Deaths from different Diseases in every ten thousand Specified Causes of Death in Scotland, and in its Three Great Divisions, distinguishing the Sexes, ... xxxvii
Table showing the Proportion of Deaths, from the more common Diseases, to the Population, in each of the Eight Principal Towns of Scotland, ... xxxviii
Deaths from the Zymotic Class of Diseases, and from the individual Diseases under that Class —Small-pox, Measles, Scarlatina, Hooping-cough, Typhus, etc., . . xxxiv to xlii
Deaths from Diseases of Uncertain Seat—Dropsy, Cancer, etc., ... xlii
Deaths from the Tubercular Class of Diseases—Scrofula, Tabes Mesenterica, Phthisis or Consumption, and Hydrocephalus, ... xlii
Small Proportion of Deaths from Consumption in Argyllshire, ... xliii
Proportion of Deaths from Consumption in the Eight Principal Towns of Scotland, . xliii
Deaths from Diseases of the Brain and Nervous System—Apoplexy, Paralysis, Convulsions, etc., ... xliv
Striking difference between fatality of Convulsions in England and Scotland, . . xliv
Deaths from Diseases of the Heart and Organs of Circulation, ... xlv
Deaths from Diseases of the Respiratory Organs—Bronchitis, Pneumonia, etc., . . xlv
Diseases of Respiratory Organs less fatal in Scotland than in England, . . . xlv
Deaths from Diseases of the Organs of Digestion, ... xlvi
Deaths from Diseases of Urinary Organs, ... xlvi
Deaths from Diseases of Organs of Generation and Childbirth, ... xlvii
Deaths from Diseases of the Skin and of the Integumentary System, . . . xlvii
Probable Cause of increase of Carbuncle of late years, ... xlvii
Deaths from Premature Birth, and high Proportion of Males, ... xlviii
Deaths from Old Age, ... xlviii
Violent Deaths, and Proportion of some of these in the Insular, Mainland, and Town Districts, xlviii
Suicides in Scotland in 1857, and their Proportion to the Population, . . . xlix
Table showing the Twelve most fatal Diseases in Scotland in 1857, . . . xlix
Table showing the Twelve most fatal Diseases in England in 1857, ... xlix
Influence of External Agencies on the Mortality, ... l
Table showing the quantities of Grain, etc., imported into Britain in 1855, 1856, 1857, and 1858; the average Price of the several Grains; the quantity of Grains, number of Cattle, etc., raised in Scotland; the price of the 4 lb. Loaf; the Deposits in Savings Banks, etc., ... l
Table showing the influence of Mean Temperature on the Mortality in Scotland, and its Three Great Divisions in 1857, ... li
Table of the Meteorology of Scotland during 1857, ... lii

---

ABSTRACTS, 1857.

Summary Table of the Births, Deaths, and Marriages in the Divisions and Counties of Scotland in 1857, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1851 and 1861, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1851 and 1861, and of the Births, Deaths, and Marriages, also of the Illegitimate Births, in every Registration District during the year 1857, . . 2–23

Page

Marriages.

Table of the Marriages in Scotland and its Counties in 1857; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24
Table of the Civil Condition of the Parties who married in 1857; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1857, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1857, . 28

Deaths.

Table of the Ages of all Persons of both Sexes who died in each of the Counties and Larger Towns of Scotland in 1857, together with the Population of these Counties and Towns in 1851 and 1861, ... 30
Table of the Ages of all Males who died in each of the Counties and Larger Towns of Scotland in 1857, together with the Male Population of these Counties and Towns in 1851 and 1861, ... 32
Table of the Ages of all Females who died in each of the Counties and Larger Towns of Scotland in 1857, together with the Female Population of these Counties and Towns in 1851 and 1861, ... 34
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1857, ... 36–39
Do. Males, ... 40–43
Do. Females, ... 44–47
Summary Table of the Causes of Death in both Sexes in each of the Larger Towns of Scotland in 1857, whose respective Populations amounted to 10,000 or upwards in 1851, including important Suburban Districts, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 60–63
Do. Males, ... 64–67
Do. Females, ... 68–71
Table of the Causes of Death in both Sexes in the Insular Districts of Scotland at different Periods of Life, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Table of the Causes of Death in both Sexes in the Mainland Districts of Scotland at different Periods of Life, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Table of the Causes of Death in both Sexes in the Town Districts of Scotland at different Periods of Life, ... 96–99
Do. Males, ... 100–103
Do. Females, ... 104–107
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 108–111
Do. Males, ... 112–115
Do. Females, ... 116–119
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony at different Periods of Life, ... 120–123
Do. Males, ... 124–127
Do. Females, ... 128–131
Table of the Causes of Death in both Sexes in the Suburban Districts of Govan at different Periods of Life, ... 132–135
Do. Males, ... 136–139
Do. Females, ... 140–143
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 144–147
Do. Males, ... 148–151
Do. Females, ... 152–155

Page
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 156–159
Do. Males, ... 160–163
Do. Females, ... 164–167
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 168–171
Do. Males, ... 172–175
Do. Females, ... 176–179
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 180–183
Do. Males, ... 184–187
Do. Females, ... 188–191
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 192–195
Do. Males, ... 196–199
Do. Females, ... 200–203
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . 204–207
Do. Males, ... 208–211
Do. Females, ... 212–215
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 216–219
Do. Males, ... 220–223
Do. Females, ... 224–227
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1857, in each of the Divisions and Counties of Scotland, together with the estimated Population of each Division and County in 1857, . 228

REPORT TO THE REGISTRAR-GENERAL.

Sir,

In conformity with your instructions, I beg to submit the following Report :—

As the value of all calculations relative to the proportion of Births, Deaths, and Marriages depends on the correctness with which the number of the population is given, it ought somewhat to console us for the late period at which these Reports have been issued, that the taking of the Census in 1861 has enabled us to give a pretty correct estimate of the population of Scotland during each of the years intervening between 1851 and 1861. Facts, however, like those brought out in these Reports, are by no means of only temporary interest, and do not lose their importance because their publication has been delayed till a year or two after the events occurred. Much of their value indeed might be lost, were the facts in their crude state, as mere tables of figures, given to the public before a proper digest of them was prepared by some one who had devoted some time and attention to the study of the various social and sanitary questions which such facts elucidate. The interest, however, of all such Reports is naturally greatest at first, both because the field is new, and because it opens our eyes for the first time to the prevalence of certain social or sanitary evils as to whose existence we had no previous conception. As these Reports, however, accumulate, they must necessarily prove less inter-

Table I.—Population of Scotland and its Three Great Divisions in 1851 and 1861; and the Estimated Population for 1857, distinguishing the Sexes.

Districts.	Census 1851.			Census 1861.			Estimated 1857.		
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.
Insular . .	76,760	89,727	166,487	73,153	87,427	160,580	74,597	88,346	162,943
Mainland and Rural*	828,150	882,315	1,710,465	847,527	915,197	1,762,724	839,775	902,046	1,741,821
Town* . .	470,569	541,221	1,011,790	526,335	611,690	1,138,025	504,028	583,501	1,087,529
Scotland .	1,375,479	1,513,263	2,888,742	1,447,015	1,614,314	3,061,329	1,418,400	1,573,893	2,992,293

* A few of the Town Districts were differently constituted in 1857, which causes the numbers of the population in the Mainland and in the Town Districts not to correspond with what they were in former years.

esting, from the very sameness of the ground which they have to go over, as all each successive year's Reports can do is to ascertain how far each additional year's facts corroborate or modify the conclusions of former years.

Taking the Censuses of 1851 and 1861 as our basis, it would appear that the population of Scotland, for the year 1857, amounted to 2,992,293 persons, of whom 1,418,400 were males, and 1,573,893 females. Of that number 1,087,529 lived in Towns, each containing upwards of 10,000 inhabitants, or in Suburban Districts attached to large Towns; 1,741,821 lived in Mainland-Rural Districts, including the smaller Towns and Villages; while 162,943 lived in Districts wholly Insular.

BIRTHS.

103,415 Births were registered in Scotland during the year 1857, giving the proportion of 345 Births in every ten thousand of the population. The English rate for the same year was 343 Births in every ten thousand persons; so that during 1857, the Scottish Birth-rate, notwithstanding the much lower proportion of Marriages, was higher than that of England.

The proportion of Births to the population varied greatly in the Three Great Groups into which the Inhabitants of Scotland have been divided. Thus, in the Insular Districts, where the population was decreasing at the rate of 3·6 per cent. between 1851 and 1861, only 273 Births occurred in every ten thousand persons. In the Mainland and Rural Districts, where the population during the same period increased at the rate of 3·9 per cent., the Births were in the proportion of 330 in every ten thousand persons; while in the Town Districts, where the population, during the same period, increased at the rate of 12·9 per cent., the Births were in the proportion of 380 in every ten thousand persons.

The division of the population of Scotland into these three Groups, enables us to test the truth of many of those specious theories which, from time to time, have been advanced to account for the varying proportions of Births during different years or in different populations. Thus it has been confidently affirmed that the poorer and worse fed a people is, the more

TABLE II.—Showing the Total Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland, and in its Three Great Divisions, in 1857, and their proportion to the Population. Also the Number of Illegitimate Births, and their proportion to the Total Births.

1857. Districts.	Births.		Illegitimate Births.		Deaths.						Marriages.	
					No. of Deaths.			Per Cent. to Pop.				
	Total Births.	Per cent. to Pop.	No.	Per cent. to Births	Males.	Fem.	Total.	Males.	Fem.	Total.	No.	Per cent. to Pop.
Insular .	4,460	2·737	227	5·0	1,141	1,165	2,306	1·529	1·318	1·409	954	0·585
Mainland and Rural	57,568	3·305	5,542	9·6	15,195	15,195	30,390	1·809	1·683	1·744	10,960	0·629
Town . .	41,387	3·805	3,090	7·4	14,601	14,609	29,210	2·896	2·503	2·685	9,455	0·869
SCOTLAND	103,415	3·456	8,859	8·5	30,937	30,969	61,906	2·110	1·967	2·068	21,369	0·714

prolific does it become, so that Births increase during years of scarcity, and diminish during years of plenty; and that Births are far more numerous among a population like that of Ireland, the majority of which is just above the starving-point; while they are much fewer in a well (or over-fed) population, like that of England. Now the truth of such a theory may be at once tested, and accurately tested, by taking any year's, or any series of years' registrations among the three Groups into which the inhabitants of Scotland have been divided, and ascertaining the proportion of Births to each of these Groups. This avoids much of the fallacy which results from comparing one nation with another whose Birth-rate may be habitually different, from difference of race, climate, and other causes. Now, no one will deny that the inhabitants of the Towns are, as a general rule, much better fed than the inhabitants of the Rural Districts. Were there any basis of truth, therefore, in the theory alluded to, it would be found that the Birth-rate was much lower in the Town than in the Rural Districts. But the very reverse is the case. The Town Birth-rate is much higher than the Rural Birth-rate, and the natural inference is, therefore, that the theory alluded to must be false. But a still further proof of the falsity of such a theory, is the additional fact that the Birth-rate among the inhabitants of the Insular Districts (who are still lower fed than the Mainland-Rural inhabitants) is lower still than it is among the inhabitants in the Mainland-Rural Districts.

In former Reports it was endeavoured to be shown, that the only circumstance which seemed to influence the proportion of Births was the Death-rate, inasmuch as the vital statistics of all Countries proved that wherever a high Death-rate prevailed, there, nearly in the same proportion, was the Death-rate increased. This fact receives a striking illustration in the Birth and Death-rates which were observed in Scotland in the Insular, the Mainland-Rural, and the Town Districts in 1857, and which are exhibited in the accompanying Table:—

Proportion of Births and Deaths in every 10,000 Persons.

Districts.	Proportion of Births.	Proportion of Deaths.
Insular	273	140
Mainland and Rural . .	330	174
Town	380	268

TABLE III.—BIRTHS, 1857. Showing the Number of Total Births; also that of the Legitimate and Illegitimate Births in Scotland and its Three Great Divisions in 1857; together with the Number of Cases of Twins, and Triplets, etc., at a Birth.

1857. Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Cases of Twins.	Cases of Triplets.	Four at a Birth.
	Males.	Fem.	Total.	Males.	Fem.	Total.	Males.	Fem.	Total.			
Insular . . .	2,284	2,176	4,460	2,172	2,061	4,233	112	115	227	43	–	–
Mainland and Rural . .	29,597	27,971	57,568	26,746	25,280	52,026	2,851	2,691	5,542	731	8	–
Town	21,277	20,110	41,387	19,714	18,583	38,297	1,563	1,527	3,090	526	7	1
SCOTLAND . .	53,158	50,257	103,415	48,632	45,924	94,556	4,526	4,333	8,859	1,300	15	1

Here we see that in the Town Districts, where the Deaths were at the high rate of 268 in every ten thousand persons, the Births were in the proportion of 380 in the same population. In the Mainland-Rural Districts, on the other hand, while the Death-rate was at the low proportion of 174 Deaths in every ten thousand persons, the Birth-rate was far below that prevailing in the Towns, being in the low proportion of 330 Births in every ten thousand persons. In the Insular Districts, again, where the Death-rate was lower still than either the Town or Mainland-Rural rate—viz., only 140 Deaths in every ten thousand persons—the Birth-rate was in exact proportion with it, and was far below that of the Town or Mainland-Rural Districts, being only at the rate of 273 Births in every ten thousand persons. These facts quite accord with the results of the years 1855 and 1856, so that they may be assumed to indicate the natural law of the connection between the Birth and the Death-rates.

In these three Groups, then, we have a varying proportion of Births more striking than is ever witnessed between one season and another, or even between one people and another; and no possible explanation of difference in the quality or quantity of the food, could explain such a fact, or account for such a striking difference. All, however, is naturally explained on the supposition that the Death-rate influences the Birth-rate. It is now a known fact, that wherever the Death-rate is great, the chief severity of it falls on the most delicate members of the community, viz., on the infants under one year; and it is also a known fact that the mother, who thus loses her child, sooner again becomes a mother, than if her first child had lived and been nursed the usual period. In proportion to the population, therefore, a greater number of Births occurs during the year in a population where the infantile mortality is high, than in one where it is low; and every fact we yet know seems to bear out this view of the question, and allows us to infer that such is the natural law of connection between the Birth and the Death-rates.

The influence of race on the proportion of Births has not been satisfactorily traced, and it is a difficult subject to treat, because the habits of a people, and more especially the earliness of the period of life at which Marriage is contracted,* have most powerful influences on the number of Births.

TABLE IV.—BIRTHS, 1857. Showing the Per Centage of Births to the Population, and the Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; also the Per Centage of Twin and Triplet Births to the Total Births, in Scotland and its Three Great Divisions, in 1857.

1857. Districts.	Per Centage of Births to Population.	Per Centage of Illegitim. to Total Births.	Proportion of Males to 100 Females in the Total Births.	Proportion of Males to 100 Females in the Legitimate Births.	Proportion of Males to 100 Females in the Illegitim. Births.	Per Centage of Twin Births to Total Births.	Per Centage of Triplet Births to Total Births.
Insular	2·737	5·0	104·9	105·3	97·3	0·96	–
Mainland and Rural . .	3·305	9·6	105·8	105·8	105·9	1·27	0·013
Town	3·805	7·4	105·8	106·0	102·3	1·27	0·016
SCOTLAND . . .	3·456	8·5	105·7	105·8	104·4	1·25	0·014

* See Statistical Journal for Aug. 1848. Vol. XI., p. 223.

It is more than likely that it is this latter cause which is the reason for the number of persons to a family being greater in Ireland than in either England or Scotland, seeing that it is the general belief that the great majority of the Irish women enter into the married state before their 18th year. This would at once serve to account for the fact that in Ireland, at the Census of 1851, there were 5·44 persons to every family; while in England there were only 4·87, and in Scotland 4·81 persons to every family.

Of the 103,415 children born during the year, 53,158 were males, and 50,257 females; being in the proportion of 105·7 males to every 100 females, or very nearly the average proportion of the sexes at Birth over all Europe. Among the legitimate Births the proportion was 105·8 males to every 100 females, while among the illegitimate Births there were only 104·4 males for every 100 females; but the number of the latter is too small to admit of any definite conclusion being drawn as to the normal proportion of the sexes among that class of Births in Scotland.

In the Insular Districts of Scotland, the proportion of the sexes at Birth was 104·9 males to every 100 females. In the Mainland Rural-Districts, and in the Town Districts, the proportion of the sexes at Birth was absolutely alike, being in both 105·8 males to every 100 females.

In the Report for 1856, attention was directed to the fact that, in dealing with statistics, erroneous conclusions were very apt to be drawn when the facts were few, seeing that the results of one year might quite contradict or neutralize those of the previous one. A striking instance of this occurs in the proportion of the sexes among the illegitimate Births in the Insular Districts in 1856 and 1857. During the first of these years 114·2 males were born for every 100 females; while during 1857 this was reversed, the proportions being only 93·7 males to every 100 females.

Table V. exhibits some curious anomalies relative to the proportion of the sexes in the total Births, and in the legitimate and illegitimate Births in the different Counties of Scotland. Most of these anomalies will, doubtless, be found to disappear as observations accumulate; and a ten years' average would probably show that the proportion in all was nearly the same, or, if a difference should then appear, its cause would merit a special investigation.

Of the 103,415 Births, 94,554 were legitimate, and 8859 illegitimate; being in the proportion of one illegitimate in every 11·6 Births, or 8·5 per cent. of the Births as illegitimate—exactly the proportion of the previous year.

In the Three Great Groups into which the inhabitants of Scotland have been divided, it was found, as in former years, that the proportion of illegitimate Births was highest in the Mainland-Rural Districts, next highest in the Town Districts, and lowest in the Insular Districts. Thus, in the Insular Districts, only 5 per cent. of the Births were illegitimate; in the Town Districts, 7·4 per cent.; while in the Mainland-Rural Districts the proportion was 9·6 per cent. of the Births.

In former Reports it was pointed out that Illegitimacy seemed to prevail to a much greater extent in the Counties included in the North-Eastern and Southern Divisions of Scotland than in the other Counties. The last three columns of Table V. show that the same occurred during 1857. Thus, in the Northern Division of Scotland, only 5·2 per cent. of the Births were illegitimate in 1857; 5·7 per cent. in North-Western Division, and 6·6 per cent. in South-Western Division, which includes the great manufacturing

and mining populations; while, in the Southern Division, the proportion of the illegitimate Births rose to 12·5 per cent. of the total Births; and in the North-Eastern Division to 14·5 per cent. of the Births. Three years' observation, therefore, seems to establish the fact that the tendency to illegitimacy

TABLE V.—BIRTHS, 1857. Number and Proportion of the Sexes in the Total Births, and in the Legitimate and Illegitimate Births; also the Proportion of Illegitimate to the Total Births in 1857.

1857.	Total Births.			Legitimate Births.			Illegitimate Births.			No. of Total & Illegit. Births, and Per Cent. of Illegit. to Total Births.		
	Male.	Female.	Proportion of Males to 100 Females.	Male.	Female.	Proportion of Males to 100 Females.	Male.	Female.	Proportion of Males to 100 Females.	Total Births.	Illegit. Births.	Per cent. to Births.
SCOTLAND . . .	53158	50257	105·7	48632	45924	105·8	4526	4333	104·4	103415	8859	8·5
NORTHERN DIVISION	1789	1651	108·3	1702	1557	109·3	87	94	92·5	3440	181	5·2
NORTH-WESTERN .	2230	2275	98·0	2103	2152	97·7	127	123	103·2	4505	260	5·7
NORTH-EASTERN . .	5893	5524	106·6	5048	4714	107·0	845	810	104·3	11417	1655	14·5
EAST MIDLAND . .	8723	8140	107·1	7835	7355	106·4	888	785	113·1	16863	1673	9·9
WEST MIDLAND . .	4055	3791	106·9	3745	3513	106·6	310	278	111·5	7846	588	7·4
SOUTH-WESTERN . .	20499	19298	106·2	19177	17984	106·6	1322	1314	100·6	39797	2636	6·6
SOUTH-EASTERN . .	6710	6431	104·3	6166	5915	104·2	544	516	105·4	13141	1060	8·0
SOUTHERN	3259	3147	103·5	2856	2744	104·0	403	403	100·0	6406	806	12·5
I. NORTHERN.												
Shetland	451	413	109·2	437	398	109·8	14	15	93·3	864	29	3·3
Orkney	417	376	110·9	397	359	110·5	20	17	117·6	793	37	4·6
Caithness	625	569	109·8	582	527	110·4	43	42	102·3	1194	85	7·1
Sutherland	296	293	101·0	286	273	104·7	10	20	50·0	589	30	5·0
II. NORTH-WESTERN.												
Ross and Cromarty .	1123	1151	97·5	1084	1107	97·9	39	44	88·6	2274	83	3·6
Inverness	1107	1124	98·4	1019	1035	98·4	88	89	98·8	2231	177	7·9
III. NORTH-EASTERN.												
Nairn	119	106	112·2	112	92	121·7	7	14	50·0	225	21	9·3
Elgin	680	676	100·5	624	600	104·0	56	76	73·6	1356	132	9·7
Banff	908	898	101·0	767	759	101·0	141	139	101·4	1806	280	15·5
Aberdeen	3670	3344	109·7	3099	2841	109·0	571	503	113·5	7014	1074	15·3
Kincardine	516	500	103·2	446	422	105·6	70	78	89·7	1016	148	14·5
IV. EAST MIDLAND.												
Forfar	3695	3553	103·9	3284	3175	103·4	411	378	108·6	7248	789	10·8
Perth	1855	1759	105·4	1654	1585	104·3	201	174	116·0	3614	375	10·3
Fife	2674	2396	111·1	2463	2213	111·3	211	183	115·2	5070	394	7·7
Kinross	136	119	114·2	120	104	115·4	16	15	106·6	255	31	12·1
Clackmannan . . .	363	313	115·9	314	278	112·9	49	35	140·0	676	84	12·4
V. WEST MIDLAND.												
Stirling	1630	1524	106·9	1488	1396	106·5	142	128	110·9	3154	270	8·5
Dumbarton	1057	950	111·2	981	886	110·7	76	64	118·7	2007	140	6·9
Argyll	1131	1111	101·8	1052	1047	100·4	79	64	123·4	2242	143	6·3
Bute	237	206	115·0	224	184	121·7	13	22	59·0	443	35	7·9
VI. SOUTH-WESTERN.												
Renfrew	3390	3172	106·8	3179	2967	107·1	211	205	102·9	6562	416	6·3
Ayr	3886	3701	104·9	3554	3410	104·2	334	291	114·7	7587	625	8·2
Lanark	13223	12425	106·4	12446	11607	107·2	777	818	94·9	25648	1595	6·2
VII. SOUTH-EASTERN.												
Linlithgow	687	684	100·4	636	629	101·1	51	55	92·7	1371	106	7·7
Edinburgh	4482	4236	105·8	4117	3902	105·5	365	334	109·2	8718	699	8·0
Haddington	599	633	94·5	552	591	93·4	47	42	111·9	1232	89	7·2
Berwick	597	525	113·7	541	479	112·9	56	46	121·7	1122	102	9·0
Peebles	170	172	98·8	156	150	104·0	14	22	63·6	342	36	10·5
Selkirk	175	181	96·7	164	164	100·0	11	17	64·7	356	28	7·8
VIII. SOUTHERN.												
Roxburgh	868	774	112·1	765	687	111·3	103	87	118·3	1642	190	11·5
Dumfries	1163	1198	97·0	996	937	106·2	167	161	103·6	2361	328	13·8
Kirkcudbright . . .	623	614	101·4	559	546	102·3	64	68	94·1	1237	132	10·6
Wigtown	605	561	107·8	536	474	113·0	69	87	79·1	1166	156	13·3

is greater in the Counties included in the Southern and North-Eastern Divisions than in other parts of Scotland, but no satisfactory cause for this peculiarity has yet been assigned.

During the year 1857 there occurred 1300 cases of Twin-Births; 15 cases of Triplets; and one in which four living children were produced at a Birth. The above numbers give the low proportion of one Twin in every 79 Births, or 125 Twin-Births in every ten thousand Births. The proportion of Twin-Births was exactly the same in the Town and Mainland-Rural Districts, but was lower than both in the Insular Districts, as may be seen by a reference to Table IV.

The proportion of legitimate children born during the year, to the number of Marriages which occur during the same period, is the usual mode of estimating the comparative fruitfulness of the Marriage. By this mode of estimation it appears that 4·42 legitimate Births were registered in Scotland for every marriage, or 442 for every 100 Marriages. This is slightly below the proportion of 1856, during which the rate was 449 Births to every 100 Marriages. The proportion, however, is considerably higher than that occurring in England during the same year; for it appears, as the result of the registrations of 1857, that in England only 3·96 legitimate Births were registered for every Marriage, or 396 Births to every 100 Marriages. In France, again, the proportion in 1857 was much lower, being at the rate of 2·95 legitimate Births for every Marriage, or 295 Births to every 100 Marriages. As the same higher rate of Births to Marriages was observed in Scotland during the two previous years,—or since the Registration Act came into operation,—the natural inference seems to be, that Marriages are more fruitful in Scotland than in England or France, or rather, perhaps, that a smaller proportion of the Marriages are unfruitful. It is a well-known fact, that a certain proportion of all Marriages is unfruitful, but no means have yet been devised for ascertaining this proportion among the population.

In last year's Report it was shown that the usual mode of calculating the increase of a population (viz., either by the increase of Births over Deaths, or by assuming that the population was increasing at the same rate as it had done between the taking of the last two Censuses), however applicable to a large population, like that of England, or to some of the Continental States, was quite inapplicable to Scotland, and gave no approximation whatever to the actual increase. The same fact was strikingly illustrated in 1857. The actual increase of the population of Scotland between 1856 and 1857 was only 17,158 persons; but the increase of Births over Deaths amounted to 41,509 persons: so that if no emigration had occurred during the year the number of the population would, in one year, have been increased by that amount. The Emigration Commissioners, however, ascertained that 16,253 persons of Scottish origin left the United Kingdom during 1857, and, supposing this number were deducted from the excess of Births over Deaths, there would be left 25,265 persons as the addition to the population for the year, or an excess of 8098 persons above what the Census of 1861 shows actually took place. This fact, therefore, corroborates the conclusion arrived at in last year's Report, that, besides the emigration from Scotland to the Colonies and to Foreign Countries, a large emigration must occur from Scotland to England, and probably to a small extent also to Ireland.

MARRIAGES.

21,369 Marriages were registered in Scotland during the year 1857, being in the proportion of 714 Marriages in every ten thousand of the population, or 1 Marriage to every 140 persons. This is very far below the English Marriage-rate, which during the same year was in the proportion of 827 Marriages in every ten thousand, or 1 Marriage to every 120 persons. It was even much below the French Marriage-rate, which in 1857 was in the proportion of 801 Marriages to every ten thousand of the population, or 1 Marriage in every 122 persons. The result of the three years' Registration, therefore, proves that the Scottish Marriage-rate is much and habitually below that of England and of France; while, at the same time, the proportion of legitimate Births to each Marriage is higher than in either of these countries;—facts which seem to justify the conclusion already drawn, when speaking of the Births, that more of the Marriages are fruitful in Scotland, or that the Scottish women are more prolific.

The number of Marriages is with truth regarded as a very fair barometer whereby the commercial prosperity of a country is indicated. Even though provisions be high in price, provided trade is brisk, and the mining and manufacturing interests in a state of activity, the demand for labour being good, Marriages are contracted freely; but the moment the commercial horizon becomes clouded, and the mining and manufacturing and commercial interests feel the depression, the number of Marriages instantly shows a diminution. During the greater portion of the year 1857 the commercial prosperity was great; trade, manufacture, and mining were flourishing, the demand for labour was great, the staples of food were abundant and cheaper than during the previous year; and till about the middle of November, when the commercial crash came, the number of Marriages considerably exceeded those of previous years. One of the first symptoms of the outbreak of the commercial crisis in Scotland was the suspension of payments by the Western Bank on the 9th of November, followed by that of the City of Glasgow Bank on the 12th of the same month. The Bank of England raised its minimum rate of discount to 10 per cent., and the failures of other banks in England, and the public panic, caused such a run on that great national institution, that on the 12th of November the reserve fund was reduced to £581,000. All trade, manufacture, and mining was consequently nearly suspended; and this was clearly indicated in its effect on the Marriages, seeing that those for the month of December fell short by 240 of those registered during December of the previous year, and were 352 fewer than in December of 1855.

This, then, is an additional fact to prove that it is the demand for labour, and not the mere price of food, which chiefly regulates the proportion of Marriages; and this fact receives further illustration in the varying proportion of Marriages which occurs in the Insular, the Mainland-Rural, and the Town Districts of Scotland. Thus, in the Insular Districts, where the demand for labour is small, and Marriages are only contracted to supply the vacancies caused by Death, only 585 Marriages occurred in every ten thousand persons. In the Mainland-Rural Districts, where the supply of labourers exceeds the demand, and where the population is only slowly increasing, 629 Marriages occurred in every ten thousand of the population; while in the Towns, where the demand for labour was great, and where

the population was rapidly increasing, 869 Marriages were contracted for every ten thousand persons in the population.

By Table VI. it appears that 10,194 Marriages were contracted according to the rites of the Established Church of Scotland; 4789 according to the forms of the Free Church; 2926 according to those of the United Presbyterian Church; 1919 according to those of the Roman Catholic Church; 416 according to those of the Episcopalian Church; 1017 according to the rites of the various smaller religious denominations; in 101 the form of the ceremony was not stated; and in 7 cases the marriage was irregular. There may have been more irregular marriages, but only the numbers indicated were entered in the Registers.

These numbers afford the only means of ascertaining by a rough approximation the number of the population attached to each religious denomination, as this important fact was not ascertained at the Census of 1861. It may be remarked, that in Scotland this mode of estimation must give a very close approximation to the truth, seeing that it is a custom very rigidly adhered to, to have the Marriage ceremony performed by the minister to whose denomination the bride belongs; and as the proportional numbers for 1857 correspond closely with those of 1856, they cannot be very far from the truth. Thus, of every 100 marriages, 47·7 were celebrated by ministers of the Established Church of Scotland; 22·4 by ministers of the Free Church; 13·7 by ministers of the United Presbyterian Church; 9·0 by the Roman Catholic Church; 2·0 by the ministers of the Episcopal Church; and 4·7 by all other denominations. These numbers, then, may be regarded as giving as near an approximation as is now attainable, of the relative proportions of the population attached to each religious denomination.

It is well known that the law of Scotland regards Marriage as a purely civil contract, of which the essence is the consent of the parties to accept each other as husband and wife; and this contract, like other contracts, may be proved by writ, by parole testimony, or by inference from the conduct of the parties. In order, however, to the constitution of a regular, as distinguished from an irregular Marriage, previous proclamation of banns in the parish where the parties have been respectively domiciled is necessary; and, though not a legal requisite, the presence of a minister of religion, and a religious ceremony, are the invariable concomitants of the celebration of a regular Marriage. With regard to irregular Marriages, so far from regarding them with favour, or even with indifference, the law, while it recognises them, imposes severe penalties on all who are concerned in their celebration, whether as parties or otherwise. Keeping these facts in view, and making due allowance for the case of irregular Marriages which may have

TABLE VI.—Number of MARRIAGES contracted in 1857 according to the Rites of the various Religious Denominations, and their several Proportions to the Total Marriages.

Religious Denominations.	Number of Marriages.	Per Centage to the Total Marriages.
Established Church	10,194	47·7
Free Church	4,789	22·4
United Presbyterian Church . .	2,926	13·7
Roman Catholic Church . . .	1,919	9·0
Episcopalian Church . . .	416	2·0
Other Denominations . . .	1,017	4·7
Denomination not stated, etc. . .	108	0·5

been celebrated, but which have not been entered on the Registers, it appears that, out of the total Marriages in Scotland during the year 1857, no less than 21,363 were celebrated according to the rites of some religious denomination, while the irregular only amounted to 7. From this fact, it appears that nothing can be further from the truth than the notion which seems to be entertained as to the extent to which irregular Marriages are contracted in this country. The truth is, that not only are such Marriages subject to legal penalties, but the whole voice of public opinion is against them; and they are never resorted to by persons of the slightest respectability, but in exceptional cases, where the only other alternative would be a connection of even a more illegitimate character. What gave Scotland its bad repute relative to irregular Marriages, was the large number of persons who resorted to Scotland from England to take advantage of the Marriage Law of Scotland. This fact was brought prominently before the General Assembly of the Church of Scotland in a Report drawn up by the Convener of the Registration Committee of that venerable body, and laid on their table on the 30th May 1853. By that document it appears that, in the Eighteen Border Parishes (including Lamberton Toll), in which most of the irregular Marriages were celebrated, 1127 irregular Marriages were contracted in 1850, 1125 in 1851, and 1154 in 1852. Of the 1127 irregular Marriages in 1850, in no fewer than 1091 both parties were from England, in 25 both parties were Scotch, and in 11 one of the parties only was a native. Of the 1125 irregular Marriages in 1851, in 1093 cases both the parties were from England, in 26 both parties were Scotch, and in 6 only one of the parties was a native. Of the 1154 irregular Marriages in 1852, in 1110 cases both parties were strangers from England, in 29 both parties were natives of Scotland, and in 15 only one of the parties was a native. During these same years the population of these 18 Border Parishes amounted to 30,395 persons, while the mean annual registered proclamation of banns for Marriage numbered 205; and even on the supposition that Marriage in these Parishes occurred in the same proportion as over all Scotland (which is a great overestimate), the registered proclamations would only have amounted to 232 per annum. From these striking facts it is seen that it was the English and not the Scottish people who abused the facilities of the Marriage Law of Scotland; and it was always thought that, could the English be prevented from crossing the Border thus to abuse the laws of Scotland, the Scottish people in the Border Parishes, who imitated the bad example of their Southern neighbours, would soon give up a practice repugnant to every proper principle. The Act 19 and 20 Vict., c. 96, "for amending the Law of Marriage in Scotland," passed July 29, 1856, and better known as Lord Brougham's Act for preventing irregular Marriages in Scotland, seems to have had the most beneficial effect. It has not only quite suppressed what were known as Gretna Green Marriages among the natives of England, but has tended greatly to put a stop to the contraction of irregular Marriage among the natives of Scotland themselves.

But the fact is, that Marriages of the same nature as what are termed "irregular Marriages" in Scotland—that is, Marriages not solemnized *in facie ecclesiæ*—are far more common in England than in Scotland. All those Marriages in England which are contracted in Superintendent Registrars' Offices, are virtually what in Scotland would be termed irregular Marriages. In 1857, of 159,097 Marriages in England, 9642 were contracted in Superintendent Registrars' Offices, being in the proportion of no less than 6 per cent. of the Marriages! And the proportion seems to be annually increasing.

According to the present law and custom in Scotland, all regular Marriages take place after the proclamation of banns. To enable the banns of Marriage to be proclaimed in the Parish Church, the parties must have resided in the Parish for six weeks previous to the period when application is made to the Session Clerk; and two householders are required to certify that the parties have resided for that period in the Parish, that they are unmarried persons, and not within the prohibited degrees of consanguinity. Where the parties reside in different Parishes, proclamation of the banns of Marriage must take place in each Parish; and no minister is permitted (under a severe penalty in case of breach of the law) to solemnize a Marriage until he is satisfied that each of the parties has had the banns proclaimed in the Parish to which they respectively belong. This is felt to be a serious grievance in a few cases annually, inasmuch as it forces certain parties to lower themselves in their friends', as well as in their own estimation, by contracting Marriage irregularly. This is especially the case when one of the parties belongs to the army or navy, is engaged in our mercantile marine, or has his usual residence in our Colonies or in Foreign Countries, and who cannot spare time to reside in any Parish for six weeks previous to making application for the proclamation of the banns of Marriage. This, almost the only serious evil affecting our Scottish Marriage Law, could be obviated by a short Act, empowering ministers to solemnize a marriage where one only of the parties had complied with all the requirements of the present law, and had resided for six weeks in the Parish in which the proclamation of banns was made, provided that satisfactory reasons were assigned (such as above intimated) for the other party not being also able to comply with all the requirements of the present law. There would be no danger in extending to Scotland a liberty on this point, similar to that which has been long enjoyed in England. A special license is, from its expense, beyond the reach of most persons. But the ordinary license of the English Church is granted by a surrogate for Marriage in the Parish Church, or in some public chapel of the Parish in which one of the parties has resided

TABLE VII.—MARRIAGES, 1857. Ages of the Parties at Marriage.

AGES.	Males.	Females.
Under 15	–	–
15—16	1	5
16—17	–	67
17—18	19	269
18—19	121	877
19—20	466	1407
20—21	986	1943
21—25	7381	7885
25—30	5942	5112
30—35	2812	1916
35—40	1469	954
40—45	860	470
45—50	553	218
50—55	340	91
55—60	186	25
60—65	109	18
65—70	44	3
70—75	16	2
75—80	8	–
80—85	4	–
85—90	–	1
Age not stated	52	106
Total	21,369	21,369

for 15 days; and the parties to whom such license is given may be married within the hour after receiving such license. Now that steam and rails draw us into so much closer relation with all our Colonies, and that time is consequently so much more valuable, some alteration of the Marriage Law of Scotland, similar in effect to that suggested, seems to be called for.

Of the 21,369 men who married during the year, the ages of 21,317 were ascertained. Of that number, 607, or 2·84 per cent., were under 20 years of age. Of the 21,369 women who married, the ages of 21,263 were ascertained; and of these, 2625, or 12·28 per cent., were under 20 years of age. In England, for the same year, 2·44 per cent. of the men, and 12·39 per cent. of the women who married, were under 20 years of age,—or a slightly lower proportion of males, but a slightly higher proportion of females, than in Scotland; yet the numbers are so close, that the proportions may be regarded as identical in the two countries—as they were in 1856. In France, 2·94 per cent. of the men, and 18·77 per cent. of the women who married in 1857, were under 20 years of age; so that, in that country, while the proportion of men under 20 years who married was only slightly greater than in Scotland and England, the proportion of women under 20 who entered the married state was very much higher.

It is much to be regretted that the English and French Returns are not published in such a form as to enable us to ascertain the proportion of men and of women who enter the married state under 21 years, the legal age of majority. It is quite true the English Returns do give the number of the males and females who are entered on the Registers as minors; but as the total number of men and women whose ages were ascertained is not given, and from the extended Tables it appears that in fully a third of the Marriages in England in 1857, the ages of the parties who married were not ascertained, no exact data are given whereby the correct proportion of the Marriage of minors may be ascertained; and it gives a totally false idea

---

Table VIII.—MARRIAGES, 1857. Proportion of Men and Women, under 20 years of age, in every 100 of either sex, who married in Scotland, England, and France, in 1857.

	Males.	Females.
England	2·44	12·39
Scotland	2·84	12·28
France	2·94	18·77

Table IX.—MARRIAGES, 1857. Number and Proportion of Men and Women, under 25 years of age, in every 100 of either sex, who married in 1857, where the ages were ascertained.

	Total Number where ages were ascertained.		Number under 25 years.		Per centage to Total Number whose ages were ascertained.	
	Men.	Women.	Men.	Women.	Men.	Women.
England . .	93,955	93,955	46,244	58,480	49·20	62·13
Scotland . .	21,313	21,263	8,995	12,513	42·19	58·84
France . .	295,510	295,510	78,987	163,954	26·72	55·48

of the proportion, to compare the numbers returned vaguely as "minors," with the total Marriages, a third of which appear to specify no age at all.

In Scotland in 1857, of the 21,317 men who entered into the married state, and whose ages were ascertained, 1593 were minors, or under 21 years of age, giving the proportion of 7·47 minors in every 100 men who married. Of the 21,263 women whose ages were ascertained, 4568, or 21·43 in every 100 who married, were minors, or under 21 years of age. As from Table IX. it is seen that a considerably higher proportion, both of men and women, in England enter the married state before the 25th year of life, than in Scotland, the natural inference is, that the proportion of men and of women who marry as minors in England will also be greater than in Scotland.

In last Report, attention was directed to the proportion of men and women entering the married state under and above 25 years of age, as throwing considerable light on the social condition of the people, and as showing the comparative facilities for procuring a livelihood in the various Divisions of Scotland. The Tables given for 1856 are here reproduced for 1857; and Tables IX. and X. exhibit this class of facts. From these it will be seen that 8995 men and 12,513 women married under 25 years; while above that age the proportion of the sexes was almost exactly reversed, inasmuch as 12,374 men, but only 8856 women married, above that age. This shows that 42·19 per cent. of the men who married in 1857, and 58·84 per cent. of the women, were under 25 years of age at the date of Marriage; while 57·81 per cent. of the men, and 41·16 per cent. of the women, were above 25 years of age.

It is interesting to compare these proportions with those of England and of France for the same year, and this is done in Table IX. for the Marriages under 25 years. From that Table it appears, that while in Scotland 42·19 of every 100 men who married were under 25 years of age, in England

---

TABLE X.—MARRIAGES, 1857. Number, and Proportion to the Total Marriages, of the Men and Women under and above 25 years, who contracted Marriage in Scotland and in its Eight Divisions during 1857.

DIVISIONS.	Total Marriages.	Number.				Proportion per Cent.			
		Under 25.		Above 25.		Under 25.		Above 25.	
		Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
1. Northern	720	229	349	491	371	31·8	48·5	68·2	51·6
2. North-Western	1002	212	474	790	528	21·2	47·3	78·8	52·7
3. North-Eastern	2432	888	1294	1544	1138	36·5	53·2	63·5	46·8
4. East-Midland	3509	1562	2020	1947	1489	44·5	57·5	55·5	42·5
5. West-Midland	1479	541	829	938	650	36·6	56·0	63·4	44·0
6. South-Western	8066	3812	5226	4254	2840	47·2	64·8	52·8	35·2
7. South-Eastern	2865	1187	1572	1678	1293	41·4	54·8	58·6	45·2
8. Southern	1296	564	749	732	547	43·5	57·8	56·5	42·2
SCOTLAND	21,369	8,995	12,513	12,374	8,856	42·19	58·84	57·81	41·16

The few persons whose ages were not specified, are allowed for on the supposition that they would divide in the same proportions as the persons whose ages were specified. But the proportions for all Scotland are deducted from those whose ages were ascertained, viz., 21,317 Males, and 21,263 Females.

49·20, or very nearly an exact half, were under that age; whereas in France, only 26·72 in every 100 men who married, or little more than a fourth, were under 25 years. Of the women, again, by far the largest proportion under 25 years of age married in England: for, of every 100 women who married during the year, 62·13 were under that age; whereas in Scotland, 58·84 only in every 100 were under 25, and 55·48 in every 100 in France. Should these comparative proportions be reproduced with tolerable regularity from year to year, they will be found to reveal some interesting facts in social statistics. In the *first* place, they appear to show that a much larger proportion of men and of women, under 25 years of age, marry in England than in Scotland; and this, combined with the fact that very many more Marriages, in proportion to the population, are annually contracted in England than in Scotland, clearly indicates that the demand for labour, and the means of procuring a livelihood, are greater in England than in Scotland; and satisfactorily accounts for the large emigration of Scotchmen to England, which it has been shown must annually take place. *Secondly*, these facts reveal a state of matters, with respect to France, meriting the most serious attention of her rulers. They show that some causes are in operation which, to a dangerous extent, repress the natural tendency to enter into the married state at an early period of life; and as late Marriages are not only less prolific, but also a greater proportion of them proves unfruitful altogether, should such a state of matters continue for any length of time, it will have the effect of arresting the increase of the population, or even of allowing it to decrease. As it is, even in 1854 and in 1855 we know that the Deaths in France exceeded the Births, so that the population, instead of increasing, fell off. Nor is this surprising when it is found that, even in the healthy year 1857, the Births in that country were only at the rate of 259 Births in every ten thousand persons,—a rate very little above that of the Deaths for the same year, which were in the proportion of 238 Deaths in every ten thousand persons of the population; thus allowing scarcely any margin for an epidemic.

TABLE XI.—MARRIAGES, 1857. Number of Marriages, and their proportion to the Population in Scotland and its Eight Divisions, in 1857; also the number of Men above 25 years of age who married during the year, and their proportion to the Population.

Divisions.	Population. 1857.	Total Marriages.		Marriages of Men above 25 years.	
		Number.	Proportion per cent. to Population.	Number.	Proportion per cent. to Population.
1. Northern	129,124	720	0·558	491	0·380
2. North-Western	170,605	1002	0·587	790	0·463
3. North-Eastern	359,310	2432	0·676	1544	0·429
4. East Midland	520,013	3509	0·674	1947	0·374
5. West Midland	242,453	1479	0·610	938	0·387
6. South-Western	957,287	8066	0·841	4254	0·444
7. South-Eastern	398,697	2865	0·713	1678	0·421
8. Southern	214,804	1296	0·603	732	0·340
SCOTLAND	2,992,293	21,369	0·714	12,374	0·413

Tables X. and XI., which generally agree with those of the previous year, seem to corroborate the conclusions then drawn, that the demand for labour and the possibility of procuring a livelihood were the great regulators of Marriage in the various Divisions and Counties of Scotland. They also seem to confirm the hint then thrown out, that the prudential check to Marriage to which the youth had been subjected in those Counties where the demand for labour was small, and the possibility of advancement not great, continued to operate throughout life; so that in these Counties, both before and after 25 years of age, fewer Marriages occurred in proportion to the population than in those mining and manufacturing Counties where such checks to Marriage scarcely existed. Thus, in the Northern Division of Scotland, which includes the counties of Shetland, Orkney, Caithness, and Sutherland, only 31·8 per cent. of the men who married, and 48·5 per cent. of the women who married, were under 25 years of age; while in the manufacturing and mining South-western Division, which includes the counties of Renfrew, Ayr, and Lanark, 47·2 per cent. of the men, and 64·8 per cent. of the women who married, were under 25 years of age. In drawing all these conclusions, however, care must be taken not to put too much reliance on one year's data, as, from the comparative fewness of the facts, the results may and will be occasionally exceptional, although perfectly trustworthy when a series of years is taken.

It might almost have been expected that, if the usual proportion of men did not enter the married state before their 25th year, a larger number in proportion to the population, would marry at a more advanced period of life, or above 25 years of age. This, however, does not seem to be the case, as is shown by Table X., which in this respect agrees generally with the corresponding Table given for 1856. By that Table it appears, that, speaking generally, the Divisions in Scotland in which the fewest Marriages occur in proportion to the population, are also the same which exhibit the fewest Marriages after 25 years of age; and that those Divisions in which the proportion of Marriages is greatest at all ages, are also, generally speaking, those in which the proportion of Marriages at an advanced period of life—viz., above 25 years—is also the highest. Thus, in the Northern Division the Marriages were in the proportion of 558 to every hundred thousand persons, while the Marriages of the men above 25 years of age were in the proportion of 380 in the same population. But in the South-Western Division the total Marriages were in the proportion of 841 Marriages to every hundred thousand persons, and the Marriages of men above 25 years of age were at the rate of 444 Marriages in the same population. The exceptions to this apparently general rule—as, for instance, in the North-Western Division—result from the small number of the Marriages, and will be found to disappear on a series of years being taken.

It gives most erroneous notions relative both to Deaths and Marriages, to state that the mean age of Death, or the mean age at which Marriage was contracted, was so and so. What is wished to be known in the one case is the age at which exactly the one half of a certain number who started in the race for life was cut off; and in the case of Marriages, the age above and below which exactly one half of either sex who married within the year contracted Marriage. Now, if we estimate by the usual formula the mean age at which Marriage was contracted by either sex, the estimated age will appear far too high, even though estimated by the last birth-day, instead of the actual age, for it would make the mean age of the men at Marriage 28·2 years, and that of the females 25·2 years; whereas a

full half of all the women who married during the year were under 24 years of age (little more than 23·5), and a half of the men who married during the year were under 26 years, the other half of either sex being above these ages.

Of the 21,369 Marriages, the condition of life was only ascertained in

---

TABLE XII.—MARRIAGES, 1857. Number of Marriages in which the condition of life was specified; and the condition of Persons contracting Marriage in Scotland, and in its several Divisions and Counties, during the year 1857; also the proportion of Men and of Women re-marrying during that year.

	Divisions and Counties.	Total Marriages, condition specified.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	RE-MARRIAGES. Number of Widowers.	Number of Widows.	Proportion of WIDOWERS in every 100 Men who married.	Proportion of WIDOWS in every 100 Women who married.
	SCOTLAND . . .	19,800	17,030	521	1648	601	2249	1122	11·35	5·66
I.	NORTHERN DIVISION	697	637	7	44	9	53	16	7·60	2·29
II.	NORTH-WESTERN .	892	793	14	78	7	85	21	9·52	2·35
III.	NORTH-EASTERN . .	2364	2115	48	159	42	201	90	8·50	3·80
IV.	EAST MIDLAND . .	3181	2721	76	282	102	384	178	12·07	5·59
V.	WEST MIDLAND . .	1370	1175	28	120	47	167	75	12·19	5·47
VI.	SOUTH-WESTERN . .	7592	6361	261	673	297	970	558	12·77	7·34
VII.	SOUTH-EASTERN . .	2493	2150	61	205	77	282	138	11·28	5·54
VIII.	SOUTHERN	1211	1078	26	87	20	107	46	8·83	3·79
1	Shetland	167	152	2	10	3	13	5	7·78	2·99
2	Orkney	172	156	4	9	3	12	7	6·97	4·07
3	Caithness	245	226	1	15	3	18	4	7·34	1·63
4	Sutherland	113	103	–	10	–	10	–	8·84	0·00
5	Ross and Cromarty .	462	411	4	42	5	47	9	10·17	1·94
6	Inverness	430	382	10	36	2	38	12	8·83	2·78
7	Nairn	41	38	1	2	–	2	1	4·87	2·43
8	Elgin	264	234	6	23	1	24	7	9·09	2·65
9	Banff	371	337	7	20	7	27	14	7·27	3·77
10	Aberdeen	1485	1322	30	101	32	133	62	8·95	4·17
11	Kincardine	203	184	4	13	2	15	6	7·38	2·95
12	Forfar	1314	1084	32	146	52	198	84	15·06	6·39
13	Perth	780	699	23	43	15	58	38	7·43	4·87
14	Fife	920	793	19	79	29	108	48	11·73	5·21
15	Kinross	48	41	–	5	2	7	2	14·58	4·16
16	Clackmannan . . .	119	104	2	9	4	13	6	10·92	5·04
17	Stirling	574	497	13	38	26	64	39	11·15	6·79
18	Dumbarton	335	288	9	28	10	38	19	11·34	5·67
19	Argyll	360	309	4	38	9	47	13	13·05	3·61
20	Bute	101	81	2	16	2	18	4	17·82	3·96
21	Renfrew	1289	1133	24	95	37	132	61	10·24	4·73
22	Ayr	1281	1092	32	118	39	157	71	12·25	5·54
23	Lanark	5022	4136	205	460	221	681	426	13·56	8·48
24	Linlithgow	189	177	2	6	4	10	6	5·28	3·17
25	Edinburgh	1721	1448	51	155	67	222	118	12·85	6·86
26	Haddington	258	227	2	23	6	29	8	11·24	3·10
27	Berwick	196	179	5	12	–	12	5	6·12	2·55
28	Peebles	69	63	–	6	–	6	–	8·69	0·00
29	Selkirk	60	56	1	3	–	3	1	5·00	1·66
30	Roxburgh	287	266	5	14	2	16	7	5·57	2·43
31	Dumfries	494	438	15	35	6	41	21	8·29	4·25
32	Kirkcudbright . . .	202	173	6	18	5	23	11	11·38	5·44
33	Wigtown	228	201	–	20	7	27	7	11·84	3·07

19,800 cases. Of these 19,800 Marriages, it appears from Table XII. that 17,030 were contracted between bachelors and spinsters; 1648 between widowers and spinsters; 601 between widowers and widows; and 521 between bachelors and widows. From this it appears that, in every 100 Marriages, 86 were between bachelors and spinsters; 8·3 between widowers and spinsters; 3 between widowers and widows; and 2·7 between bachelors and widows; being nearly the same proportions as in 1856.

Of the persons who re-married during the year, 2249 were widowers, and 1122, or nearly an exact half, widows. It thus appears that, of every 100 men who married, 88·65 were bachelors, and 11·35 widowers; while of every 100 women who married, 94·34 were spinsters, and only 5·66 widows. These are nearly the exact proportions in which bachelors and widowers, spinsters and widows, married during 1856; and they may therefore be assumed to be the proportions in which the Scottish people marry. Widowers and widows, however, appear to re-marry in a much larger proportion in England, as it appears from the Registers of 1857, that of every 100 men who married in England, 13·75 were widowers; while of every 100 women who married, 9·11 were widows,—proportions greatly above those of Scotland.

It will be seen from Table XII. that the proportion of widows who re-married is very much greater in the South-Western Division of Scotland than in any other. That Division includes the manufacturing and mining counties of Renfrew, Ayr, and Lanark; and in last Report, where the same fact was noticed, it was hinted that the probable explanation of the circumstance was, that in these, as in other manufacturing and mining populations, a widow with a family is sure of being re-married, if she wishes it, seeing that the children are looked on as valuable property, from the parents drawing the proceeds of their early labour.

Of the 21,369 men who married during the year, 18,781 were able to sign their names, and 2588 signed by mark. Of the 21,369 women who married during the year, 16,064 were able to sign their names, while 5305 signed by affixing their mark. From this, it appears that 87·9 in every 100 men, and 75·2 in every 100 women who married, were able to write their names; while 12·1 in every 100 men, and 24·8 in every 100 women, were unable to write their names, and signed by mark. This is a much larger proportion of men and women able to write than is indicated by the English Registers of Marriage for the same year. In England, during 1857, only 72·3 in every 100 men, and 61·2 in every 100 women who married, were able to sign their names in the Marriage Registers; while 27·7 in every 100 men, and 38·8 in every 100 women who married, were unable to write, and signed by mark. In France, again, the proportion of men and women able to write their names in the Marriage Register was much below that of England. Thus, in France in 1857, only 69 in every 100 men, and 53 in every 100 women who married, were able to sign their names; while 31 in every 100 men, and 47 in every 100 women, were unable to sign their names, and affixed their mark. These results, so far as they go, serve to show that the elementary education of the masses in Scotland is in a more satisfactory condition than in either England or France. They serve, however, at the same time, to show that a very large proportion of the population is in a very backward state as to education, leaving a very large margin for the exertions of philanthropists.

In the Report for 1855, and again in that for 1856, attention was directed to the singular fact, that the Divisions of Scotland, and of course

the Counties, in which the highest proportion of illegitimate Births occurred, were also those in which the populations seemed to be in the highest state of education, in so far as could be judged from the proportion of men and of women able to sign their names. The same fact was exhibited in the year 1857, as is apparent from Table XIII. Thus, in the North-Western

TABLE XIII.—MARRIAGES, 1857. Number of Men and Women who married in Scotland and in its several Divisions and Counties in 1857, together with the Number and Proportion who signed their names by Mark, and the Proportion who signed their names in full.

	COUNTIES.	MALES.				FEMALES.			
		Number of Males Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.	Number of Females Married.	Number who signed by Mark.	Per centage who signed by Mark.	Per centage who signed their names in full.
	SCOTLAND . . .	21,369	2588	12·1	87·9	21,369	5305	24·8	75·2
I.	NORTHERN DIVISION .	720	58	8·0	92·0	720	167	23·1	76·9
II.	NORTH-WESTERN . .	1002	401	40·0	60·0	1002	600	59·8	40·2
III.	NORTH-EASTERN . . .	2432	81	3·3	96·7	2432	284	11·6	88·4
IV.	EAST MIDLAND . . .	3509	319	8·8	91·2	3509	755	21·5	78·5
V.	WEST MIDLAND . . .	1479	249	16·8	83·2	1479	439	29·0	71·0
VI.	SOUTH-WESTERN . . .	8066	1254	15·5	84·5	8066	2624	32·4	67·6
VII.	SOUTH-EASTERN . . .	2865	169	5·9	94·1	2865	308	10·7	89·3
VIII.	SOUTHERN	1296	57	4·3	95·7	1296	128	9·8	90·2
1	Shetland	179	25	13·9	86·1	179	73	40·7	59·3
2	Orkney	175	3	17·1	82·9	175	13	7·4	92·6
3	Caithness	248	13	5·2	94·8	248	36	14·5	85·5
4	Sutherland	118	17	14·4	85·6	118	45	38·1	61·9
5	Ross and Cromarty . .	493	238	48·2	51·8	493	334	67·7	32·3
6	Inverness	509	163	32·0	68·0	509	266	52·2	47·8
7	Nairn	41	7	17·0	83·0	41	12	29·2	70·7
8	Elgin	278	13	4·6	95·4	278	36	12·9	87·1
9	Banff	386	21	5·4	94·6	386	46	11·9	88·1
10	Aberdeen	1519	38	2·5	97·5	1519	171	11·2	88·8
11	Kincardine	208	2	0·9	99·1	208	19	9·1	90·9
12	Forfar	1531	202	13·1	86·9	1531	474	30·9	69·1
13	Perth	823	40	4·8	95·2	823	99	12·0	87·0
14	Fife	970	62	6·3	93·7	970	149	15·3	84·7
15	Kinross	49	–	0·0	100·0	49	3	6·1	93·9
16	Clackmannan	136	15	11·0	89·0	136	30	22·0	77·0
17	Stirling	628	74	11·7	88·3	628	151	24·0	76·0
18	Dumbarton	352	94	26·7	73·3	352	140	39·7	60·3
19	Argyll	398	64	16·0	84·0	398	124	31·1	48·9
20	Bute	101	17	16·8	83·2	101	24	25·7	74·3
21	Renfrew	1323	235	17·7	82·3	1323	488	36·8	63·2
22	Ayr	1380	211	15·3	84·7	1380	373	27·3	72·7
23	Lanark	5363	808	15·0	85·0	5363	1763	32·8	67·2
24	Linlithgow	210	27	12·8	87·2	210	50	23·8	76·2
25	Edinburgh	2037	104	5·1	94·9	2037	190	9·3	90·7
26	Haddington	272	32	11·7	88·3	272	55	20·2	79·8
27	Berwick	210	4	1·9	98·1	210	11	5·2	94·8
28	Peebles	75	1	1·3	98·7	75	1	1·3	98·7
29	Selkirk	61	1	1·6	98·4	61	1	1·6	98·4
30	Roxburgh	294	16	5·4	94·6	294	34	11·5	88·5
31	Dumfries	536	16	2·9	97·1	536	35	6·5	94·5
32	Kirkcudbright	221	6	2·7	97·3	221	11	4·9	95·1
33	Wigtown	245	19	7·7	92·3	245	48	19·5	80·5

Division of Scotland, where it has been already shown the proportion of illegitimate Births was highest (viz., 14·5 per cent. of the Births), no fewer than 96·7 in every 100 men and 88·4 in every 100 women who married, were able to write their names. In like manner, in the Southern Division, which furnished the next highest proportion of illegitimate Births (viz., 12·5 per cent.), 97·7 in every 100 men, and 90·2 in every 100 women who married, were able to sign their names. The causes of this strange peculiarity have not yet been satisfactorily traced; for it might naturally have been expected that the higher the state of education, the lower would be the proportion of illegitimate Births.

DEATHS.

61,906 Deaths were registered in Scotland during the year 1857, which gives the proportion of 206 Deaths in every ten thousand persons living in Scotland during that year. The Deaths in England for the same year, were in the proportion of 218 Deaths in every ten thousand persons. The annual average proportion of Deaths in Scotland, therefore, appears to be considerably below that of England, inasmuch as for the three years, 1855, 1856, and 1857, the average annual Deaths in Scotland have been in the proportion of 204 Deaths in every ten thousand of the population, while in England, for the same period, the average has been 216 Deaths in a like population. In France, again, during these three years, the average annual proportion has been 244 Deaths in every ten thousand persons; and for the year 1857, at the rate of 238 Deaths in a like population. In so far, then, as the mere proportion of Deaths can indicate such a fact, Scotland seems to be a pre-eminently healthy country.

The division of the inhabitants of Scotland into Three Great Groups, according as they dwell in Insular, Mainland-Rural, or Town Districts, enabled us in former Reports to point out the very varying proportion of Deaths which occurs in these different localities, and how very greatly the

---

TABLE XIV.—Population of Scotland at different Ages in 1857, and the Number of Deaths at the same Ages during that year.

AGES.	POPULATION 1857.			DEATHS 1857.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Under 5 years	194,954	189,764	384,718	12,827	11,016	23,843
5—10	177,477	174,469	351,946	1,495	1,459	2,954
10—15	167,626	161,104	328,730	770	755	1,525
15—20	150,407	160,159	310,566	1,077	993	2,070
20—30	240,213	288,903	529,116	2,265	2,200	4,465
30—40	169,533	201,807	371,340	1,751	1,944	3,695
40—50	131,431	154,159	285,590	1,841	1,798	3,639
50—60	92,871	113,763	206,634	2,037	2,027	4,064
60—70	57,087	76,939	134,026	2,403	2,717	5,120
70—80	28,296	39,217	67,513	2,645	3,340	5,985
80—90	7,805	12,288	20,093	1,529	2,215	3,744
90—100	667	1,248	1,915	219	434	653
100 and above	33	73	106	10	26	36
Not stated	–	–	–	68	45	113
Total . . .	1,418,400	1,573,893	2,992,293	30,937	30,969	61,906

Deaths are increased among the Town populations. The same facts were observed in 1857. In the Insular Districts, 140 Deaths only took place for every ten thousand persons living in these Districts. In the Mainland-Rural Districts, 174 Deaths occurred for every ten thousand persons. But in the Town Districts, 268 persons were cut off during the year out of every ten thousand inhabitants. This fact shows, in the clearest light, that agencies are at work in the Towns highly prejudicial to health and to life, all of which merit the deepest study of the sanitary reformer.

In former Reports, the powerful influence of sex in modifying the general mortality was pointed out, and was equally observable in 1857. Thus, while in Scotland 211 males were cut off out of every ten thousand males in the population, only 196 females died in a like female population. The Three Great Groups into which Scotland is divided exhibited the same lesser waste of female life. Thus, in every ten thousand persons of each sex living in each of the different Groups, it was found that in the Insular Districts, 152 males, but only 131 females, died during the year; in the Mainland-Rural Districts the proportions were, 180 male Deaths, but only 168 female Deaths; while in the Town Districts, 289 male Deaths, but only 250 female Deaths, occurred in every ten thousand persons of either sex. (See Table II.)

This greater value, or lesser waste, of female life appears from Table XV. to extend to the female at every period of life from birth to old age; and the results of 1857, in this respect, agree with those of 1855 and 1856. Thus, in every ten thousand children of each sex, under 5 years of age, 657 boys died for every 580 girls. In a like population, between 5 and 10 years of age, 84 boys died for every 82 girls. An apparently exceptional instance occurred to this general law between the ages of 10 and 15; for it appeared that 45 boys, but 46 girls, died in every ten thousand of the respective sexes. But that this result was purely exceptional appears from the results of former years, when the male Deaths exceeded the female. From 15 to 20 years of age, 71 young men died for every 62 young women. From 20 to 30 years of age, 94 men died for every 76 women; while from 30 to 40 years of age the proportions were 103 male Deaths for 96 female Deaths. Between the

---

Table XV.—DEATHS, 1857. Per Centage of Deaths to the Population at different Ages, also per centage of Deaths at different ages to the total Deaths in Scotland in 1857, allowing for the proportion of Deaths whose ages were not stated.

AGES.	Per Centage of Deaths to Population at different Ages.			Per Centage of Deaths at different Ages to total Deaths.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Under 5 years	6·57	5·80	6·19	41·462	35·571	38·517
5—10	0·84	0·82	0·83	4·832	4·711	4·772
10—15	0·45	0·46	0·46	2·488	2·438	2·463
15—20	0·71	0·62	0·66	3·482	3·207	3·344
20—30	0·94	0·76	0·84	7·322	7·104	7·213
30—40	1·03	0·96	0·99	5·660	6·278	5·969
40—50	1·40	1·16	1·27	5·950	5·805	5·877
50—60	2·19	1·78	1·96	6·588	6·544	6·565
60—70	4·20	3·59	3·82	7·767	8·773	8·270
70—80	9·34	8·52	8·86	8·550	10·785	9·668
80—90	19·46	18·01	18·63	4·942	7·153	6·048
90—100	32·86	34·77	34·09	0·708	1·401	1·054
100 and above	30·30	35·61	33·96	0·032	0·084	0·058
Not stated	–	–	–	0·220	0·145	0·182
Total . . .	2·110	1·967	2·068	100·000	100·000	100·000

ages of 40 and 50 years, 140 men died for every 116 women; and between 50 and 60 years, 219 male Deaths occurred for every 178 female Deaths in every ten thousand of the respective sexes. From 60 to 70 years of age, 420 men died for every 359 women; and from 70 to 80 years of age, 934 male happened for every 852 female Deaths. Thus it is seen that, at every period of life, males in Scotland are cut off in a higher proportion than females; and that even the superadded risks of Childbirth do not raise the female mortality, at the child-bearing ages, to the level of the male Deaths.

As, from the deficiences of the Census of 1851 relative to the ages, it is impossible to compare the proportion of Deaths at different ages to the persons living at these ages in the Insular, Mainland, and Town Districts, some interesting conclusions may still be drawn by comparing the proportion of Deaths at the different ages to the total Deaths in each of these Three Great Groups.

On casting our eye over Table XVI., the first thing which strikes us is, that from Birth to the 60th year of life, the per centage of Deaths in both sexes is lowest in the Insular, next lowest in the Mainland, and highest in the Town Districts. But above 60 years of age the whole of this is reversed; for the Town Districts yield the smallest per centage of Deaths above 60 years, the Mainland the next smallest, while the Insular Districts yield the highest proportion. This is exactly what must have been anticipated from knowing the varying proportion in which the inhabitants of these respective Districts were cut off. It was found that the Insular Districts yielded the smallest proportion of Deaths, but the Towns the largest. As the Deaths were therefore most numerous in the Towns, it was only to be expected that many fewer would survive to die in old age, than in the Mainland or Insular Districts; and this Table shows that such actually happened. Thus, of every 100 males who died in each of these Groups during the year, 33·6 were above 60 years of age in the Insular Districts; 28·1 were above 60 in the Mainland Districts; while only 14·7 were above 60 years of age in the Town Districts. Or take the females: of every 100 females who died in each of the respective groups, 45·5 were above 60 years of age in the In-

---

TABLE XVI.—DEATHS, 1857. Proportion per cent. of Deaths of each sex at different ages to the total Deaths of each sex in the Insular, Mainland, and Town Districts of Scotland, during the year 1857.

AGES.	MALES.			FEMALES.		
	Insular.	Mainland.	Town.	Insular.	Mainland.	Town.
Under 5 years	30·149	35·169	48·895	22·232	29·977	42·454
5—10	3·594	4·804	4·959	2·661	4·745	4·839
10—15	1·402	2·836	2·213	1·632	2·751	2·179
15—20	4·206	3·876	3·014	2·662	3·336	3·114
20—30	9·554	7·628	6·829	5·753	6·799	7·530
30—40	4·207	5·285	6·164	6·353	5·726	6·845
40—50	5·697	5·337	6·610	5·752	5·449	6·181
50—60	6·924	6·601	6·543	6·695	6·687	6·386
60—70	9·028	8·905	6·486	12·019	9·259	8·008
70—80	13·145	11·136	5·499	15·022	13·676	7·441
80—90	9·115	7·035	2·432	13·811	9·358	4·326
90—100	2·278	0·974	0·308	4·121	1·922	0·643
100 and above	0·087	0·052	0·007	0·601	0·105	0·020
Not stated	0·613	0·362	0·041	0·686	0·210	0·034
Total . . .	100·000	100·000	100·000	100·000	100·000	100·000

sular Districts; 34·3 above 60 in the Mainland-Rural Districts; while only 20·4 were above 60 years of age in the Town Districts. This Table merits a careful study, as it shows the superior longevity, and immunity from early death, which result from a residence away from the great centres of population.

From Tables XV. and XVI. it is seen that by far the heaviest mortality occurs among children under 5 years of age; and it is greatly to be regretted that the Census of 1851 did not give the particulars of the ages under 5, as it would have enabled us to point out some interesting facts. By comparing, however, the Deaths at each year under 5 years of age, with the total Deaths under 5 years, we arrive approximatively at the fact that a full half of the Deaths under 5 years of age occur during the first year of life, and that they progressively and rapidly diminish as life advances. By Table XVII. it appears, that over all Scotland in 1857, of every 100 children who died under 5 years of age, no fewer than 51·14, or more than the half, were under 1 year of age; 24·65, or very nearly a fourth, were above 1 and under 2 years of age; 11·57 were between 2 and 3 years of age; 7·34 were between 3 and 4 years; and only 5·30 were between 4 and 5 years of age.

When these facts are produced for the Insular, the Mainland, and the Town Districts, they disclose a state of matters for which we were not at all prepared, and which makes us regret still more deeply the impossibility of comparing the Deaths with the living at the respective ages. By Table XVI., for instance, it was seen that the proportion of Deaths under 5 years of age to the total Deaths, was much less in the Insular and in the Mainland Districts than it was in the Town Districts; but when we analyze these Deaths under 5 years, in the several Districts, to our surprise we find that the proportion of those dying during the first year of life in the healthy Mainland Districts is much higher than the proportion in the unhealthy Towns; while in the Insular Districts, where we should have expected the smallest mortality during the first year of life, we find a mortality infinitely greater. Were this Table to stand alone, it might be plausibly concluded that ignorance of the mother, want of proper food, and unnecessary exposure in the Mainland-Rural, but especially in the Insular Districts, proved more

---

TABLE XVII.—DEATHS under 5 years, 1857. Number of Deaths at each year of life under 5 years, in Scotland and its Three Divisions, the Insular, Mainland, and Town Districts, distinguishing the Sexes for all Scotland. Also Proportion per cent. of the Deaths at each year of age, to the Total Deaths under 5 years of age in each Division, and in all Scotland.

AGES.	Number of Deaths at each Age under 5 years.						Per Centage of Deaths at each Age to the Total Deaths under 5 years of age.					
	SCOTLAND.			Insular Districts.	Mainland Districts.	Town Districts.	SCOTLAND.			Insular Districts.	Mainland Districts.	Town Districts.
	Males.	Females.	Both Sexes.				Males.	Females.	Both Sexes.			
Under 1 year	6,803	5,388	12,191	388	5,244	6,559	53·04	48·91	51·14	64·35	52·98	49·14
" 2	3,092	2,785	5,877	104	2,287	3,486	24·11	25·28	24·65	17·25	23·10	26·13
" 3	1,364	1,394	2,758	63	1,080	1,615	10·61	12·66	11·57	10·44	10·91	12·10
" 4	925	827	1,752	28	752	972	7·22	7·51	7·34	4·64	7·60	7·30
" 5	643	622	1,265	20	536	709	5·02	5·64	5·30	3·32	5·41	5·33
Total under 5 years	12,827	11,016	23,843	603	9,899	13,341	100·00	100·00	100·00	100·00	100·00	100·00

fatal to the tender infant under 1 year, than did the overcrowding, the neglect, the close unventilated dwelling of the Towns, and the too frequent drugging the babe with some opiate preparation; that, in fact, were it not for the Epidemics which decimate the children of the Town populations, the greater general knowledge of the mother, the warmer and more sheltered home, gave a babe of the lower classes a better chance of struggling through the first year of life, than if it had been born in the Country, under the care of a rough-handed ignorant woman, living in a cottage which afforded a very insufficient shelter from cold.

Till we know the actual numbers living in each of these Districts, at each year of life from 1 to 5, or, at all events, the number of the living under

---

TABLE XVIII.—GLASGOW. Population and Deaths in 1857 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1857.		DEATHS 1857.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	24,801	24,475	3,262	2,843	13·15	11·61
5—10	19,544	19,379	282	265	1·44	1·36
10—15	17,769	17,522	115	119	0·64	0·67
15—20	18,695	21,044	170	167	0·99	0·79
20—30	34,682	42,824	362	448	1·04	1·04
30—40	23,958	28,191	335	382	1·39	1·35
40—50	17,101	19,584	339	316	1·98	1·61
50—60	9,850	12,352	310	320	3·11	2·59
60—70	4,927	7,233	304	358	6·17	4·94
70—80	1,466	2,524	205	248	14·73	9·82
80—90	279	516	64	141	22·94	27·22
90—100	17	55	8	10	47·05	18·18
100 and above	–	3	–	–	–	–
Not stated	–	–	2	–	–	–
ALL AGES	173,089	195,702	5,758	5,617	3·320	2·870
BOTH SEXES	368,791		11,375		3·084	

TABLE XIX.—EDINBURGH AND LEITH. Population and Deaths in 1857 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1857.		DEATHS 1857.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	11,616	11,461	849	750	7·31	6·54
5—10	10,179	9,967	86	88	0·84	0·88
10—15	9,929	9,588	43	36	0·43	0·37
15—20	9,711	11,345	71	55	0·73	0·48
20—30	18,219	23,724	210	181	1·14	0·76
30—40	12,201	16,245	181	193	1·48	1·18
40—50	8,836	11,766	202	175	2·38	1·49
50—60	5,849	8,266	198	186	3·38	2·25
60—70	3,235	5,025	174	241	5·37	4·79
70—80	1,295	2,102	167	243	12·89	11·56
80—90	226	520	66	120	29·20	23·07
90—100	13	46	6	15	46·15	32·60
100 and above	1	1	–	–	–	–
Not stated	–	–	1	–	–	–
ALL AGES	91,310	110,056	2,254	2,283	2·467	2·074
BOTH SEXES	201,366		4,537		2·253	

one year, all such conclusions may be erroneous. Still it is well to direct attention to them in the meantime, lest they should be altogether overlooked. In so far, however, as such an imperfect survey of the facts permits of a conclusion being drawn, some part of the surmise may prove to be correct, from the fact that the Table shows that in the Insular Districts the very high proportion of 64·35 per cent. of the Deaths under 5, were under 1 year of age, while the proportion in the Town Districts was only 49·14 per cent.; in other words, that the chief mortality among the infants in the Insular Districts occurred at a period when they are not liable to Epidemics, and when, if they die, they more usually fall victims to colds (*i.e.*, Bronchitis and Pneumonia) produced by exposure, or to inattention in nursing and at

TABLE XX.—DUNDEE. Population and Deaths in 1857 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1857.		DEATHS 1857.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	5,277	5,194	560	484	11·18	9·31
5—10	4,676	4,649	52	51	1·11	1·11
10—15	4,680	4,893	30	25	0·64	0·51
15—20	4,189	5,451	34	40	0·81	0·73
20—30	7,130	10,803	60	83	0·98	0·76
30—40	4,740	6,445	45	75	0·95	1·16
40—50	3,956	5,059	65	83	1·64	1·64
50—60	2,390	3,122	79	91	3·30	2·91
60—70	1,173	1,751	69	74	5·88	4·22
70—80	397	736	60	101	15·11	13·72
80—90	79	181	30	42	37·97	23·20
90—100	6	11	1	8	16·66	72·72
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	38,693	48,296	1,085	1,157	2·804	2·395
BOTH SEXES	86,989		2,242		2·577	

TABLE XXI.—ABERDEEN. Population and Deaths in 1857 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1857.		DEATHS 1857.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	4,656	4,657	319	248	6·85	5·32
5—10	4,082	3,948	44	56	1·07	1·47
10—15	3,776	3,788	22	14	0·58	0·37
15—20	3,449	3,966	24	40	0·69	1·03
20—30	5,046	7,733	62	64	1·22	0·82
30—40	3,850	5,591	55	54	1·42	0·96
40—50	3,200	4,367	61	65	1·90	1·48
50—60	2,042	3,186	63	67	3·08	2·10
60—70	1,273	2,249	58	85	4·55	3·77
70—80	642	1,092	71	105	11·05	9·61
80—90	153	327	38	77	24·83	23·54
90—100	10	30	6	17	60·00	56·66
100 and above	1	2	–	2	–	100·00
Not stated	–	–	–	1	–	–
ALL AGES	32,180	40,936	823	895	2·557	2·186
BOTH SEXES	73,116		1,718		2·349	

weaning. This Table still further bears out this surmise, in that it shows that both in the Mainland and in the Town Districts, where Epidemics among children are common, a large proportion (above a fourth of the mortality under 5 years in the Towns, and a little under a fourth in the Mainland) of the children died between their first and second year of life; and that the proportion of Deaths at all ages up to 5 years was greater in these Districts than in the Insular Districts. In fact, this Table, by itself, would allow the conclusion to be drawn, that the Deaths among nursing babes were fewer in the Towns than in either the Mainland-Rural or the Insular Districts; but that, from the greater prevalence of Epidemics in Towns, children at all ages above the nursing period were cut off in much larger proportions in the Town than in either the Mainland or the Insular Districts.

TABLE XXII.—PAISLEY. Population and Deaths in 1857 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1857.		DEATHS 1857.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	3,120	3,035	362	299	11·60	[illegible]
5—10	2,880	2,734	48	32	1·66	1·17
10—15	2,617	2,568	12	26	0·46	1·01
15—20	2,286	2,833	22	27	0·96	[illegible]
20—30	3,730	4,944	52	57	1·39	1·15
30—40	2,750	3,251	31	43	1·12	[illegible]
40—50	2,113	2,694	35	36	[illegible]	[illegible]
50—60	1,400	1,743	42	35	[illegible]	[illegible]
60—70	826	1,091	40	62	4·84	5·67
70—80	347	518	51	51	[illegible]	[illegible]
80—90	85	102	35	39	41·17	[illegible]
90—100	10	6	3	3	[illegible]	[illegible]
100 and above	–	–	–	–	–	–
Not stated	–	–	–	–	–	–
ALL AGES	22,164	25,519	733	710	[illegible]	[illegible]
BOTH SEXES	47,683		1,443		[illegible]	

TABLE XXIII.—GREENOCK. Population and Deaths in 1857 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1857.		DEATHS 1857.		Per Cent. Deaths to Population.	
	Males.	Female.	Males.	Females.	Males	Females.
Under 5 Years	3,088	2,943	323	286	10·45	9·71
5—10	2,473	2,363	13	25	0·52	1·05
10—15	1,991	1,899	13	14	0·65	0·73
15—20	1,928	1,933	18	16	0·93	0·82
20—30	3,684	4,043	42	55	1·14	1·36
30—40	2,786	3,110	43	42	1·54	1·35
40—50	2,015	2,207	61	30	3·02	1·36
50—60	1,182	1,383	60	34	5·07	1·54
60—70	626	917	42	50	6·70	5·45
70—80	217	323	24	36	11·06	11·14
80—90	35	88	10	22	28·57	25·00
90—100	4	8	1	5	25·00	62·50
100 and above	–	1	–	–	–	–
Not stated	–	–	1	2	–	–
ALL AGES	20,029	21,218	651	617	3·250	2·907
BOTH SEXES	41,247		1,268		3·074	

Had we the means of comparing the Deaths at each year of life below 5 years, with the population at the same ages, it would probably appear that, for the first year of life, nearly an equal proportion died in each of the Three Great Groups, and that the different rates of mortality under 5 years was caused by the greater proportion cut off by the various Epidemics, which prevail to the greatest extent, and are most fatal in the Town Districts, are less fatal and less prevalent in the Mainland-Rural Districts, and are least fatal in the Insular Districts.

Tables XVIII. to XXIV. give, as in former Reports, the particulars relative to the population and the Deaths at the different ages in the Eight Principal Towns of Scotland, and do not seem to require any special comment.

Causes of Death.

Of the 61,906 Deaths registered in Scotland during the year 1857, the cause of Death was assigned in 58,011 cases. It thus appears that in every 100 Deaths the cause of Death was not mentioned in 6·3 cases,—being almost the same proportion in which no cause of Death was assigned during the previous year. Of the 3895 cases, however, which appear in the Tables under the heading of Cause of Death not specified, 2104 were under 1 year of age, and in the great majority of these it was mentioned that the child died from Bowel Hives; but as this vernacular name includes many diseases which belong to different classes, all cases entered as such in the Registers were obliged to be tabulated under the heading of "not specified."

Class I. *Zymotic Diseases.*

The Zymotic or Epidemic and Contagious Class of Diseases cut off 14,046 persons in Scotland in 1857, and thus constituted 24·21 per cent. of the Deaths, or nearly a fourth of the total mortality. Allowing for the proportion of Deaths of which the causes were not ascertained, the above figures would indicate that, in 1857, the Zymotic Class of Diseases cut off in the

Table XXIV.—PERTH. Population and Deaths in 1857 at different Ages, and Proportion of Deaths to Population at each Age.

AGES.	POPULATION 1857.		DEATHS 1857.		Per Cent. Deaths to Population.	
	Males.	Females.	Males.	Females.	Males.	Females.
Under 5 Years	1,461	1,461	164	123	11·22	8·42
5—10	1,282	1,350	29	46	2·26	3·40
10—15	1,289	1,271	2	8	0·15	0·62
15—20	1,185	1,262	13	14	1·09	1·11
20—30	2,007	2,320	22	19	1·09	0·81
30—40	1,399	1,757	19	23	1·35	1·31
40—50	1,127	1,474	19	27	1·68	1·83
50—60	868	1,130	27	27	3·13	2·38
60—70	502	767	33	26	6·57	3·38
70—80	260	381	37	40	14·23	10·49
80—90	55	91	13	26	23·63	28·13
90—100	2	8	2	8	100·00	100·00
100 and above	–	1	–	–	–	–
Not stated	–	–	–	–	–	–
All Ages	11,437	13,273	380	387	3·322	2·908
Both Sexes	24,710		767		3·104	

proportion 501 persons in every hundred thousand persons living,—being the exact mean of the two previous years. In England, that Class of Diseases appears generally to be less fatal than in Scotland, seeing that in 1857 only 474 Deaths therefrom occurred in every hundred thousand persons in the population, the mean of the three years 1855 to 1857 inclusive, being only 448 Deaths from the Zymotic Class of Diseases in every hundred thousand of the population.

This fact merits some notice, inasmuch as it might have been expected that, as the total Deaths in all Scotland are lower in proportion to the population than the total Deaths in England, so the Zymotic Diseases, which cut off nearly a fourth of all who die, would have borne some relation to the total Deaths. As the comparison of a three years' average of the mortality of the Zymotic Class of Diseases, shows that the Deaths therefrom are proportionally very much more numerous in Scotland than in England, it seems to prove that the causes which favour their propagation and fatality are more rife in Scotland than in England.

The Sanitary Inquiries which have been carried on with such vigour over the Country, have, of late years, done much to enlighten us as to the agents which tend to propagate and render fatal the Epidemic Class of Diseases, when these once appear among a community. These inquiries have proved, by the most incontestable evidence, that want of ventilation, close rooms, foul air, exhalations from an undrained locality, from stagnant or choked drains, from foul cesspools, and from manure heaps, that the overcrowding of human beings in confined rooms, the overcrowding of houses so that they cannot be sufficiently ventilated nor exposed to the sun, an insufficient supply of food, etc., are agents which contribute most powerfully to invite attacks of Epidemics, and render them fatal when once they break out.

Any one who is familiar with the houses of the lower classes in the large Towns, and with the cottage dwellings of the inhabitants of the small Villages, and of the Rural population in the two Countries, will probably have no difficulty in convincing himself that no other result than that above indicated could have been anticipated. The more cleanly habits of the people of England, their less crowded dwellings, their better ventilated rooms, the absence of the filthy miasmatous pool before their doors, perhaps also their more abundant diet, would, to the sanitary inquirer, sufficiently account for the much lesser prevalence and fatality of Epidemic Diseases among the inhabitants of England, and would serve also to indicate in what direction our efforts should be made, in order to increase the health and lengthen the life of the inhabitants of Scotland.

The division of the inhabitants of Scotland into Three Great Groups, according as they live in Insular, Mainland-Rural, or Town Districts, enables us at once to see in which of these Districts sanitary improvements are most needed to arrest the fatality of the Epidemic Class of Diseases. In the Insular Districts only 215 Deaths from the Zymotic Class of Diseases occurred in every hundred thousand persons; in the Mainland Rural Districts (including the Villages and Smaller Towns), 393 Deaths from the same class of diseases occurred in a like population; but in the Town Districts no fewer than 711 Deaths from the Zymotic Class of Diseases occurred in every hundred thousand inhabitants. From these facts, it is apparent that it is our large Towns which are more especially in need of Sanitary Reform; but it must never be supposed that even the most perfect reformation in the habits of the people and in the condition of their dwellings could

ever bring the mortality from the Epidemic Class of Diseases in Towns so low as that in the Rural Districts, seeing that the necessary crowding together of houses and of human beings in Towns, and the almost impossibility

TABLE XXV.—DEATHS, 1857. Proportion of Deaths from different Diseases in every hundred thousand persons of the general Population, and of either Sex, in Scotland and its Three Great Divisions, the Insular, the Mainland, and the Town Districts, during 1857; allowance being made for the causes of Death not specified.

1857.	Scotland.			Insular Districts.			Mainland Districts.			Town Districts.		
DISEASES.	Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.			Proportion of Deaths in every 100,000 living.		
	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.
All Causes . . .	2068	2110	1967	1409	1529	1318	1744	1809	1683	2685	2896	2503
1. Zymotic Class . . .	501	516	486	215	244	191	393	396	379	711	752	674
2. Uncertain Seat . .	86	69	109	78	64	89	80	68	94	95	73	113
3. Tubercular Class .	368	391	347	225	242	209	286	300	275	517	562	479
4. Nervous System . .	170	192	151	94	96	91	144	157	133	223	262	189
5. Organs of Circulation	75	83	68	37	33	39	65	70	60	96	117	83
6. Respiratory Organs	223	247	201	123	128	118	171	193	150	319	353	289
7. Organs of Digestion	178	196	162	87	113	66	154	166	143	230	259	205
8. Urinary Organs . .	22	34	11	18	33	5	20	32	9	25	37	14
9. Generative Organs .	16	–	31	20	–	36	13	–	25	21	–	40
10. Locomotive Organs .	8	10	7	14	12	15	8	8	7	8	11	6
11. Skin, etc.	2	2	2	3	2	3	1	1	2	1	2	1
12. Malformation . . .	5	6	4	4	4	4	5	6	4	5	7	4
13. Premature Debility .	99	120	80	47	67	30	70	85	56	151	184	124
14. Atrophy	17	16	18	5	4	5	13	11	15	26	27	26
15. Age	214	173	253	344	317	364	236	196	275	165	123	201
16. Sudden Deaths . .	4	5	4	6	2	9	4	4	3	5	5	5
17. Violent Deaths . .	73	114	37	82	148	27	70	107	36	77	121	45
Small-pox	30	33	27	16	25	9	11	13	9	61	66	56
Measles	36	38	35	5	5	4	20	21	19	66	76	62
Scarlatina	79	85	74	8	9	7	68	73	63	108	116	100
Diphtheria	2	2	3	1	2	–	3	3	3	2	1	2
Hooping-cough . .	54	52	57	30	34	26	30	28	33	95	89	97
Croup	38	42	34	19	21	17	36	38	33	44	48	39
DIARRHŒA . .	73	80	67	35	38	31	49	53	46	116	130	102
Dysentery	33	30	35	17	13	19	29	26	32	41	38	43
Cholera	6	8	4	1	2	–	5	6	4	7	10	4
Influenza	10	8	11	21	22	31	10	10	13	6	3	8
Infantile Fever . .	2	3	1	1	1	1	2	3	1	3	4	1
TYPHUS	110	112	108	41	46	37	109	102	105	133	138	123
Metria	5	–	9	2	–	4	4	–	9	5	–	11
Erysipelas	7	8	5	4	4	4	6	7	4	9	11	7
Dropsy	38	33	43	40	41	39	35	29	40	44	38	49
Cancer	34	23	43	28	16	39	34	26	41	33	18	48
Scrofula	15	18	12	11	9	12	15	19	11	16	19	13
Tabes Mesenterica .	25	29	21	8	12	4	18	20	15	38	44	33
PHTHISIS . . .	256	259	253	182	201	177	201	203	200	352	360	344
Hydrocephalus . .	71	84	59	15	18	11	51	56	46	110	137	87
Apoplexy	37	39	35	14	8	19	32	35	29	48	51	44
Paralysis	51	53	49	44	41	46	50	50	50	55	61	50
Epilepsy	7	8	6	4	8	2	6	7	5	9	10	9
Convulsions . . .	25	29	26	9	12	5	15	18	13	42	51	33
BRONCHITIS . .	102	104	99	41	34	47	76	78	75	150	157	143
Pneumonia . . .	67	83	53	31	46	18	69	61	38	100	123	81
Teething	47	53	42	9	10	9	27	29	27	83	98	71
Enteritis	34	39	29	16	24	7	29	33	27	43	52	36
All Liver Diseases .	29	30	27	20	24	15	27	28	27	33	35	30
CHILDBIRTH . .	10	–	20	16	–	29	8	–	15	14	–	26
Burns and Scalds .	10	9	11	12	13	11	10	8	12	10	11	9
Drowning	19	34	5	49	109	1	19	33	5	15	28	5
Fracture & Contusion	25	42	9	11	13	9	24	41	7	28	48	11

of isolating the sick, must ever render Epidemic Diseases more frequent and fatal in Towns than in the Country. Still there seems nothing to prevent the mortality from that class of diseases being very greatly reduced; and the very fact that, though the general mortality from all diseases is higher in England

TABLE XXVI.—DEATHS, 1857. Proportion of Deaths from different Diseases in every ten thousand Deaths from Specified Causes, in Scotland and in its Three Great Divisions, the Insular, the Mainland, and the Town Districts, in 1857; distinguishing the proportional mortality in both Sexes, and in the Males and Females.

1857.	Scotland.			Insular Districts.			Mainland Districts.			Town Districts.		
DISEASES.	Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.			Proportion in every 10,000 Specified Causes.		
	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.	Both Sexes.	Males.	Female.
1. Zymotic Class . . .	2421	2370	2472	1525	1601	1452	2255	2193	2316	2644	2597	2699
2. Uncertain Seat . .	416	319	513	556	424	681	469	378	559	355	254	455
3. Tubercular Class . .	1780	1794	1765	1540	1590	1593	164	1659	1629	175	1942	1913
4. Nervous System . .	825	880	770	669	636	701	830	870	783	831	907	755
. Organs of Circulation	364	383	346	267	233	300	374	394	361	355	382	334
6. Respiratory Organs .	1078	1134	1022	875	848	901	980	1067	894	1189	1220	1158
7. Organs of Digestion	863	901	824	623	741	511	849	910	844	858	896	819
8. Urinary Organs . .	107	157	57	134	222	50	118	180	60	94	135	58
9. Generative Organs .	81	–	161	149	–	280	77	–	165	81	1	160
10. Locomotive Organs .	42	46	38	103	84	120	47	49	49	33	40	26
11. Skin, etc.	9	9	9	25	29	30	10	8	12	6	8	4
12. Malformation . . .	26	29	23	36	31	40	30	34	27	22	24	19
13. Premature Debility .	484	550	411	340	445	240	405	472	338	565	635	495
14. Atrophy	86	76	96	41	31	50	77	63	91	95	93	104
15. Age	1035	797	1272	2436	2089	2765	1361	1085	1635	614	424	803
16. Sudden Deaths . .	23	23	23	46	29	70	25	27	22	21	20	21
17. Violent Deaths . .	356	519	191	582	975	210	404	596	214	292	418	167
Small-pox	145	152	139	117	169	70	65	73	56	229	229	226
Measles	177	176	174	41	42	40	117	116	117	246	244	248
Scarlatina	385	392	371	61	63	60	390	405	379	402	401	403
Diphtheria	13	12	14	10	29	–	18	17	12	8	6	9
Hooping-cough . .	265	239	290	216	233	200	177	157	197	366	321	390
Croup	184	192	177	139	148	130	207	213	201	165	175	156
DIARRHŒA . . .	357	370	343	252	254	250	286	296	275	434	444	417
Dysentery	160	137	182	123	95	150	169	145	193	153	132	166
Cholera	29	37	21	10	29	–	32	38	27	27	37	17
Influenza	49	38	60	154	158	150	67	56	79	23	12	34
Infantile Fever . .	14	17	8	10	10	10	14	18	9	12	17	7
TYPHUS	532	513	550	298	307	290	595	564	625	485	476	494
Metria	24	–	49	20	–	40	278	–	55	22	–	44
Erysipelas	35	40	30	36	31	40	35	41	29	34	39	29
Dropsy	187	152	222	288	275	300	202	163	234	165	132	199
Cancer	165	106	223	206	106	300	191	148	248	129	64	194
Scrofula	74	85	62	82	63	100	87	105	69	60	67	54
Tabes Mesenterica .	121	133	110	61	84	40	104	115	93	142	153	132
PHTHISIS	1238	1187	1287	1339	1314	1362	1157	1123	1194	1312	1245	1378
Hydrocephalus . .	345	386	304	108	127	90	295	315	275	412	475	349
Apoplexy	178	186	180	102	53	150	187	196	178	181	178	184
Paralysis	249	245	249	314	275	350	287	277	297	206	212	201
Epilepsy	35	40	35	36	53	20	38	43	34	36	36	36
Convulsions	121	137	105	67	84	50	89	99	78	156	177	135
BRONCHITIS . .	494	480	507	293	233	350	439	431	439	562	545	580
Pneumonia	325	380	271	221	307	140	279	338	228	375	426	327
Teething	231	244	218	72	74	70	160	160	160	312	339	286
Enteritis	165	181	146	113	169	60	171	182	160	163	180	146
All Liver Diseases .	141	141	141	143	169	120	158	157	160	123	122	123
CHILDBIRTH . .	52	–	104	118	–	230	47	–	93	53	–	105
Burns and Scalds .	49	43	55	92	95	90	58	45	72	37	38	36
Drowning	93	159	27	355	721	10	109	185	34	58	97	20
Fracture & Contusion	121	196	47	82	95	70	138	231	45	107	167	47

than in Scotland, its mortality from the Epidemic Class of Diseases is lower, affords the strongest encouragement to improve the sanitary condition of the lower classes. With a lower general mortality, Scotland ought also to have a lower Epidemic mortality, than England; but the fact that its Epidemic mortality is higher, seems to prove that it is to the improving of the sanitary condition of the lower classes, and of their dwellings, that our first efforts should be directed.

Speaking in a general way, it is found that the mortality from the Epidemic Class of Diseases corresponds with the general mortality from all diseases; that is to say, that if the general mortality of the Town be low, so also will, in most instances, be the Epidemic mortality. All limited populations, however, are liable to form exceptions to this rule, when looked at for one year alone; but all such exceptions disappear when the results of a ten years' series are taken. During the year 1857, the ordinary rule generally applies, with the above explanation, to the Eight Principal Towns of Scotland, as will be seen by Table XXVIII. But if the examination be extended over the two previous years also, a truer idea will be formed of both the absolute healthiness of each town, and also of its comparative healthiness with regard to the other towns. Table XXIX., then, shows the Towns arranged according to the order of least mortality on the three years' average, 1855, 1856, and 1857; and though a more lengthened average may show a somewhat different position regarding the smaller Towns, Leith and Perth, still the proportional mortality, or the proportional healthiness, may be considered as approximatively shown by that Table. It is also important to remark, that there is a general accordance in that

TABLE XXVII.—DEATHS, 1857. Per Centage of Deaths from different Diseases to the Population of each of the Eight Principal Towns of Scotland in 1857.

DISEASES.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
Total Deaths	3·084	2·268	2·577	2·349	3·026	3·074	2·179	3·104
Zymotic Class	0·936	0·385	0·566	0·482	0·958	0·928	0·568	1·023
Tubercular Class	0·563	0·463	0·533	0·526	0·505	0·596	0·351	0·449
Brain, etc., Diseases	0·209	0·248	0·237	0·255	0·211	0·218	0·238	0·339
Organs of Circulation	0·090	0·144	0·089	0·093	0·035	0·092	0·087	0·121
Respiratory Organs	0·424	0·294	0·252	0·284	0·234	0·288	0·214	0·250
Digestive Organs	0·284	0·167	0·205	0·001	0·333	0·266	0·165	0·271
Urinary Organs	0·017	0·043	0·016	0·039	0·014	0·014	0·026	0·052
Small-pox	0·111	0·040	0·008	0·006	0·071	0·046	0·179	0·000
Measles	0·100	0·014	0·003	0·099	0·130	0·143	0·023	0·008
Scarlatina and Diphtheria	0·117	0·042	0·110	0·004	0·100	0·043	0·098	0·623
Hooping-cough	0·138	0·082	0·088	0·019	0·155	0·065	0·060	0·024
Croup	0·035	0·026	0·083	0·021	0·049	0·104	0·040	0·089
Diarrhœa, Dysentery, Cholera	0·226	0·079	0·110	0·109	0·186	0·191	0·040	0·137
Typhus	0·153	0·067	0·119	0·125	0·243	0·266	0·089	0·080
Cancer	0·026	0·047	0·035	0·057	0·021	0·024	0·055	0·036
Phthisis	0·390	0·304	0·355	0·350	0·369	0·390	0·220	0·311
Apoplexy	0·045	0·061	0·034	0·062	0·041	0·041	0·081	0·064
Paralysis	0·036	0·067	0·066	0·053	0·069	0·065	0·037	0·149
Convulsions	0·053	0·029	0·075	0·060	0·016	0·024	0·029	0·012
Bronchitis	0·397	0·079	0·133	0·169	0·134	0·126	0·081	0·125
Pneumonia	0·150	0·082	0·047	0·054	0·050	0·077	0·092	0·028

This Table may be read without the decimals, thus: In every hundred thousand persons living in each Town, there died from Small Pox, 111 in Glasgow, 40 in Edinburgh, 8 in Dundee, 6 in Aberdeen, 71 in Paisley, etc.

Table between the general mortality and the mortality from the Epidemic Class of Diseases. Indeed, it may be said that it is the Epidemic Class of Diseases which indicates in the most unmistakeable manner the real healthiness or unhealthiness of any particular Town, District, or Locality. It again and again happens that a District or Locality notoriously unhealthy, may, from a particular concatenation of circumstances (more especially of atmospheric agencies), for one or even two years exhibit a low mortality; but this is amply compensated for in subsequent years, when one Epidemic follows another, and always attacks the inhabitants with a virulence and fatality proportioned to the sanitary condition of the locality. Perth may be instanced as a notable example of this. There is nothing to prevent it being one of the most healthy, as it is one of the most beautiful Towns of Scotland. Its average mortality (if Epidemics are excluded) is low; but what proves it might be a very healthy Town, is that its infantile mortality is very low—nearly the lowest of all the Towns of Scotland. Yet, whenever an Epidemic breaks out in Perth, it spreads with a virulence which proves highly destructive to life. It matters not what the Epidemic may be,—Scarlatina, Measles, Small-pox, Dysentery, etc.,—all rage with severity in that Town. Almost enclosed in a loop of the River Tay, and situated on a deep alluvial soil, the former deposit from the river, it cannot be doubted that the over dampness of its site is the main cause of these Epidemic ravages; so that if a proper system of general drainage were adopted for the Town, all that extra Epidemic mortality would undoubtedly disappear.

The proportion of males cut off by the Zymotic Class of Diseases con-

---

TABLE XXVIII.—DEATHS, 1857. Eight Principal Towns of Scotland, arranged in the order of least Mortality in proportion to the Population, and also in that of least Mortality from the Zymotic Class of Diseases.

Per Centage of Deaths to Population of each Town in 1857.		Per Centage of Deaths from the Zymotic Class of Diseases to the Population of each Town.	
Leith	2·179	Edinburgh	0·385
Edinburgh	2·268	Aberdeen	0·482
Aberdeen	2·349	Dundee	0·566
Dundee	2·577	Leith	0·568
Paisley	3·026	Greenock	0·928
Greenock	3·074	Glasgow	0·936
Glasgow	3·084	Paisley	0·958
Perth	1·023	Perth	1·023

TABLE XXIX.—DEATHS, 1855–56–57. Eight Principal Towns of Scotland, arranged in the order of least Mortality in proportion to the Population, on the average of the three years 1855, 1856, and 1857; also in the order of least Mortality from the Epidemic Class of Diseases during the same years.

Mean Per Centage of Deaths to the Population of each Town during the years 1855, 1856, and 1857.		Mean Per Cent. of Deaths from the Epidemic Class of Diseases to the Population of each Town during the years 1855, 1856, and 1857.	
Leith	2·18	Aberdeen	0·49
Aberdeen	2·26	Edinburgh	0·52
Edinburgh	2·44	Leith	0·60
Perth	2·54	Perth	0·65
Dundee	2·63	Paisley	0·75
Paisley	2·69	Dundee	0·77
Glasgow	2·96	Glasgow	0·83
Greenock	3·18	Greenock	0·96

siderably exceeded that of the females. Thus, in all Scotland, in every hundred thousand persons of either sex, 516 males died for every 486 females.

Of the individual Zymotic Diseases, *Small-pox* only proved fatal to 845 persons, being in the low proportion of 30 Deaths in every hundred thousand persons of the population, and only 1·45 per cent. of the Deaths. This is very much lower than the proportions of the two previous years, which were respectively at the rates of 48 and 46 Small-pox Deaths in every hundred thousand persons, or 2·32 and 2·38 per cent. of the Deaths. The mortality from Small-pox was, however, very much higher in the Town Districts, being in the proportion of 61 Deaths in every hundred thousand persons of the inhabitants of these districts, and thus constituted 2·20 per cent. of the Deaths. In the Eight Principal Towns of Scotland, the greatest possible difference was noticed with regard to the ravages of that Disease; for while Perth did not lose one inhabitant by that cause, and in Dundee and Aberdeen the mortality therefrom was very trifling, it raged as a virulent Epidemic in Paisley, Glasgow, and Leith. Thus, taking the proportion to every hundred thousand inhabitants in each of these Towns, there died 71 from Small-pox in Paisley, 111 in Glasgow, and 179 in Leith,—the Leith proportional mortality being thus nearly six times that of all Scotland.

Only 1028 Deaths occurred from *Measles*, being within 5 of the number of Deaths from the same disease in 1856. The Deaths from Measles were therefore in the proportion of 36 in every hundred thousand persons living, and constituted 1·77 per cent. of the general mortality.

Scarlatina proved the most fatal of the Epidemics to which children are liable, and caused 2235 Deaths, being in the proportion of 79 Deaths in every hundred thousand persons living, and 3·85 per cent. of the general mortality. As in most Epidemics, males were cut off in greater proportions than females, for out of every hundred thousand of each sex 85 males died for every 74 females. As with all Epidemics, also, Scarlatina was most fatal in the Town Districts, and least fatal in the Insular Districts. Thus, in every hundred thousand persons living in each of these Districts, only 8 were cut off by Scarlatina in the Insular, 68 in the Mainland-Rural Districts, but 108 in the Town Districts.

1539 persons died from *Hooping-Cough*, being in the proportion of 54 Deaths in every hundred thousand persons of the population. In former Reports, attention was directed to the proportion of the sexes cut off by that disease, as, unlike all other Epidemic Diseases, more females die under it than males. This fact was noticed in 1855 and 1856, and was equally marked in 1857. Thus, while only 692 males died from Hooping-Cough, the female Deaths numbered 847; being in the proportion of 52 male, but 57 female Deaths from that disease in every hundred thousand persons of the respective sexes.

Table XXVII. shows the varying proportion in which the leading Classes of disease, and the more important Specific Diseases, proved fatal in the Eight Principal Towns of Scotland, from which it will be seen that in the case of other Towns in 1857, Hooping-Cough was most prevalent and fatal in Glasgow and Paisley, cutting off in the proportion of 138 in Glasgow, and 155 in Paisley, in every hundred thousand persons.

Croup proved fatal to 1072 persons in Scotland, of whom 556 were males and 516 females, being in the proportion of 38 Deaths from Croup in every hundred thousand persons. Some Districts and Localities yield a much larger proportion of Deaths from Croup than this, and such places

are generally situated on low alluvial sites, and on the margins of waters or marshy grounds. Even in the case of the Eight Principal Towns of Scotland, the mortality of Croup, probably from these causes, was very high in Dundee, Perth, and Greenock, being in the relative proportions of 83 Deaths from Croup in Dundee, 89 in Perth, and 104 in Greenock for every hundred thousand persons—and thus as clearly indicating as disease can do, that these Towns require general drainage, so as to dry the sites on which they are built. Indeed, one of the chief objects of these Reports is to direct attention to these points; and by giving as full particulars as possible in the Abstracted Tables of Death, to enable the medical or local authorities to investigate the subject for themselves.

Diarrhœa, *Dysentery*, and *Cholera*, proved respectively fatal to 2071, 929, and 170 persons, and thus cut off in the proportion of 112 persons in every hundred thousand inhabitants. It has been frequently shown that the outbreaks of these diseases as Epidemics are mainly dependent on the degree of temperature. In proportion as the mean monthly temperature rises above 55° Fahr., these diseases in Scotland exhibit a tendency to increase in frequency and in severity; but it is only when the mean monthly temperature approaches 60° that any very decided fatality from that class of diseases is noticed. The three months, July, August, and September of 1857, had a mean temperature of 58° Fahr., that of July being 58°, that of August 60°, and that of September 56°·1. The mean temperature of the same months during the two previous years had only been 55°·5; and it is instructive to note, that the mean mortality of these years (1855 and 1856) from these Bowel Complaints, was only in the proportion of 68 Deaths in every hundred thousand persons, while in 1857, with its much higher mean temperature (during these three months), the proportion of Deaths was 112 in a like population.

Notwithstanding the difference between these diseases and most of the other Epidemic Diseases to which the natives of Scotland are liable, in that they increase with the warm and diminish with the cold weather, they exhibit in other respects all the peculiarities of the ordinary Epidemics, being most prevalent and fatal when the locality is in a bad sanitary condition, and the health of the population is deteriorated from overcrowding, from impure air, from want of proper food, etc.; and accordingly we find from Table XXVII., that the mortality from these Bowel Complaints was very much heavier in Glasgow and Greenock than it was in Edinburgh and Leith, or Aberdeen.

Typhus (including Gastric and allied Fevers) was the most fatal of the Zymotic Diseases during the year, cutting off 3087 persons, and thus constituting 5·32 per cent. of the mortality. The Deaths from that disease were, therefore, in the proportion of 110 Deaths in every hundred thousand persons of the population,—a very high proportion as compared with that of England, which, for the same year, was only at the rate of 95 Deaths from Typhus in every hundred thousand persons. From these facts it appears that Typhus, during the year 1857, was much more prevalent, both in England and in Scotland, than during the two previous years, but proportionally more prevalent and fatal in Scotland than in England. Thus, during the years 1855 and 1856, Typhus in Scotland only proved fatal in the proportion of 90 and 84 Deaths respectively in every hundred thousand persons, but in 1857 no less than 110 Deaths occurred in the same population.

As might be expected, Typhus proved much more fatal among the

crowded populations of the Towns than in the Rural or Insular Districts. Thus, in the Insular Districts, only 49 Deaths from Typhus occurred in every hundred thousand persons, but 109 in the Mainland Rural Districts, and 133 in the Town Districts in like populations. In some of the larger Towns this proportion was greatly exceeded. Thus, in Glasgow, 153 persons died from Typhus and allied Fevers in every hundred thousand of the population; but the proportion rose to 243 Deaths in Paisley, and to 266 Deaths in Greenock, from the same causes, in like populations.

As in most of the Epidemic Diseases, the proportion of male Deaths from Typhus exceeded that of the female, inasmuch as 112 males, but only 108 females, died from that disease in every hundred thousand of the respective sexes.

Class II. *Diseases of Uncertain Seat.*

The Diseases of Uncertain Seat cut off 2148 persons, of whom 923 were males, and 1495 females; giving the proportion of 86 Deaths in every hundred thousand persons of both sexes, or 69 males and 109 females in an equal number of either sex.

Dropsy and Cancer are the two most fatal diseases under this class. 1088 Deaths were attributed to Dropsy, 439 of which occurred in males, and 649 in females. This gives the proportion of 38 Deaths from Dropsy in every hundred thousand of both sexes, or 33 male Deaths, but 43 female Deaths, in a like number of either sex.

960 Deaths were attributed to Cancer, being in the proportion of 34 Deaths in every hundred thousand persons. Notwithstanding the fact that the Hospitals in the larger Towns draw a certain proportion of the Cancer cases from the Country, the proportion of Deaths from that painful disease are very nearly alike in the Insular, the Mainland Rural, and the Town Districts, clearly showing that it, at least, is not a disease which is induced, or rendered more prevalent, by a Town residence. The female sex, however, seem to be far more liable to that painful disease than the male; for while only 308 males died from that disease, the female Deaths numbered 652, —being in the proportion of 23 males, but 43 females, in every hundred thousand of either sex. As these proportions closely correspond with those of the years 1855 and 1856, it may be considered as an established fact, that, in Scotland, females are twice as liable to Cancer as males.

Class III. *Tubercular Diseases.*

The Tubercular Diseases are the second most fatal class of diseases in Scotland. During 1857 that class cut off 10,326 persons, of whom 5184 were males, and 5142 females. This gives the proportion of 368 Deaths from the Tubercular Class of Diseases in every hundred thousand persons; or 391 male Deaths, and 347 female Deaths, in a like number of either sex.

In former Reports it was pointed out how much less the mortality from the Tubercular Class of Diseases was in the Insular, and in the Mainland-Rural, than in the Town Districts; and the Registrations of 1857 show a close agreement in this respect with those of former years. Thus, in every hundred thousand inhabitants in each of the respective Districts, 225 died from the Tubercular Class of Diseases in the Insular Districts, 286 in the Mainland-Rural Districts, but 517 in the Town Districts,—thus most

clearly demonstrating that agencies destructive to life are at work in Towns to an extent nearly twice as great as in the Country.

Phthisis, or Consumption, included in this class, is by far the most fatal of the individual diseases to which the inhabitants of Scotland are liable. During 1857 the Deaths from Consumption numbered 7184, of which 3435 were male, and 3749 female Deaths; giving the proportion of 256 Deaths from Consumption in every hundred thousand persons of both sexes, or 259 male, and 253 female Deaths in every hundred thousand of the respective sexes.

A very striking difference was observed between the proportion of Deaths from Phthisis in the Insular, the Mainland-Rural, and the Town Districts. Thus, in every hundred thousand persons in each of these Districts, only 182 fell victims to Consumption in the Insular, and 201 in the Mainland-Rural Districts; but in the Town Districts 352 persons died from Phthisis in a like population.

In former Reports, attention was directed to the fact, that the Deaths from Consumption were much fewer in the Western Isles, and especially over all the Semi-insular County of Argyll, than in other parts of Scotland. The same singular comparative immunity from Consumption over all Argyllshire was remarked in 1857; for, while even the Insular Districts of Scotland suffered in the proportion of 182 Deaths from Consumption in every hundred thousand persons, in Argyllshire the proportion was only 108 Deaths in a like population. The result, then, of a three years' investigation into the proportion of Deaths by Consumption in Scotland, confirms the favourable opinion first expressed in the Report for 1855, regarding Argyllshire as a proper place of resort for invalids threatened with Consumption, or suffering from delicacy of the chest. At present there is scarcely one site in that county—with the exception, perhaps, of Tainabruich, in the Kyles of Bute—where an invalid could procure proper house accommodation, and that shelter from the north and east winds, so essential in such complaints. But thousands of similar sheltered sites exist; and were proper houses provided, the invalids, suffering from such complaints, might be able to spend the winter and spring months near their friends, with a comfort far superior to that which they experience in some of the better known but distant localities to which they are at present forced to resort.

In the Eight Principal Towns of Scotland the mortality from Consumption varied greatly, being lowest in Edinburgh and Leith, and highest in Glasgow and Greenock. Thus, if we take a hundred thousand inhabitants of each of these Towns as the standard of comparison, out of that number there died 290 from Consumption in Edinburgh and Leith, 311 in Perth, 350 in Aberdeen, 355 in Dundee, 369 in Paisley, and 390 in Glasgow and in Greenock. In estimating the above proportions, Edinburgh and Leith have been reckoned as one Town, seeing that consumptive patients from Leith die in the Royal Infirmary, Edinburgh; and these, being registered in Edinburgh and not in Leith, increase the proportion of Deaths from Consumption in Edinburgh, while they more than proportionally diminish the apparent Deaths from that Disease in Leith.

Of the other Tubercular Diseases, Scrofula proved fatal to 431 persons, Tabes Mesenterica to 706, and Hydrocephalus to 2005, being in the proportion of 15, 25, and 71 Deaths, respectively, in every hundred thousand persons of the population.

Class IV. *Diseases of the Brain and Nervous System.*

Diseases of the Brain and Nervous System proved fatal to 4789 persons in Scotland in 1857, of whom 2544 were males and 2245 females; being in the proportion of 170 from that class of diseases in every hundred thousand persons of both sexes, or 192 male Deaths and 151 female Deaths in a like number of the respective sexes. This is a much larger proportion of male Deaths than occurs in the general mortality; but as it appears equally in the infant male as in the adult, it cannot be attributed to the greater anxieties and cares which men are obliged to undergo in the business of life, but must be attributed to original physical conformation. Mainly in consequence of the much larger proportion in which Convulsions prove fatal in England, Brain Diseases seem to be much more deadly in England than in Scotland. Thus, while in Scotland only 170 Deaths from that class of diseases occurred in 1857 in every hundred thousand persons of the population, in England, during the same year, 273 Deaths occurred in a like population from the same causes, and year after year the relative proportions remain somewhat the same in the two Countries. The probable cause of this it would be curious to trace.

In Scotland, Paralysis is the most fatal of the Brain Diseases, and in 1857 it cut off 1447 persons, of whom 710 were males and 737 females, being in the proportion of 51 Deaths from Paralysis in every hundred thousand persons of both sexes, or 53 male and 49 female Deaths in a like number of either sex.

Apoplexy cut off 1054 persons, of whom 529 were males and 525 females; being in the proportion of 37 Deaths in every hundred thousand persons of both sexes, or 39 male and 35 female Deaths in a like number of either sex.

Convulsions proved fatal only to 703 persons in Scotland during the year, being in the low proportion of 25 Deaths in every hundred thousand persons. By nothing are the Mortality Tables of England and of Scotland more strongly characterized than by the very different proportion in which Convulsions prove fatal in the two Countries. In England, of the individual diseases, Convulsions is the third most fatal—Phthsis and Bronchitis alone preceding it in fatality. In Scotland the fatality of Convulsions is so low, that there are at least 20 other diseases whose fatality is greater. As this is a disease, by far the greater proportion of the Deaths from which occurs during infancy, it would form an interesting and valuable subject for inquiry as to the causes which give rise to the much larger proportion of Deaths from Convulsions in England. Why should England lose 128 persons annually from Convulsions in every hundred thousand of her population, while Scotland only loses 25 in a like population? Are a greater proportion of the infants in England brought up on the bottle? Or is improper or solid food—the too frequent cause of Convulsions in the infant—given to the infant at an earlier age than it is in Scotland? Or to what other cause is the very striking difference to be attributed? Could that cause be discovered, and could the mortality from Convulsions be, in consequence, reduced to the Scottish rate, nearly 20,000 lives would be annually saved to England, and her general Death-rate would be at once reduced to that of Scotland.

Of the other Diseases of the Brain and Nervous System, Cephalitis caused 325 Deaths, Epilepsy 218, Delirium Tremens 86, Tetanus 62, In

sanity 59, while 830 Deaths were registered as Brain Diseases, without, in many instances, specifying the particular nature of the affection.

Class V. *Diseases of the Heart and Organs of Circulation.*

Diseases of the Organs of the Circulation cut off 2117 persons, of whom 1108 were males and 1009 females, being in the proportion of 75 Deaths from that class of diseases in every hundred thousand persons, or 83 male and 68 female Deaths in a like population of either sex. Of the above Deaths, 77 were attributed to Pericarditis, and 70 to Aneurism, the remaining 1970 to Heart Disease.

Class VI. *Diseases of the Respiratory Organs.*

The inflammatory affections of the Respiratory Organs form the third most fatal class of diseases to which the inhabitants of Scotland are liable, being only exceeded in fatality by the Zymotic and the Tubercular Classes of Disease. 6256 persons died from that class of diseases during 1857, of whom 3278 were males and 2978 females; being in the proportion of 223 Deaths in every hundred thousand persons of the general population, or 247 male and 201 female Deaths in a like number of either sex. This is a much larger proportion of males than occurs in the general mortality, and at first sight we might be inclined to attribute it to the greater exposure of the male during his necessary avocations. This supposition, however, will not serve to explain the fact, because the male under 5 years of age, who is no more exposed than the female at the same age, falls a victim to these inflammatory affections of the Respiratory Organs in the same high ratio to the female, as is noticed in the respective sexes at all ages. Accordingly, in 1857, in every hundred thousand children of each sex under 5 years of age, 682 male, but only 596 female Deaths occurred from that class of Diseases; thus clearly proving that the greater proportional mortality in the male is due to his peculiar physical conformation, whereby he is more liable to sink under acute disease.

It might have been expected that the inhabitants of Towns, from their lesser exposure to the atmospheric vicissitudes, would prove less liable to inflammatory affections of the Respiratory Organs than the inhabitants of the Insular and of the Mainland Rural Districts. Such, however, does not appear to be the case. On the other hand, residence in Towns appears to act so prejudicially on the human frame, that the mortality from this class of diseases is twice as high in the Town Districts; so that while, of every hundred thousand persons living in each of these Districts, only 123 die from Diseases of the Respiratory Organs in the Insular Districts, and 171 in the Mainland-Rural Districts, the mortality rises to the proportion of 319 Deaths in the Town Districts.

Diseases of the Respiratory Organs seem to be much more fatal in England than in Scotland. Thus, in England in 1857, the Deaths from that class of diseases were in the proportion of 305 in every hundred thousand persons of the population; the proportion in Scotland for the same year being 223 Deaths in a like population. As much the same disproportion in the two Countries was observed in 1855 and 1856, it may be assumed as a fact, that inflammatory affections of the Respiratory Organs are more common and fatal in England than in Scotland.

Bronchitis was by far the most fatal of the inflammatory affections of the Respiratory Organs in 1857, causing 2867 Deaths, of which 1388 were male and 1479 female Deaths. Bronchitis, therefore, proved fatal in the proportion of 102 Deaths in every hundred thousand persons of both sexes, or in the proportion of 104 male, but only 99 female Deaths in a like population of either sex. In England, during the same year, Bronchitis proved fatal in the proportion of 134 Deaths in every hundred thousand inhabitants.

Pneumonia, or Inflammation of the Lungs, cut off 1890 persons, of whom 1099 were males and 791 females; being in the proportion of 67 Deaths in every hundred thousand persons of both sexes, or 83 male and only 53 female Deaths in every hundred thousand of the respective sexes.

178 Deaths were attributed to Laryngitis, 319 to Pleurisy, and 645 to Asthma.

Class VII. *Diseases of the Organs of Digestion.*

5007 Deaths were attributed to Diseases of the Organs of Digestion, of which 2605 were male and 2402 female Deaths. This gives the proportion of 178 Deaths in every hundred thousand persons of both sexes, or 196 male and 162 female Deaths in every hundred thousand of either sex. This is very much higher than the English proportion, which for 1857 was only at the rate of 123 Deaths in every hundred thousand persons. This, then, is another peculiarity which distinguishes the English from the Scottish mortality returns. The three years' average (1855, 1856, and 1857) in Scotland gives a mean annual mortality of 165 Deaths from Diseases of the Organs of Digestion in every hundred thousand inhabitants; whereas the English mean for the same period was 122 Deaths in a like population. As this result seems to be caused by the larger proportion of Deaths from Teething and Enteritis in Scotland than in England, and as the great mass of these Deaths occur during the first year of life, the larger proportion of Deaths in Scotland from Diseases of the Organs of Digestion cannot be attributed to the coarser food used by the lower classes; and it seems difficult to account for the fact.

Teething caused 1341 Deaths, Gastritis 162, Enteritis 962, Peritonitis 227, and Stomach Disease 733 Deaths.

Diseases of the Liver, including Hepatitis and Jaundice, produced 819 Deaths, and were thus in the proportion of 29 Deaths in every hundred thousand persons of the population; the English proportion for the same year being 35 Deaths in a like population. The proportion of Deaths from these diseases, for a period of three years (1855, 1856, and 1857), appears to have been uniformly lower in Scotland than in England.

Class VIII. *Diseases of the Urinary Organs.*

621 Deaths from Diseases of the Urinary Organs occurred during the year, of which 455 were male and 166 female Deaths. This shows the proportion of 22 Deaths in every hundred thousand persons of both sexes, or 34 male, but only 11 female Deaths in every hundred thousand of the respective sexes. The English Death-rate for Diseases of the Urinary Organs was the same (viz., 22 in every hundred thousand persons) during the year 1857.

Class IX. *Uterine Diseases and Childbirth.*

472 persons died from Childbirth and from Diseases of the Organs of Generation during the year, being in the proportion of 16 Deaths in every hundred thousand persons of both sexes. Of that number only two were males, the rest females, which gives the proportion of 31 female Deaths in every hundred thousand females. The English proportion was similar for the same year. It is a fault in the nosological arrangement, that Metria is not included under Childbirth. Were the Deaths from Metria added to those from the Uterine Diseases, the total Deaths belonging to this class would amount to 617, and be in the proportion of 40 Deaths in every hundred thousand females.

Class XI. *Diseases of Integumentary System.*

Diseases of the Skin, and of the Integumentary System, were much less fatal in Scotland than in England, only 54 persons having died from these affections in Scotland in 1857, or in the low proportion of 18 Deaths in every million persons; the English proportion for the same year being 39 Deaths in a like population. The object in noticing this class of diseases at all, is to direct attention to the fact that, ever since the outbreak of Pleuro-pneumonia among the cattle of this country, Carbuncle, a disease formerly very rare, has become comparatively common. The Registration of Deaths in Scotland has not been carried far enough to point out this fact, neither had we a Registration Act till some years after Epidemics of Pleuro-pneumonia were decimating the cattle. But in England the increase of Deaths from Carbuncle since Pleuro-pneumonia became common among cattle is very striking. Thus in 1848 and 1849, the Deaths from Carbuncle over all England were only 91 and 81 respectively. Pleuro-pneumonia appeared among cattle the latter end of 1849, and the Deaths from Carbuncle in the human subject numbered 134 in 1850, 161 in 1851, 233 in 1852, 252 in 1853, 300 in 1854, 255 in 1855, 253 in 1856, and 252 in 1857. Many may ask, What connection has Carbuncle in man with Pleuro-pneumonia in cattle? And the question could not be answered satisfactorily were our observations to be limited to what has been observed in this country. But the connection is of the most intimate kind, and proved by evidence which we cannot resist. The Rev. Dr Livingstone, in his "Travels in Southern Africa," mentions the fact, that if the flesh of animals who die from Pleuro-pneumonia is eaten, it causes Carbuncle in the persons who eat it. He asserts that neither boiling nor roasting the flesh, nor cooking it in any way, gets rid of the poison which produces this effect; and that these facts have been again and again proved relative to all the tribes of Southern Africa. Who, then, can doubt that it is the very same cause which has produced that large increase in the number of Deaths from Carbuncle which has been so strikingly manifested in England within the last twelve years. Facts are wanted to show what is the proportion of cases to the Deaths. Probably not one in twenty is fatal. But this is known to every medical man in practice, that the disease, which was so very rare before 1850, is rare no longer; and there is every reason to believe that it is produced mainly by using the flesh of animals which have been affected with Pleuro-pneumonia. It is quite true that these animals are usually killed before they fall victims to the disease naturally; but this is not done till all hope of their recovery

is past. The flesh, therefore, may not be so virulent in its poisonous effects as if the death had taken place naturally; but the poison must still be there, and the sale of such flesh ought to be strictly prohibited.

Is it not within the bounds of possibility that that new form of disease which we term Diphtheria may be partially induced by the use of diseased flesh? The subject at all events merits attention.

Class XII. *Debility—Premature Birth.*

2787 children died from want of vitality shortly after Birth, the great majority having been prematurely born. Of that number 1590 were males and 1197 females, showing the very great disproportion of 132 males to every 100 females. It is to be regretted that the Still-Births are not registered either in Scotland or in England, for by them it could be shown that the tendency to Death in the male during the first years of life is not confined to periods after Birth, but is most strongly developed in intra-uterine life. By the statistics of France for 1857, it is shown that, of the Still-Births, the sexes were in the proportion of 147 males to every 100 females. This shows the much greater tendency of the male to death in intra-uterine existence. The Deaths from Debility and Premature Birth in Scotland show that this greater tendency to Death in the male still largely operates after Birth and during the first days or weeks of existence; and by Table XIV. it may be observed that, up to the fifth year of life, the male is cut off in a much larger proportion than the female.

Class XV. *Age.*

6009 persons died from the infirmities of Old Age, without apparent disease, being in the proportion of 214 Deaths in every hundred thousand persons in the population. Of these, 2304 were males and 3705 females, being in the proportion of 173 males and 253 females in every hundred thousand persons of the respective sexes. Many more females than males live out their full days. The proportion of persons dying from Age in the three great groups into which the inhabitants of Scotland have been divided, is strikingly different, being lowest in the Town and highest in the Insular Districts. Thus, in every hundred thousand persons in each of the respective Districts, there died, from the infirmities of Age, in the proportion of 344 in the Insular, 236 in the Mainland-Rural, but only 165 in the Town Districts; thus again demonstrating that a Town residence causes the taper of life to consume at a most unnaturally rapid rate.

Class XVII. *Violent Deaths.*

Deaths by Violent Causes cut off 2068 persons in Scotland during the year 1857, being at the rate of 73 Deaths in every hundred thousand of the population. The proportion in England for the same year was 78 Deaths in a like population. Very nearly two-thirds of these Deaths occurred in the male sex; for, while 1509 males died from these causes, only 559 females fell victims to the same. It is not a little singular that the Deaths from Drowning in the Insular Districts so thoroughly compensate for all the more common causes of Violent Death which occur in Towns and on the Mainland, that the proportion of Deaths from Violent Causes in these Insular Districts even exceeds that which occurs in the Mainland and in the Town

Districts. Thus, in every hundred thousand inhabitants of the respective Districts, there died from Violent Causes in the proportion of 82 in the Insular, 77 in the Town, and 70 in the Mainland-Rural Districts.

288 persons died from Burns or Scalds, 541 from Drowning, 705 from Fractures and Contusions; being in the respective proportions of 10, 19, and 25 Deaths in every hundred thousand persons.

During the year, 114 Deaths were registered as being caused by Suicide; 39 of these were by Hanging, 26 by Cut Throat, 14 by Drowning, 4 by Poisoning with some opiate preparation, 5 by other Poisons, 5 by Gunshot Wounds, 3 by Precipitation from a Height, and in 18 cases the Special Cause of Death was not mentioned, the probability, however, being that most of these were by hanging. The above numbers give the proportion of 36 Deaths by Suicide in every million persons of the population. We have not observed any notice of the number of the Deaths from Suicide in England for the year 1857, but for 1858 and 1859 the proportions were respectively 65 and 63 Deaths by Suicide in every million inhabitants. The statistics of France are published so that it is impossible to trace the true proportion either of Violent Deaths or of Suicides in any one year; the practice seeming to be to place under Violent Deaths and under Suicides only those cases of Violent Death where the organ injured was not mentioned. Thus, for instance, if the Death resulted from a Fracture, the Death is not Tabulated under Violence, but under Disease of the Bones; and in the case of a Wound, under Hæmorrhage, or Disease of Joints, or of other organ injured, and not under Violence, or its subdivision Suicide. Any one conversant with the French diseases, may at once understand how unsatisfactory is the classification of diseases in France, when it is stated that all notice of the numerous Deaths from Syphilis is studiously avoided, as if such a disease were unknown in that country. The acknowledged Deaths from Suicide in France only amounted to 1010 in 1857, being in the small proportion of 27 Suicides in every million inhabitants; but these were probably not a third of the actual Suicides which occurred.

The accompanying Tables show the 12 Diseases which proved most fatal in Scotland and in England respectively, and the proportion to the respective populations in which each of these diseases cut off the inhabitants in 1857. They are interesting, as showing the agreements as well as the differences between the diseases of each Country.

The Twelve most fatal Diseases in SCOTLAND in 1857.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	256
Typhus	110
Bronchitis	102
Scarlatina	79
Diarrhœa	73
Hydrocephalus	71
Pneumonia	67
Hooping-cough	54
Paralysis	51
Teething	47
Croup	38
Dropsy	38

The Twelve most fatal Diseases in ENGLAND in 1857.

Diseases.	Proportion of Deaths to 100,000 living.
Phthisis	262
Bronchitis	134
Convulsions	128
Pneumonia	123
Diarrhœa	111
Typhus	95
Scarlatina	74
Hooping-cough	53
Paralysis	45
Dropsy	44
Apoplexy	43
Hydrocephalus	39

INFLUENCE OF EXTERNAL AGENCIES.

It seems unnecessary to recapitulate in every Report what has been already said regarding the general influence of external agencies on the number of Births, Deaths, and Marriages. To enable, however, the influences of these agencies to be traced, Tables XXX. and XXXI. are appended, in continuation of those given in former Reports.

Provided trade is in its average state, and food is not unusually dear, so as to be beyond the reach of the lower classes, mean monthly temperature, or weather generally, seems to be the great regulator of the Deaths in Scot-

---

TABLE XXX.—Showing the Quantity of Grains, Tea, etc., imported into the United Kingdom, the average Price of the Chief Articles of Food in England, the Price of the 4lb. Loaf, etc., in Scotland, etc., etc., during the years 1855, 1856, 1857, and 1858.

		1855.	1856.	1857.	1858.
Nett Revenue of United Kingdom . .	£	63,364,605	68,008,623	66,056,055	63,522,525
Expenditure, ...	£	84,505,788	78,113,035	66,019,958	66,019,870
Real Value of Total Imports, . . .	£	143,542,850	172,544,154	187,844,441	164,583,832
Real Value of Total Exports, . . .	£	116,691,300	139,220,353	146,174,301	139,782,779
Wheat imported, ...	Qrs.	2,667,702	4,072,833	3,437,957	4,241,719
All other Grains imported, ...	Qrs.	3,061,539	4,124,420	5,107,225	5,946,546
Wheat Flour imported, ...	Cwts.	1,904,224	3,970,100	2,178,148	3,856,127
All other kinds of Flour imported, . .	Cwts.	18,094	21,267	6,028	9,869
Eggs imported, ...	No.	99,732,800	117,230,600	126,818,600	134,685,000
Potatoes imported, ...	Cwts.	58,261	109,838	955,057	1,721,953
Rice imported, ...	Cwts.	2,238,158	3,692,001	3,432,154	3,692,023
Raw Sugar imported, ...	Cwts.	7,324,133	7,761,240	8,390,696	9,010,796
Tea imported, ...	lbs.	83,259,657	86,200,414	64,493,989	75,432,535
Coffee imported, ...	lbs.	64,061,479	56,992,116	58,892,726	60,697,265
Raw Cotton imported, ...	lbs.	891,751,952	1,023,886,304	969,318,896	1,034,342,176
Tobacco, unmanufactured, ...	lbs.	36,820,846	44,809,634	42,048,828	59,643,780
Average Price of Wheat in England, .	per Qr.	74s. 8d.	69s. 2d.	56s. 4d.	44s. 2d.
——— Barley, ...	per Qr.	34s. 9d.	41s. 1d.	42s. 1d.	34s. 8d.
——— Oats, ...	per Qr.	27s. 5d.	25s. 2d.	25s. 0d.	24s. 6d.
——— Potatoes, ...	per Ton	100s. 4½d.	86s. 0d.	120s. 8½d.	120s. 0d.
——— Rye, ...	per Qr.	45s. 8d.	45s. 0d.	38s. 3d.	32s. 3d.
——— Beans, ...	per Qr.	46s. 6d.	43s. 11d.	43s. 0d.	41s. 11d.
——— Pease, ...	per Qr.	43s. 4d.	41s. 7d.	41s. 4d.	42s. 11d.
Land in Cultivation in Scotland, . .	Acres	3,530,068	3,545,191	3,556,572	These Agricultural Statistics for Scotland ceased to be taken after 31st Dec. 1857.
Estimated produce of Wheat in Scotland,	Qrs.	5,063,074	7,270,952	6,154,986	
——— Barley in do., . .	Qrs.	6,092,970	5,581,970	6,564,429	
——— Oats in do., . . .	Qrs.	30,081,351	31,966,381	32,750,763	
——— Beans and Pease in do.,	Qrs.	1,183,647	1,279,440	1,037,760	
——— Bere in do., . .	Qrs.	556,957	501,106	671,778	
——— Turnips in do., .	Tons	6,461,988	6,540,267	6,690,109	
——— Potatoes in do., .	Tons	732,170	413,890	430,468	
Number of Cattle in Scotland, . . .	No.	974,816	967,047	974,437	
——— Sheep in do., ...	No.	5,694,900	5,816,560	5,683,168	
——— Swine in do., ...	No.	134,350	126,924	146,354	
Quantity of Coal raised in Scotland, .	Tons	7,325,000	7,500,000	8,211,473	8,926,249
——— Iron Ore raised in do., . .	Tons	2,400,000	2,201,250	2,500,000	2,312,000
——— Pig Iron made in do., . .	Tons	827,500	880,500	918,000	925,500
Cod and Ling taken on Coasts of do., .	Cwts.	170,498	162,593	147,473	151,745
Herrings taken on do., ...	Barrels	877,259	691,138	628,549	675,105
Contract Price of 4lb. Loaf to Troops in Scotland per half-year,	To 31st May	$7\frac{84}{100}$d.	$8\frac{6}{10}$d.	$6\frac{1}{2}$d.	6d.
	To 30th Nov.	$7\frac{9}{10}$d.	$6\frac{7}{10}$d.	6d.	$4\frac{7}{10}$d.
Contract Price of Fresh Meat per lb. to Troops in Scotland per half-year,	To 31st May	$5\frac{69}{100}$d.	$5\frac{2}{10}$d.	$4\frac{4}{10}$d.	$4\frac{2}{10}$d.
	To 30th Nov.	$5\frac{1}{10}$d.	$4\frac{7}{10}$d.	5d.	$4\frac{6}{10}$d.
Savings' Banks, Scotland—Number of Accounts,		123,388	119,497	114,735	123,315
Savings' Banks, do.—Amount owing to Depositors, ...	£	2,014,115	1,938,572	1,776,746	1,960,902
Number of Paupers in Scotland, ...		120,471	120,867	125,213	124,227
Number of Ascertained Scottish Emigrants, .		14,037	12,033	16,253	11,815

land. It seems now to be an ascertained fact, that just in proportion as the mean temperature descends, in much the same proportion do the Deaths increase; while, as the weather improves, and the mean temperature rises to a certain point, in the same proportion do the Deaths decrease. In Scotland, however, whenever the mean monthly temperature of the summer months rises above 55° and approaches or exceeds 60°, an increase of Deaths is noticed; the increase being almost invariably proportioned to the rise of mean monthly temperature above 55° Fahr. As the Diseases, however, which are induced by this higher temperature (Bowel Complaints) are not in general rapidly fatal, and go on after the cause which induced them ceases to operate, it generally happens that no small portion of the Deaths caused by that class of diseases occurs during the month which follows that in which the high temperature occurred. While the three great groups into which the Country is divided are taken into consideration, the Town Districts exhibit more immediately the effects of this increase of temperature, so that the monthly mortality and the monthly temperature often exhibit in them a perfect accordance.

This fact was remarkably exemplified in 1857. The mean temperature in August realized the very unusual height of 60°, and as July also, and the beginning of September, had mean temperatures higher than usual, Bowel Complaints (Diarrhœa, Dysentery, and Cholera) became so prevalent and fatal, that instead of only 56 dying from these complaints in every hundred thousand persons, as in 1856, no fewer than 112 Deaths occurred in a like population in 1857. We have it not in our power to exhibit this remarkable increased mortality from Bowel Complaints, for all Scotland, for each several month of 1857; but, as showing the same fact, it may be mentioned that, in the Eight Principal Towns of Scotland, the Deaths from these diseases in 1857 numbered 51 in June, but rose to 164 in July, to 226 in August, and to 302 in September, after which they rapidly fell.

TABLE XXXI.—Influence of Temperature on the Mortality in Scotland during the year 1857. Showing the per centage of Deaths in Scotland, and in its Three Great Divisions, during each month of the year 1857—the months being all reduced to 30 days, and due correction made for the Deaths.

MONTHS.	ALL SCOTLAND.			Per cent. to the Total Corrected Deaths in each Great Division of Scotland.		
	Mean Temperature.	Corrected Deaths. Each Month reduced to 30 days.	Per cent. to the Total Corrected Deaths.	Insular Districts.	Mainland Districts.	Town Districts.
JANUARY	35°·7	5601	9·1659	10·5055	9·1103	9·1180
FEBRUARY	39·3	5650	9·2461	9·5824	9·2570	9·2082
MARCH	39·2	5441	8·9040	8·8791	8·7770	9·0383
APRIL	42·7	5404	8·8435	8·6154	8·8870	8·8162
MAY	49·8	5012	8·2020	7·5604	8·4503	7·9943
JUNE	57·4	4943	8·0891	9·2747	8·1903	7·8903
JULY	58·0	4635	7·5851	10·0220	7·2202	7·7723
AUGUST	60·0	4768	7·8027	6·7253	7·4569	8·2475
SEPTEMBER	56·1	4997	8·1774	6·7692	8·4469	8·0082
OCTOBER	49·6	4591	7·5131	6·3736	7·4769	7·6406
NOVEMBER	43·7	4855	7·9451	7·2528	7·7202	8·2336
DECEMBER	44·9	5210	8·5260	8·4396	9·0070	8·0325
YEAR	48°·0	61,107	100·0000	100·0000	100·0000	100·0000

The mean temperature of the year was 48°, and thus exceeded that of 1856 by 2°·3 Fahr. This excess of temperature, however, was confined to the summer months.

During January the weather was generally open, though the month began and ended with a snow-storm. During the first week of February the weather was very severe, and snow fell generally over Scotland; but during the remainder of the month the weather was dry and mild, and the temperature comparatively high for the season. During March, again, the weather was extremely changeable, and attended with great barometric and thermometric fluctuations. Periods of mild weather were suddenly followed by frosts, with cutting blasts from the east and north, and heavy falls of

TABLE XXXII.—METEOROLOGY OF SCOTLAND 1857, deduced from Observations made at 49 Stations of the Meteorological Society of Scotland, the particulars of each of which are published in the Quarterly Reports of the Registrar-General for 1857.

1857.	JAN.	FEB.	MAR.	APR.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	YEAR.
Absolute Highest Temperature	55°·0	60°·0	62°·0	66°·0	75°·0	95°·0	78°·0	87°·0	77°·9	71°·0	66°·0	60°·0	95°·0
Absolute Lowest Temperature	4°·9	4°·0	12°·5	20°·0	28°·0	28°·5	31°·5	34°·0	30°·0	24°·0	16°·0	22°·0	4°·0
Mean of Day Temperature	39°·8	44°·3	44°·0	48°·7	57°·0	66°·0	65°·1	67°·1	62°·5	55°·3	48°·3	49°·2	53°·9
Mean of Night Temperature	31°·6	34°·3	34°·5	36°·7	42°·6	48°·8	51°·0	53°·0	49°·7	43°·9	39°·2	40°·7	42°·1
Mean Daily Range of Temperature	8°·2	10°·0	9°·5	12°·0	14°·4	17°·2	14°·1	14°·1	12°·8	11°·4	9°·1	8°·5	11°·8
Mean Temperature	35°·7	39°·3	39°·2	42°·7	49°·8	57°·4	58°·0	60°·0	56°·1	49°·6	43°·7	44°·9	48°·0
Mean Black Bulb in Sun	56°·7	62°·0	58°·5	70°·2	81°·0	98°·0	92°·5	97°·1	83°·6	73°·6	59°·2	55°·3	73°·9
Mean Black Bulb at Night	28°·8	31°·7	31°·5	33°·3	38°·7	45°·5	45°·9	47°·7	43°·7	39°·3	34°·2	36°·1	38°·0
Mean Temperature of Evaporation	34°·3	37°·8	37°·2	40°·7	47°·0	54°·4	54°·8	57°·2	54°·0	47°·9	42°·3	43° 4	45°·9
Mean Dew-point Temperature	32°·3	35°·9	35°·0	38°·2	44°·1	51°·7	51°·9	54°·9	52°·1	46°·4	40°·9	41°·6	43°·7
Humidity of Air	87	89	86	84	80	81	80	85	87	90	90	88	85
Elastic Force of Vapour	·184	·211	·205	·231	·290	·384	·386	·433	·391	·315	·256	·261	·295
Days of Rain	16	11	16	16	13	9	15	10	15	16	12	14	163
Fall of Rain in Inches	2·77	1·54	2·94	2·38	1·66	2·79	2·17	1·87	3·82	2·36	2·89	3·37	30·56
Mean Amount of Cloud	6·3	6·4	7·2	6·7	6·3	5·0	6·3	5·9	6·3	6·4	6·9	6·3	6·3
Hours of Sunshine	75	89	92	136	177	277	207	209	148	115	73	67	1665
Mean Barometer, corrected (inches)	29·698	29·840	29·804	29·767	29·959	30·020	29·832	30·014	29·882	29·803	30·115	29·989	29·893
Easterly Winds—Days	7	3½	14	14	17	14	2	10	9	10	11½	1	113
Westerly Winds—Days	17	17	12	9	7½	8	23½	12	13	14½	10½	25	169

snow, sleet, or hail; and from the 23d to the close of the month the Country presented quite a wintry appearance, and even at the close of the month the Grampians and other high ranges of hills were all covered with a snowy mantle. April continued a stormy, almost a wintry, month, with a mean temperature lower than the average, with frequent falls of snow, and keen frosts on all the higher lands. After this the weather improved, and during summer and autumn the heat was greater than usual; indeed, for Scotland, it was at times oppressive. The meteorology of Scotland during the several months of 1857 is shown in Table XXXII., as deduced from observations made at 49 stations over the country. The influence of the meteorological changes, and more especially that of mean temperature, on the general mortality, both in Scotland as a whole, and in its Three Great Divisions, is shown in Table XXXI.

I have the honour to be,

SIR,

Your most obedient Servant,

JAMES STARK.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
25*th February* 1862.

ANNUAL ABSTRACTS

OF

BIRTHS, DEATHS, AND MARRIAGES,

1857.

Births, Deaths, and Marriages registered in Scotland during the Year 1857.

1857.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres.
	1851.	1861.	Males.	Fem.	Total	Mal.	Fem	Totl	Males.	Fem.	Total.			
SCOTLAND, - -	2,888,742	3,061,329	53158	50257	103415	4536	4333	8869	30937	30969	61906	21369	41509	20,047,462
DIVISIONS.														
1 NORTHERN, . . .	127,035	130,518	1789	1651	3440	87	94	181	844	938	1782	720	1658	2,651,769
2 NORTH-WESTERN, .	175,735	167,180	2230	2275	4505	127	133	260	1148	1163	2311	1002	2194	4,739,876
3 NORTH-EASTERN, .	348,366	366,607	5893	5524	11417	855	810	1665	3065	3119	6184	2432	5233	2,429,594
4 EAST-MIDLAND, .	514,907	523,419	8723	8140	16863	888	785	1673	5076	5355	10431	3509	6432	2,784,119
5 WEST-MIDLAND, .	242,506	242,418	4055	3791	7846	310	278	588	2328	2276	4604	1479	3242	2,678,220
6 SOUTH-WESTERN, .	881,092	1,008,080	20499	19298	39797	1322	1314	2636	12808	12322	25130	8066	14667	1,431,875
7 SOUTH-EASTERN, .	383,217	409,024	6710	6431	13141	544	516	1060	3921	3967	7888	2865	5253	1,210,788
8 SOUTHERN, . . .	215,884	214,083	3259	3147	6406	403	403	806	1747	1829	3576	1296	2830	2,121,221
COUNTIES.														
I. Northern.														
1 Shetland, . . .	31,078	31,678	451	413	864	14	15	29	241	214	455	179	409	988,873*
2 Orkney, . . .	31,455	32,416	417	376	793	20	17	37	178	243	421	175	372	
3 Caithness, . . .	39,782	42,304	625	569	1194	43	42	85	269	308	577	248	617	455,708
4 Sutherland, . . .	24,720	24,120	296	293	589	10	20	30	156	173	329	118	260	1,207,188
II. North-Western.														
5 Ross and Cromarty, .	83,781	82,301	1123	1151	2274	39	44	83	545	545	1090	493	1184	2,016,375
6 Inverness, . . .	91,954	84,879	1107	1124	2231	88	89	177	603	618	1221	509	1010	2,723,501
III. North-Eastern.														
7 Nairn, ...	8,076	8,349	119	106	225	7	14	21	73	97	170	41	55	137,500
8 Elgin (or Moray), . .	40,862	44,215	680	676	1356	56	76	132	368	349	717	278	639	340,000
9 Banff, ...	51,023	56,040	908	898	1806	141	139	280	417	395	812	386	994	439,219
10 Aberdeen, . . .	213,466	223,154	3670	3344	7014	581	503	1084	1970	2011	3981	1519	3033	1,260,625
11 Kincardine, . . .	34,939	34,849	516	500	1016	70	78	148	237	267	504	208	512	252,250
IV. East-Midland.														
12 Forfar, ...	193,632	206,983	3695	3553	7248	411	378	789	2086	2267	4353	1531	2895	568,750
13 Perth, ...	136,305	132,780	1855	1759	3614	201	174	375	1316	1381	2697	823	917	1,814,063
14 Fife, ...	153,789	154,806	2674	2396	5070	211	183	394	1449	1438	2887	970	2183	322,031
15 Kinross, ...	9,626	8,729	136	119	255	16	15	31	63	76	139	49	116	49,531
16 Clackmannan, . .	21,555	20,121	363	313	676	49	35	84	162	193	355	136	321	29,744
V. West-Midland.														
17 Stirling, . . .	84,861	88,273	1630	1524	3154	142	128	270	929	927	1856	628	1298	295,875
18 Dumbarton, . . .	46,995	54,181	1057	950	2007	76	64	140	560	531	1091	352	916	189,844
19 Argyll, ...	94,042	83,776	1131	1111	2242	79	64	143	684	638	1322	398	920	2,083,126
20 Bute, ...	16,608	16,188	237	206	443	13	22	35	155	180	335	101	108	109,375
VI. South-Western.														
21 Renfrew, . . .	157,950	168,593	3390	3172	6562	211	205	416	2232	2157	4389	1323	2173	150,000
22 Ayr, ...	189,973	199,051	3886	3701	7587	334	291	625	2065	1974	4039	1380	3548	650,156
23 Lanark, ...	533,169	640,436	13223	12425	25648	777	818	1595	8511	8191	16702	5363	8946	631,719
VII. South-Eastern.														
24 Linlithgow, . . .	30,032	39,245	687	684	1371	51	55	106	332	316	648	210	723	64,375
25 Edinburgh, . . .	260,051	273,965	4482	4236	8718	365	334	699	2852	2883	5735	2037	2983	254,300
26 Haddington, . . .	36,363	37,615	599	633	1232	47	42	89	341	346	687	272	545	185,937
27 Berwick, . . .	36,165	36,489	597	525	1122	56	46	102	233	253	486	210	636	309,375
28 Peebles, . . .	10,804	11,300	170	172	342	14	22	36	82	78	160	75	182	226,488
29 Selkirk, . . .	9,802	10,410	175	181	356	11	17	28	81	91	172	61	184	170,313
VIII. Southern.														
30 Roxburgh, . . .	51,225	53,712	868	774	1642	103	87	190	417	493	910	294	732	460,938
31 Dumfries, . . .	78,149	75,903	1163	1198	2361	167	161	328	676	672	1348	536	1013	722,816
32 Kirkcudbright, . .	43,121	42,430	623	614	1237	64	68	132	344	362	706	221	531	610,734
33 Wigtown, . . .	43,389	42,038	605	561	1166	69	87	156	310	302	612	245	554	326,337

* The number of Statute Acres is given on the authority of the census of 1851; but the number of acres assigned to Shetland and Orkney is unquestionably much too high in consequence of the channels lying between the islands having been included in the estimated number of acres of land. Deducting these, the land of the Orkney and Shetland Islands may be estimated at 598,726 acres, thus making the extent of Scotland 19,657,315 Statute Acres.

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—												
	(1) Bressay,	906	915	11	18	29	–	2	2	6	5	11	1
	(2) Burra and Quarff,	906	890	9	16	25	1	–	1	7	7	14	9
2	Delting,	2124	1975	35	29	64	–	2	2	16	19	35	12
3	Dunrossness, etc.—												
	(1) Dunrossness,	1992	2119	32	25	57	–	1	1	21	9	30	17
	(2) Sandwick and Cunningsburgh,	2233	2334	39	27	66	–	1	1	13	14	27	12
	(3) Fair Isle,	280	380	7	5	12	–	–	–	–	1	1	4
4	Fetlar, etc.—												
	(1) Fetlar,	658	548	11	10	21	–	–	–	8	3	11	–
	(2) North Yell,	998	932	19	13	32	–	1	1	6	10	16	3
5	Lerwick,	3390	3637	42	53	95	3	2	5	28	36	64	21
6	Mid and South Yell,	1741	1784	28	14	42	2	2	4	6	11	17	14
7	Nesting, etc.—												
	(1) Nesting,	814	855	6	17	23	–	–	–	6	4	10	2
	(2) Lunnasting,	822	880	4	13	17	–	1	1	2	5	7	6
	(3) Whalsay and Skerries	784	848	18	6	24	–	–	–	11	4	15	5
8	Northmavine,	2534	2585	35	23	58	3	–	3	22	15	37	8
9	Sandsting and Aithsting,	2603	2670	41	42	83	–	–	–	20	15	35	13
10	Tingwall, etc.—												
	(1) Tingwall,	1680	1554	23	16	39	1	–	1	13	13	26	19
	(2) Whiteness & Weesdale	1194	1143	13	14	27	–	1	1	9	2	11	5
11	Unst,	2977	3060	39	37	76	2	1	3	34	27	61	14
12	Walls, etc.—												
	(1) Walls,	1224	1364	23	22	45	1	–	1	8	9	17	12
	(2) Sandness,	619	606	9	7	16	–	1	1	3	3	6	2
	(3) Papa-Stour,	359	366	5	5	10	1	–	1	2	–	2	–
	(4) Foula,	240	233	2	1	3	–	–	–	–	2	2	–
			Total,	451	413	864	14	15	29	241	214	455	179
	2. Orkney.												
13	Birsay,	1749	1774	19	22	41	1	3	4	10	10	20	10
14	Deerness,	786	813	7	7	14	1	–	1	1	6	7	4
15	Eday and Pharay,	1016	979	23	17	40	2	–	2	7	12	19	7
16	Evie and Rendall,	1446	1408	15	13	28	1	–	1	6	8	14	5
17	Firth and Stennes,	1327	1493	15	20	35	–	–	–	6	13	19	12
18	Harray,	750	819	9	8	17	–	–	–	5	8	13	7
19	Holm and Paplay,	749	834	6	1	7	–	–	–	3	2	5	6
20	Hoy and Græmsay,	615	556	5	5	10	–	–	–	1	6	7	2
21	Kirkwall and St Ola (incl. Burgh),	3990	4427	61	44	105	4	3	7	35	49	84	24
22	North Ronaldshay,	526	531	5	9	14	–	1	1	4	3	7	2
23	Orphir,	1157	1133	23	17	40	1	–	1	7	8	15	4
24	Rousay and Egilsay,	1215	1152	14	10	24	–	1	1	4	11	15	8
25	St Andrews,	926	868	10	7	17	–	–	–	6	3	9	1
26	Sanday,	2004	2145	23	30	53	1	–	1	12	16	28	14
27	Sandwick,	1107	1226	13	15	28	1	1	2	7	6	13	5
28	Shapinshay,	899	973	16	11	27	–	–	–	6	3	9	5
29	South Ronaldshay and Burray,	3086	3282	43	48	91	2	4	6	17	19	36	20
30	Stromness,	2770	2551	29	22	51	2	1	3	11	33	44	13
31	Stronsay,	1211	1228	25	15	40	3	1	4	8	3	11	9

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
32	Walls and Flotta, . .	1667	1679	22	16	38	1	1	2	7	7	14	4
33	Westray & Papa-Westray,	2459	2545	34	39	73	–	1	1	15	17	32	13
			Total,	417	376	793	20	17	37	178	243	421	175
	3. Caithness.												
34	Bower, ...	1658	1743	28	18	46	2	1	3	8	13	21	12
35	Canisbay, . . .	2437	2832	58	31	89	2	1	3	27	19	46	15
36	Dunnet, . . .	1868	1861	27	22	49	1	2	3	13	10	23	7
37	Halkirk, . . .	2918	2874	33	38	71	6	5	11	14	17	31	16
38	Latheron, . . .	8224	8566	124	128	252	6	9	15	48	76	124	59
39	Olrig, ...	1873	2059	18	23	41	2	4	6	10	13	23	13
40	Reay, ...	2506	2474	25	28	53	2	1	3	9	24	33	13
41	Thurso, . . .	5096	5563	81	68	149	8	3	11	31	42	73	23
42	Watten, . . .	1351	1491	19	17	36	–	1	1	7	6	13	13
43	Wick—												
	(1) Burgh of Wick, .	6722	7505	136	126	262	6	8	14	60	64	124	57
	(2) Landward, . .	5129	5336	76	70	146	8	7	15	42	24	66	20
			Total,	625	569	1194	43	42	85	269	308	577	248
	4. Sutherland.												
44	Assynt—												
	(1) Kirkton, .	*c.* 1600	549	4	6	10	–	–	–	3	5	8	1
	(2) Stoer, . . .	*c.* 1389	2631	38	32	70	2	1	3	12	11	23	15
45	Clyne, ...	1933	1886	19	20	39	1	4	5	19	16	35	11
46	Criech—												
	(1) Bonar, . . .	*c.* 1714	1980	31	25	56	1	2	3	19	18	37	12
	(2) Rosehall, . .	*c.* 1000	539	4	4	8	–	1	1	1	3	4	3
47	Dornoch (incl. urgh),	2981	2885	44	37	81	–	3	3	24	17	41	11
48	Durness, . . .	1152	1076	8	14	22	1	–	1	9	7	16	4
49	Eddrachillis—												
	(1) Scourie, . .	*c.* 900	731	7	6	13	1	–	1	2	6	8	2
	(2) Kinlochbervie, .	*c.* 676	909	9	8	17	1	1	2	3	3	6	4
50	Farr—												
	(1) Kirkton, . .	*c.* 1203	1251	16	14	30	1	1	2	11	6	17	10
	(2) Strathy, . .	*c.* 1000	852	7	6	13	–	1	1	3	7	10	4
51	Golspie, . . .	1529	1615	16	29	45	–	2	2	5	9	14	8
52	Kildonan, . . .	2288	2127	34	31	65	–	3	3	13	26	39	14
53	Lairg, ...	1162	961	13	15	28	–	1	1	7	8	15	4
54	Loth, ...	640	615	3	7	10	–	–	–	1	7	8	–
55	Rogart, ...	1535	1439	15	13	28	1	–	1	9	11	20	10
56	Tongue, ...	2018	2074	28	26	54	1	–	1	15	13	28	5
			Total,	296	293	589	10	20	30	156	173	329	118
	II. NORTH-WESTERN.												
	5. Ross and Cromarty.												
	Mainland.												
57	Alness, . . .	1240	1178	16	10	26	–	1	1	4	10	14	9
58	Applecross, . . .	2709	2545	30	37	67	2	–	2	18	18	36	6
59	Avoch, ...	2029	1788	17	31	48	–	3	3	21	14	35	5
60	Contin, ...	1562	1509	19	21	40	1	2	3	8	12	20	2
61	Cromarty (incl. Burgh),	2727	2201	29	29	58	–	2	2	29	19	48	16
62	Dingwall (incl. Burgh),	2364	2412	35	35	70	–	2	2	13	16	29	13
63	Edderton, . . .	890	836	2	10	12	1	–	1	6	5	11	7
64	Fearn, ...	2122	2083	28	32	60	–	1	1	18	14	32	19
65	Fodderty, . . .	2342	2246	28	24	52	4	–	4	18	19	37	10
66	Gairloch, . . .	5162	5444	68	69	137	1	2	3	31	38	69	30
67	Glenshiel, . . .	573	484	5	4	9	1	–	1	–	4	4	–

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
68	Killearnan,	1794	1460	15	24	39	1	–	1	10	10	20	17
69	Kilmuir-Easter,	1437	1286	20	14	34	1	1	2	13	9	22	9
70	Kiltearn,	1538	1634	17	29	46	1	3	4	5	14	19	11
71	Kincardine,	1896	1746	20	13	33	–	1	1	9	10	19	8
72	Kintail,	1009	896	13	6	19	1	1	2	6	1	7	3
73	Knockbain,	3005	2485	25	39	64	1	1	2	18	12	30	6
74	Lochalsh,	2299	2412	31	31	62	–	2	2	11	12	23	16
75	Lochbroom & Coigach,	4813	4860	67	58	125	3	–	3	41	30	71	22
76	Lochcarron,	1612	1600	25	20	45	–	–	–	15	12	27	13
77	Logie-Easter,	965	932	10	10	20	1	2	3	2	7	9	5
78	Nigg,	1457	1253	18	21	39	1	4	5	11	11	22	13
79	Resolis,	1551	1567	15	14	29	–	–	–	14	12	26	7
80	Rosemarkie (incl. Burgh of Fortrose),	1776	1545	20	22	42	2	1	3	10	11	21	8
81	Rosskeen,	3699	3775	61	43	104	3	3	6	25	25	50	15
82	Tain (incl. Burgh),	3574	3294	31	39	70	2	6	8	24	32	56	13
83	Tarbat,	2151	2268	38	34	72	2	–	2	10	14	24	18
84	Urquhart & Logie-Wester,	3153	3146	38	30	68	1	1	2	10	16	26	18
85	Urray,	2621	2355	37	38	75	–	2	2	11	9	20	15
	Insular.												
86	Barvas,	4189	4609	88	79	167	–	1	1	25	29	54	41
87	Lochs,	4256	4948	90	100	190	1	1	2	29	28	57	14
88	Stornoway,	8057	8664	127	135	262	7	1	8	60	58	118	71
89	Uig,	3209	2840	40	50	90	1	–	1	20	14	34	33
			Total,	1123	1151	2274	39	44	83	545	545	1090	493
	6. Inverness.												
	Mainland.												
90	Alvie,	914	833	13	2	15	1	–	1	11	9	20	6
91	Ardersier (incl. Fort-George),	1337	1239	24	31	55	–	1	1	15	9	24	15
92	Boleskine & Abertarff—												
	(1) Boleskine,	806	813	9	12	21	1	2	3	5	1	6	2
	(2) Fort-Augustus or Abertarff,	1200	941	4	17	21	–	1	1	12	8	20	1
93	Cromdale and Inverallan,	3990	3942	49	46	95	9	11	20	21	23	44	31
94	Croy and Dalcross,	1777	1871	22	21	43	1	–	1	9	11	20	8
95	Daviot and Dunlichty,	1857	1740	16	15	31	2	–	2	10	10	20	7
96	Dores,	1650	1506	20	24	44	3	2	5	8	9	17	5
97	Glenelg—												
	(1) Glenelg,	996	800	13	13	26	3	–	3	10	11	21	5
	(2) Knoydart,	935	574	4	9	13	–	1	1	2	3	5	–
	(3) North Morar,	539	469	8	5	13	–	1	1	8	1	9	2
98	Inverness (incl. Burgh),	16496	16149	206	210	416	24	20	44	131	152	283	129
99	Kilmonivaig—												
	(1) Glengarry,	c. 750	615	11	5	16	1	1	2	4	3	7	–
	(2) Lochaber,	c. 1833	1649	17	20	37	–	2	2	10	12	22	2
100	Kilmorack,	3007	2850	35	30	65	1	3	4	12	27	39	8
101	Kiltarlity,	2965	2841	27	42	69	3	-	3	15	18	33	7
102	Kingussie and Insh,	2201	2034	30	19	49	5	3	8	16	19	35	14
103	Kirkhill,	1730	1757	18	18	36	–	3	3	13	15	28	10
104	Laggan,	1223	987	8	11	19	2	1	3	9	11	20	5
105	Moy and Dalarossie,	1018	1026	7	14	21	–	1	1	12	7	19	1
106	Petty,	1784	1674	21	28	49	2	–	2	10	18	28	9
107	Urquhart, etc.—												
	(1) Urquhart,	c. 2580	2299	28	24	52	1	2	3	14	12	26	11
	(2) Glenmoriston,	c. 700	617	8	8	16	–	-	–	4	3	7	5

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	Insular.												
108	Barra, ...	1873	1858	29	25	54	3	2	5	10	8	18	26
109	Bracadale, . . .	1597	1335	21	17	38	–	3	3	5	15	20	6
110	Duirinish, . . .	5330	4769	64	73	137	3	8	11	31	33	64	18
111	Harris—												
	(1) Harris, . . .	3773	3842	56	54	110	1	2	3	16	11	27	30
	(2) Bernera, . .	477	336	6	8	14	4	–	4	5	2	7	3
112	Kilmuir—												
	(1) Kilmuir, . .	*c.* 1950	1555	19	21	40	–	3	3	11	7	18	8
	(2) Stenscholl, . .	*c.* 1227	1311	23	19	42	1	–	1	8	5	13	9
113	North Uist, . . .	3918	3968	47	63	110	3	3	6	34	26	60	19
114	Portree and Rasay, .	3557	3160	54	50	104	1	3	4	26	23	49	23
115	Sleat, ...	2531	2326	26	36	62	–	5	5	21	19	40	18
116	Small Isles, . . .	916	567	5	5	10	–	1	1	3	2	5	3
117	Snizort, ...	3101	2613	39	26	65	4	2	6	20	15	35	20
118	South Uist (Benbecula, Howmore, & Boisdale),	6173	5353	73	74	147	3	1	4	27	34	61	34
119	Strath, ...	3243	2660	47	29	76	6	1	7	25	26	51	9
	——		Total,	1107	1124	2231	88	89	177	603	618	1221	509
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach, . . .	1278	1330	19	15	34	2	2	4	9	14	23	4
121	Auldearn, . . .	1480	1328	17	17	34	3	2	5	6	8	14	10
122	Cawdor, ...	1202	1203	11	9	20	–	1	1	13	9	22	7
123	Nairn (incl. Burgh), .	4116	4488	72	65	137	2	9	11	45	66	111	20
			Total,	119	106	225	7	14	21	73	97	170	41
	8. Elgin (or Moray).												
124	Abernethy & Kincardine,	1871	1928	32	26	58	1	8	9	9	11	20	8
125	Alves, ...	919	1010	9	14	23	–	–	–	3	8	11	7
126	Bellie, ...	*c.* 2025	1967	23	27	50	4	3	7	15	15	30	12
127	Birnie, ...	427	411	4	8	12	1	1	2	3	2	5	1
128	Boharm, ...	1368	1412	25	21	46	2	2	4	10	6	16	11
129	Dallas, ...	1226	1102	20	19	39	2	3	5	7	4	11	7
130	Drainy, ...	1856	3028	47	58	105	1	5	6	30	21	51	20
131	Duffus, ...	2983	3308	62	52	114	3	5	8	29	37	66	34
132	Duthil, etc.—												
	(1) Duthil, . . .	*c.* 1363	1606	29	19	48	3	1	4	8	8	16	11
	(2) Rothiemurchus, .	*c.* 425	319	4	4	8	–	–	–	3	2	5	1
133	Dyke, ...	1369	1247	15	12	27	–	–	–	15	12	27	10
134	Edinkillie, . . .	1343	1303	20	22	42	3	3	6	10	5	15	8
135	Elgin (incl. Burgh), .	8231	9866	122	120	242	10	18	28	74	79	153	39
136	New Spynie, . . .	445	518	34	41	75	1	4	5	19	18	37	15
137	Forres (incl. Burgh), .	4069	4112	54	62	116	5	8	13	45	42	87	26
138	Kinloss, ...	1370	1315	18	27	45	1	4	5	12	12	24	12
139	Knockando, . . .	1771	1736	21	31	52	5	3	8	11	7	18	10
140	Rafford, ...	1020	1055	16	15	31	2	2	4	11	10	21	8
141	Rothes, ...	2022	2407	36	30	66	5	2	7	20	18	38	15
142	St Andrews Lhanbryde (Landward), . .	1208	1344	20	16	36	1	–	1	8	11	19	8
143	Speymouth, . . .	685	694	11	11	22	1	1	2	6	3	9	6
144	Urquhart, . . .	2544	2527	58	41	99	5	3	8	20	18	38	9
			Total,	680	676	1356	56	76	132	368	349	717	278

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	9. Banff.												
145	Aberlour,	1447	1665	26	23	49	4	4	8	11	9	20	16
146	Alvah,	1402	1467	22	14	36	3	3	6	6	6	12	7
147	Banff—												
	(1) Burgh,	6000	6785	108	109	217	17	15	32	39	57	96	44
	(2) Landward,	953	949	19	14	33	1	3	4	1	7	8	7
148	Botriphnie,	713	867	10	11	21	5	2	7	5	3	8	5
149	Boyndie,	1564	1711	21	30	51	2	6	8	13	11	24	14
150	Cullen (Burgh),	1697	1818	24	34	58	3	3	6	11	18	29	4
151	Deskford,	917	1031	19	15	34	1	–	1	7	8	15	4
152	Enzie,	1994	2063	32	26	58	3	3	6	26	13	39	12
153	Fordyce,	3807	4145	66	59	125	11	6	17	23	25	48	33
154	Forglen,	695	783	11	8	19	4	–	4	6	2	8	3
155	Gamrie (Landward),	2758	3024	48	39	87	2	4	6	16	14	30	21
156	Grange,	1851	1909	40	30	70	9	9	18	20	18	38	14
157	Inveravon—												
	(1) Inveravon,	2714	868	15	10	25	2	2	4	3	2	5	6
	(2) Auchbreck,		1791	24	32	56	1	6	7	12	18	30	11
158	Inverkeithny,	835	880	16	11	27	3	2	5	6	5	11	6
159	Keith,	4986	5942	83	104	187	14	27	41	53	51	104	40
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	1558	551	3	6	9	–	1	1	1	2	3	1
	(2) Tomintoul,		960	11	16	27	4	2	6	14	10	24	6
161	Marnoch,	2994	3290	72	58	130	21	8	29	22	21	43	30
162	Mortlach,	2804	3095	38	47	85	5	11	16	19	17	36	12
163	Ordiquhill,	644	764	11	14	25	4	3	7	1	3	4	8
164	Rathven,	?	4935	113	100	213	14	10	24	61	32	93	54
165	Rothiemay,	1413	1414	17	24	41	4	5	9	7	13	20	10
166	St Fergus,	1597	1608	27	27	54	3	2	5	6	19	25	10
167	Seafield,	?	1725	32	37	69	1	2	3	28	11	39	8
			Total,	908	898	1806	141	139	280	417	395	812	386
	10. Aberdeen.												
168	Aberdeen (Burgh)—												
	(1) St Nicholas,	41470	41937	749	681	1430	114	103	217	522	516	1038	319
	(2) Old Machar,	30503	31939	498	435	933	63	56	119	301	379	680	216
	(3) Landward,	1254	1298	17	18	35	2	1	3	3	3	6	5
169	Aberdour,	1857	1996	47	27	74	7	3	10	13	10	23	13
170	Aboyne,	1108	1159	11	16	27	4	2	6	12	6	18	8
171	Alford,	1143	1264	20	10	30	3	3	6	14	15	29	2
172	Auchindoir,	1369	1593	24	27	51	1	6	7	16	7	23	16
173	Auchterless,	1837	2010	35	43	78	10	5	15	19	17	36	11
174	Belhelvie,	1692	1807	34	25	59	3	3	6	16	13	29	14
175	Birse,	1533	1290	18	16	34	3	4	7	8	13	21	8
176	Bourtie,	529	547	10	8	18	3	–	3	6	2	8	2
177	Cabrach,	750	793	7	7	14	–	1	1	5	2	7	5
178	Cairney,	1565	1490	27	27	54	5	8	13	24	14	38	9
179	Chapel of Garioch,	2102	2023	29	38	67	2	6	8	23	14	37	7
180	Clatt,	543	511	9	4	13	–	–	–	7	1	8	6
181	Cluny,	1149	1254	21	20	41	3	2	5	11	9	20	5
182	Conli,	734	792	9	7	16	–	1	1	7	8	15	8
183	Crathie and Braemar,	1788	1486	29	21	50	5	4	9	15	13	28	14
184	Crimond,	893	888	12	11	23	2	3	5	11	13	24	8
185	Cruden,	2479	2741	36	40	76	10	5	15	13	29	42	16
186	Culsamond,	1042	1165	27	10	37	6	3	9	12	3	15	3
187	Daviot,	601	614	6	13	19	–	3	3	4	6	10	3
188	Drumblade,	949	926	10	11	21	3	1	4	9	11	20	5
189	Drumoak,	948	996	14	14	28	1	1	2	8	3	11	10
190	Dyce,	470	585	9	9	18	–	2	2	3	3	6	3
191	Echt,	1206	1287	17	9	26	3	2	5	12	8	20	5

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
192	Ellon,	3324	3913	64	46	110	14	7	21	24	22	46	22
193	Fintray,	1080	1003	19	16	35	3	2	5	5	7	12	6
194	Forgue,	2626	2687	51	37	88	12	3	15	26	13	39	16
195	Foveran,	1638	1884	30	38	68	2	2	4	13	8	21	11
196	Fraserburgh,	4447	4505	85	86	171	5	14	19	27	34	61	39
197	Fyvie,	3927	4344	75	55	130	12	7	19	32	36	68	30
198	Gartly,	990	1029	12	12	24	1	3	4	9	8	17	9
199	Glass,	972	1049	23	9	32	6	1	7	7	12	19	5
200	Glenbucket,	542	552	14	7	21	2	1	3	6	4	10	3
201	Glenmuick, Tullich, and Glengairn,	1984	1670	30	28	58	7	5	12	9	13	22	6
202	Huntly,	4061	4329	74	74	148	18	16	34	30	45	75	24
203	Insch,	1519	1565	29	34	63	5	2	7	13	17	30	4
204	Inverury (incl. Burgh),	2829	2956	52	41	93	7	8	15	31	34	65	16
205	Keig,	772	811	6	16	22	–	4	4	4	8	12	7
206	Keith-hall,	920	933	12	11	23	1	–	1	3	5	8	6
207	Kemnay,	680	832	12	11	23	1	2	3	6	7	13	7
208	Kildrummy,	643	590	13	9	22	4	1	5	3	5	8	5
209	Kincardine O'Neil,	2098	2187	24	32	56	2	4	6	13	14	27	9
210	King-Edward,	2749	2843	51	44	95	14	17	31	22	18	40	24
211	Kinnellar,	590	691	6	11	17	–	2	2	4	7	11	2
212	Kinnethmont,	1108	1187	24	17	41	4	4	8	18	13	31	9
213	Kintore (part of)—(incl. Burgh),	c. 1162	1607	39	28	67	6	3	9	18	14	32	12
214	Leochel-Cushnie,	1068	1172	13	13	26	5	4	9	8	4	12	5
215	Leslie,	559	577	18	6	24	5	1	6	6	4	10	6
216	Logie-Buchan,	724	762	15	5	20	–	–	–	11	5	16	5
217	Logie-Coldstone,	889	932	8	16	24	2	2	4	5	9	14	5
218	Longside,	2952	3008	47	49	96	8	5	13	17	30	47	18
219	Lonmay,	1964	2142	25	33	58	5	1	6	14	10	24	17
220	Lumphanan,	1088	1252	19	9	28	6	2	8	10	4	14	5
221	Methlic,	1997	2157	29	34	63	7	2	9	12	13	25	20
222	Midmar,	1166	1091	13	21	34	4	1	5	7	8	15	13
223	Monquhitter,	2295	2580	38	34	72	9	10	19	21	13	34	15
224	Monymusk,	940	988	18	9	27	–	2	2	9	2	11	4
225	New Deer,	3973	4385	80	60	140	12	11	23	24	32	56	30
226	Newhills,	3325	3463	49	60	109	5	7	12	24	25	49	10
227	New Machar,	1298	1556	26	16	42	4	4	8	10	8	18	7
228	Old Deer,	4743	5174	59	77	136	7	16	23	41	43	84	40
229	Old Meldrum,	2002	2343	42	33	75	9	11	20	20	17	37	15
230	Oyne,	919	1127	24	26	50	3	3	6	15	13	28	5
231	Peterculter,	1351	1410	20	13	33	3	2	5	7	14	21	7
232	Peterhead—												
	(1) Burgh,	7298	7540	157	138	295	9	9	18	76	72	148	73
	(2) Landward,	2131	2221	34	43	77	3	4	7	16	8	24	13
233	Pitsligo,	1801	1860	36	40	76	6	4	10	11	17	28	17
234	Premnay,	793	916	9	21	30	1	2	3	3	12	15	5
235	Rathen,	2368	2554	40	40	80	4	4	8	20	16	36	19
236	Rayne,	1550	1512	25	14	39	3	1	4	11	14	25	19
237	Rhynie,	1017	1061	20	14	34	6	–	6	9	16	25	5
238	Skene,	1862	1831	21	23	44	1	5	6	11	11	22	14
239	Slains,	1232	1266	21	18	39	3	1	4	4	7	11	4
240	Strathdon,	1531	1459	19	18	37	2	2	4	7	5	12	10
241	Strichen,	2283	2472	44	31	75	18	10	28	20	15	35	13
242	Tarland,	1197	1246	18	16	34	3	3	6	8	9	17	6
243	Tarves,	2469	2509	45	33	78	10	7	17	21	18	39	12
244	Tough,	891	874	10	16	26	2	1	3	5	4	9	4
245	Towie,	758	839	9	8	17	2	–	2	2	–	2	5
246	Tullynessle and Forbes,	930	957	14	12	26	4	1	5	6	5	11	6

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
247	Turriff,	3584	3692	58	61	119	12	14	26	27	27	54	33
248	Tyrie,	2830	3043	54	47	101	13	14	27	31	27	58	32
249	Udny,	1513	1625	23	28	51	6	1	7	4	12	16	9
			Total,	3670	3344	7014	581	503	1084	1970	2011	3981	1519
	11. Kincardine.												
250	Arbuthnot,	1002	932	16	17	33	3	1	4	10	2	12	4
251	Banchory-Devenick,	3073	2919	42	43	85	3	6	9	10	13	23	24
252	Banchory-Ternan,	2462	2947	53	35	88	6	4	10	18	15	33	16
253	Benholm,	1641	1574	23	23	46	3	1	4	12	15	27	7
254	Bervie (or Inverbervie)—(incl. Burgh),	1459	1561	21	17	38	3	4	7	10	18	28	9
255	Dunnottar,	1949	1828	29	27	56	5	2	7	13	15	28	12
256	Durris,	962	1109	7	11	18	1	–	1	2	7	9	9
257	Fettercairn,	1741	1700	23	21	44	5	6	11	14	15	29	15
258	Fetteresso,	5720	5527	75	88	163	10	15	25	53	53	106	24
259	Fourdoun,	2386	2297	33	31	64	4	4	8	18	12	30	15
260	Garvock,	457	458	9	5	14	3	–	3	1	2	3	1
261	Glenbervie,	1239	1219	22	15	37	5	4	9	12	10	22	10
262	Kinneff and Catterline,	1069	1054	20	14	34	1	4	5	3	8	11	6
263	Laurencekirk,	2125	2110	23	32	55	1	4	5	13	11	24	12
264	Maryculter,	1055	1055	21	12	33	2	–	2	8	6	14	4
265	Marykirk,	2232	2068	27	35	62	5	6	11	8	18	26	10
266	Nigg,	1841	2069	33	27	60	5	6	11	15	27	42	10
267	St Cyrus,	1579	1552	27	26	53	2	4	6	10	11	21	14
268	Strachan,	947	870	12	21	33	3	7	10	7	9	16	6
			Total,	516	500	1016	70	78	148	237	267	504	208
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1116	1054	18	14	32	3	2	5	8	10	18	10
270	Airlie,	856	845	15	16	31	1	5	6	5	5	10	3
271	Arbirlot,	990	960	11	12	23	1	–	1	4	9	13	7
272	Arbroath (incl. Burgh),	17238	17829	338	301	639	35	24	59	204	215	419	133
273	Auchterhouse,	686	706	18	11	29	4	1	5	5	6	11	6
274	Barry,	2175	2466	34	26	60	1	–	1	19	25	44	14
275	Brechin (incl. Burgh),	8210	8811	155	133	288	24	16	40	87	84	171	52
276	Carmylie,	1240	1286	17	23	40	4	2	6	9	2	11	10
277	Careston,	207	225	2	4	6	1	–	1	2	1	3	2
278	Cortachy and Clova,	722	653	10	6	16	1	2	3	2	3	5	9
279	Coupar-Angus (part of),	2685	2929	42	43	85	8	7	15	20	23	43	16
280	Craig (Landward),	1780	1966	37	24	61	2	–	2	19	18	37	18
281	Dun (Landward),	522	552	5	9	14	–	1	1	1	3	4	3
282	Dundee (Burgh)—												
	(1) First District (incl. Landward of Dundee),	c. 39561	44015	864	855	1719	76	80	156	516	515	1031	341
	(2) Second District,	c. 34766	40821	800	808	1608	80	88	168	479	559	1038	359
	(3) Third (or Lochee) Dis.	c. 5700	6789	115	113	228	18	14	32	90	83	173	48
283	Dunnichen,	1884	1932	28	19	47	3	2	5	15	20	35	18
284	Eassie and Nevay,	706	748	14	15	29	2	2	4	1	5	6	2
285	Edzell,	1084	1025	18	18	36	1	1	2	12	9	21	10
286	Farnell,	650	703	8	18	26	1	–	1	5	3	8	5
287	Fearn,	392	439	7	5	12	1	1	2	2	1	3	3
288	Forfar (incl. Burgh),	11009	10839	199	210	409	44	33	77	117	138	255	82
289	Glammis,	2152	1980	25	26	51	4	1	5	11	10	21	7

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
290	Glenisla,	1050	998	12	16	28	–	3	3	6	8	14	3
291	Guthrie,	469	476	8	10	18	1	2	3	2	–	2	3
292	Inverarity,	948	961	12	9	21	2	–	2	6	4	10	8
293	Inverkeillor,	1871	1792	47	24	71	4	–	4	14	11	25	11
294	Kettins,	995	962	8	10	18	–	1	1	5	8	13	6
295	Kingoldrum,	429	475	6	5	11	1	–	1	2	3	5	2
296	Kinnell,	826	816	13	7	20	2	1	3	6	3	9	5
297	Kinnettles,	460	447	5	6	11	1	–	1	–	2	2	2
298	Kirkden,	1763	1862	31	42	73	2	4	6	21	14	35	9
299	Kirriemuir,	7617	7358	121	121	242	22	28	50	76	84	160	52
300	Lethnott and Navar,	408	446	6	5	11	–	–	–	1	–	1	1
301	Liff, Benvie, and Invergowrie (Landward),	1467	1430	23	21	44	4	1	5	11	12	23	8
302	Lintrathen,	926	898	11	12	23	–	5	5	5	3	8	3
303	Lochlee,	615	495	5	13	18	1	6	7	2	3	5	4
304	Logie-Pert,	1609	1483	20	21	41	2	–	2	6	8	14	9
305	Lunan,	279	259	4	3	7	1	–	1	–	2	2	2
306	Lundie,	450	442	9	3	12	–	–	–	2	2	4	3
307	Mains, etc.—												
	(1) Mains,	1299	1392	25	27	52	1	4	5	12	13	25	8
	(2) Strathmartine,	735	790	12	9	21	1	2	3	7	4	11	7
308	Marytown,	366	417	11	6	17	3	–	3	2	3	5	2
309	Menmuir,	693	796	11	10	21	1	1	2	6	6	12	2
310	Monifieth,	4267	5049	83	79	162	11	6	17	39	45	84	29
311	Monikie,	1317	1460	23	19	42	2	–	2	9	11	20	8
312	Montrose (incl. part of Burgh),	16037	15875	245	221	466	21	19	40	150	185	335	125
313	Murroes,	643	763	9	13	22	–	–	–	6	6	12	5
314	Newtyle,	1141	1137	21	17	38	2	5	7	6	7	13	3
315	Oathlaw,	424	399	2	4	6	–	1	1	2	3	5	3
316	Panbride,	1372	1299	21	28	49	3	2	5	8	16	24	6
317	Rescobie,	711	746	11	9	20	1	1	2	4	6	10	3
318	Ruthven,	503	265	6	4	10	–	–	–	2	2	4	–
319	St Vigeans (Landward),	2591	2555	52	34	86	3	1	4	14	25	39	22
320	Stracathro,	505	546	9	8	17	–	–	–	4	2	6	5
321	Tannadice,	1517	1438	15	20	35	2	3	5	10	13	23	8
322	Tealing,	844	883	18	8	26	2	–	2	7	6	13	6
			Total,	3695	3553	7248	411	378	789	2086	2267	4353	1531
	13. Perth.												
323	Aberdalgie,	343	295	5	7	12	–	–	–	3	2	5	1
324	Aberfeldy,	c. 2200	2412	32	32	64	4	3	7	16	22	38	8
325	Aberfoyle,	514	564	9	12	21	–	–	–	12	5	17	3
326	Abernethy,	2026	1957	34	29	63	4	5	9	31	24	55	10
327	Abernyte,	275	310	4	6	10	–	1	1	2	2	4	–
328	Alyth (part of),	3152	3421	48	50	98	10	10	20	32	32	64	17
329	Auchterarder,	4160	4198	74	57	131	5	7	12	40	35	75	26
330	Auchtergaven,	3232	2562	43	36	79	4	5	9	26	25	51	14
331	Balquhidder,	874	746	12	8	20	2	–	2	8	4	12	4
332	Bendochy (part of),	773	769	10	9	19	1	–	1	5	7	12	2
333	Blackford,	2012	2084	36	29	65	4	3	7	11	11	22	10
334	Blair-Athol (part of),	?	1664	21	12	33	1	–	1	6	11	17	3
335	Blairgowrie,	4297	4654	65	59	124	12	4	16	35	50	85	34
336	Callander,	1716	1676	23	17	40	3	4	7	17	22	39	9
337	Caputh (part of),	c. 2000	1771	18	20	38	3	1	4	15	14	29	6
338	Cargill,	1629	1647	31	13	44	7	1	8	13	9	22	7
339	Clunie,	723	699	10	6	16	–	–	–	7	4	11	2
340	Collace,	581	534	8	5	13	2	1	3	3	1	4	3

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
341	Comrie,	2463	2223	22	26	48	3	3	6	17	13	30	5
342	Crieff,	4504	4490	69	70	139	7	9	16	35	53	88	35
343	Culross (incl. Burgh),	1487	1423	21	21	42	2	3	5	11	18	29	8
344	Dowally,	*c.* 558	486	9	9	18	2	1	3	5	3	8	4
345	Dron,	394	376	4	4	8	–	–	–	2	1	3	4
346	Dull (part of),	?	1386	10	8	18	1	–	1	6	9	15	5
347	Dunbarney,	1066	1035	9	10	19	1	2	3	7	7	14	5
348	Dunblane,	3213	3096	38	33	71	6	5	11	26	22	48	20
349	Dunkeld,	*c.* 1141	1086	13	12	25	2	1	3	21	22	43	13
350	Dunning,	2206	2084	33	41	74	7	7	14	13	26	39	13
351	Errol,	2796	2758	38	48	86	3	4	7	26	29	55	16
352	Findo-Gask,	405	399	4	5	9	–	–	–	3	8	11	–
353	Forgandenny,	828	739	12	23	35	–	2	2	13	10	23	7
354	Forteviot,	638	595	5	10	15	–	–	–	3	8	11	2
*a*355	Fortingall,	?	1243	15	13	28	2	2	4	5	10	15	4
*b*355	Foss,	397		2	4	6	–	–	–	–	1	1	4
356	Fowlis-Easter,	300	317	10	5	15	–	–	–	2	4	6	–
357	Fowlis-Wester (part of),	1315	1278	11	11	22	–	3	3	8	5	13	9
358	Glendevon,	128	138	–	2	2	–	–	–	2	2	4	2
359	Inchture,	745	659	10	12	22	–	1	1	6	6	12	7
360	Kenmore,	*c.* 1746	1515	20	22	42	3	1	4	15	13	28	6
361	Killin,	*c.* 2289	2090	22	24	46	3	3	6	23	17	40	10
362	Kilmadock,	3659	3312	41	38	79	7	4	11	39	47	86	21
363	Kilspindie,	684	662	7	14	21	–	1	1	5	5	10	3
364	Kincardine,	1993	1798	25	24	49	4	3	7	16	20	36	13
365	Kinclaven,	881	758	11	6	17	–	1	1	7	8	15	2
366	Kinfauns,	650	657	12	11	23	–	1	1	3	12	15	1
367	Kinloch-Rannoch,	?	1148	12	10	22	–	1	1	6	5	11	3
368	Kinnaird,	370	318	5	3	8	–	–	–	3	5	8	2
369	Kinnoull (Landward),	771	796	10	10	20	–	1	1	7	6	13	3
370	Kirkmichael,	1280	1224	12	12	24	–	–	–	6	12	18	7
371	Lecropt,	442	538	9	5	14	–	–	–	4	5	9	1
372	Lethendy and Kinloch (part of),	556	542	4	6	10	1	–	1	3	4	7	–
373	Little Dunkeld (part of),	2155	2093	22	15	37	1	3	4	19	16	35	12
374	Logie (Landward),	1492	3348	34	38	72	3	1	4	26	28	54	10
375	Logiealmond,	?	815	14	6	20	–	–	–	8	4	12	3
376	Logierait (part of),	?	1901	26	22	48	–	1	1	16	16	32	13
377	Longforgan,	1787	1826	26	44	70	1	3	4	14	22	36	7
378	Madderty,	593	538	7	5	12	2	–	2	2	4	6	3
379	Meigle,	973	835	11	10	21	3	1	4	9	6	15	4
380	Methven (part of),	?	2291	38	27	65	6	3	9	28	26	54	18
381	Moneydie (part of),	?	252	4	2	6	–	–	–	1	–	1	3
382	Monzie (part of),	?	460	5	1	6	–	–	–	1	–	1	1
383	Monzievaird,	790	782	9	10	19	–	–	–	5	8	13	4
384	Moulin (part of),	?	1837	28	18	46	3	2	5	11	23	34	6
385	Muckhart,	685	615	6	7	13	1	–	1	4	4	8	4
386	Muthill,	2972	2808	49	28	77	4	2	6	38	14	52	15
387	Perth—												
	(1) Burgh,	23835	25294	390	370	760	37	30	67	380	387	767	237
	(2) Landward,	835	801	8	9	17	1	–	1	8	5	13	9
388	Port of Menteith,	1419	1375	14	10	24	3	1	4	15	10	25	5
389	Rattray (part of),	2336	2261	27	32	59	5	6	11	20	16	36	11
390	Redgorton (part of),	?	1593	24	15	39	1	2	3	15	16	31	8
391	Rhynd,	338	297	2	8	10	–	–	–	4	4	8	1
392	St Madoes,	288	280	5	3	8	1	–	1	2	–	2	6
393	St Martins,	983	902	11	14	25	2	1	3	7	5	12	11
*a*394	Scone (Landward),	2332	2153	27	41	68	4	9	13	18	25	43	9
*b*394	Tenandry,	500		5	3	8	1	–	1	1	3	4	5

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
395	Tibbermore (Landward),	1469	1182	13	15	28	1	1	2	14	9	23	6
396	Trinity-Gask, . .	597	488	7	11	18	1	–	1	4	5	9	5
397	Tulliallan, . .	3043	2406	33	36	69	3	4	7	15	28	43	11
398	Weem (part of), . .	c. 242	215	2	–	2	1	–	1	1	1	2	2
			Total,	1855	1759	3614	201	174	375	1316	1381	2697	823
	14. Fife.												
399	Abbotshall (Landward),	688	808	15	13	28	2	2	4	4	5	9	2
400	Abdie (part of), . .	1486	1381	19	27	46	2	3	5	11	10	21	9
401	Aberdour, . . .	1945	1874	35	29	64	5	2	7	22	11	33	7
402	Anstruther-Easter (Burgh)	1161	1179	11	14	25	1	–	1	4	7	11	6
403	Anstruther-Wester (incl. Burgh), . . .	443	438	10	5	15	2	1	3	9	4	13	3
404	Arngask, . . .	689	705	12	16	28	–	2	2	9	5	14	4
405	Auchterderran, . .	3210	3457	85	100	185	5	6	11	39	35	74	29
406	Auchtermuchty (incl. Burgh), . . .	3704	3285	61	48	109	2	4	6	42	39	81	17
407	Auchtertool, . .	517	609	10	8	18	–	–	–	8	7	15	4
408	Ballingry, . . .	568	736	25	11	36	1	–	1	15	11	26	1
409	Balmerino, . . .	945	815	16	8	24	2	2	4	8	8	16	3
410	Beath, ...	1252	2390	57	51	108	3	4	7	21	21	42	9
411	Burntisland (incl. Burgh)	3158	3650	52	48	100	4	1	5	20	28	48	17
412	Cameron, . . .	1207	1362	25	25	50	1	2	3	6	6	12	9
413	Carnbee, . . .	1129	1157	14	13	27	1	–	1	3	10	13	5
414	Carnock, . . .	3191	2925	84	56	140	3	1	4	31	18	49	23
415	Ceres, ...	2833	2723	40	39	79	–	7	7	21	21	42	14
416	Collessie, . . .	1520	1530	22	14	36	1	2	3	13	12	25	7
417	Crail (incl. Burgh), .	1903	1931	21	26	47	2	3	5	12	19	31	10
418	Criech, ...	386	376	7	7	14	1	–	1	3	7	10	3
419	Cults, ...	915	800	16	13	29	–	–	–	6	7	13	9
420	Cupar (incl. Burgh), .	7427	6750	118	87	205	15	14	29	67	81	148	32
421	Dairsie, . . .	708	638	8	10	18	2	–	2	5	4	9	3
422	Dalgetty, . . .	1513	1550	41	32	73	–	2	2	12	20	32	11
423	Dunbog, . . .	412	207	7	7	14	1	–	1	–	1	1	–
424	Dunfermline—												
	(1) Burgh, . . .	13836	13504	234	230	464	18	15	33	151	139	290	146
	(2) Landward, . .	7851	7509	154	145	299	13	5	18	86	79	165	30
425	Dunino, . . .	289	370	5	2	7	–	–	–	1	4	5	3
426	Dysart (incl. Burgh), .	8739	8843	148	119	267	11	12	23	73	93	166	79
427	Elie, ...	843	825	7	11	18	–	3	3	8	7	15	2
428	Falkland (incl. Burgh), .	3102	2938	42	33	75	2	7	9	26	21	47	10
429	Ferry-Port-on-Craig,	2238	1994	38	29	67	2	1	3	21	18	39	12
430	Flisk (part of), . .	c. 134	313	3	1	4	–	–	–	5	2	7	3
431	Forgan, . . .	1125	1326	16	16	32	1	–	1	14	9	23	9
432	Inverkeithing (incl. Burgh)	2499	3093	43	46	89	3	9	12	28	21	49	19
433	Kemback, . . .	956	895	10	8	18	1	–	1	2	3	5	6
434	Kennoway, . . .	2257	2012	30	24	54	1	3	4	19	26	45	15
435	Kettle, ...	2601	2474	37	30	67	4	1	5	25	22	47	10
436	Kilconquhar (incl. Burgh of Earlsferry), . .	2489	2431	32	35	67	2	1	3	18	18	36	17
437	Kilmany, . . .	662	656	7	13	20	1	2	3	12	6	18	2
438	Kilrenny (incl. Burgh),	2194	2534	43	43	86	3	1	4	18	22	40	12
439	Kinghorn (incl. Burgh),	2455	2344	38	26	64	4	2	6	27	39	66	19
440	Kinglassie, . . .	1186	1266	24	17	41	1	3	4	11	7	18	10
441	Kingsbarns, . . .	893	937	18	13	31	1	2	3	9	7	16	5
442	Kirkcaldy (incl. Burgh),	10636	11148	174	170	344	4	11	15	107	90	197	56
443	Largo, ...	2800	2625	48	36	84	8	5	13	29	29	58	10
444	Leslie, ...	3800	4332	65	52	117	7	8	15	30	34	64	21

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
445	Leuchars,	1991	1903	34	34	68	8	4	12	24	21	45	8
446	Logie,	467	410	4	3	7	–	–	–	4	3	7	4
447	Markinch,	5843	5375	84	71	155	12	5	17	43	47	90	26
448	Monimail,	1102	1054	16	18	34	3	–	3	6	7	13	5
449	Moonzie,	198	179	6	–	6	2	–	2	3	3	6	–
450	Newburgh (incl. Burgh),	2986	2698	51	41	92	4	3	7	33	30	63	12
451	Newburn,	375	374	3	6	9	1	–	1	3	3	6	4
452	Pittenweem (incl. Burgh),	1473	1710	30	15	45	4	2	6	10	13	23	7
453	St Andrews and St Leonards (incl. Burgh),	7327	7601	108	115	223	11	8	19	61	75	136	59
454	St Monance (or Abercrombie),	1241	1498	30	28	58	–	1	1	17	9	26	10
455	Saline,	1792	1609	38	28	66	4	1	5	11	12	23	21
456	Scoonie,	3115	3257	71	56	127	6	2	8	38	34	72	22
457	Strathmiglo,	2509	2261	37	35	72	6	3	9	22	19	41	13
458	Torryburn,	1341	1229	31	31	62	3	–	3	12	17	29	14
459	Wemyss,	5647	6003	104	109	213	4	5	9	51	52	103	32
			Total,	2674	2396	5070	211	183	394	1449	1438	2887	970
	15. Kinross.												
460	Cleish,	659	649	7	6	13	1	1	2	3	5	8	4
461	Fossoway and Tulliebole,	1621	1584	21	21	42	2	3	5	6	8	14	8
462	Kinross,	3227	2649	45	38	83	8	4	12	15	29	44	18
463	Orwell,	2569	2398	46	37	83	5	4	9	27	17	44	13
464	Portmoak,	1550	1449	17	17	34	–	3	3	12	17	29	6
			Total,	136	119	255	16	15	31	63	76	139	49
	16. Clackmannan.												
465	Alloa,	9493	8867	163	152	315	20	9	29	78	85	163	72
466	Clackmannan,	5802	4424	86	81	167	10	10	20	33	40	73	34
467	Dollar,	1574	1776	23	17	40	3	3	6	15	13	28	8
468	Tillicoultry,	4686	5054	91	63	154	16	13	29	36	55	91	22
			Total,	363	313	676	49	35	84	162	193	355	136
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1319	1194	19	23	42	1	6	7	14	20	34	12
470	Alva,	3204	3282	47	67	114	7	10	17	26	30	56	8
471	Baldernock,	801	718	19	10	29	3	–	3	8	5	13	–
472	Balfron,	1900	1517	31	31	62	3	2	5	21	22	43	9
473	Bothkennar,	1179	1565	35	28	63	2	1	3	13	11	24	13
474	Buchanan,	632	705	10	9	19	1	–	1	8	5	13	3
475	Campsie,	6918	6485	139	110	249	11	15	26	95	93	188	47
476	Denny,	4754	4978	83	78	161	5	8	13	59	53	112	40
477	Drymen,	1481	1617	34	29	63	4	2	6	8	10	18	9
478	Dunipace,	1472	1731	25	31	56	1	3	4	21	8	29	14
479	Falkirk—												
	(1) Burgh,	8752	9029	162	147	309	18	11	29	111	108	219	53
	(2) Landward,	7686	8175	136	133	269	12	5	17	56	58	114	66
480	Fintry,	823	686	15	10	25	1	1	2	8	5	13	3
481	Gargunnock,	754	728	4	14	18	–	3	3	2	3	5	5
482	Killearn,	1176	1171	20	16	36	1	3	4	12	12	24	12
483	Kilsyth,	5346	6111	133	125	258	14	15	29	74	70	144	49
484	Kippen,	1892	1723	30	27	57	6	3	9	20	26	46	8
485	Larbert,	4606	4999	98	91	189	9	5	14	54	49	103	20

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
486	Muiravonside, . .	2647	2662	60	49	109	2	1	3	26	18	44	24
487	Polmont, . . .	3764	4099	98	82	180	8	3	11	18	37	55	30
488	St Ninians (Landward),	7630	6649	98	108	206	2	8	10	74	76	150	35
489	Slamannan, . . .	1655	2916	75	60	135	1	2	3	26	33	59	22
490	Stirling (incl. Burgh),	13460	14145	244	225	469	29	19	48	159	166	325	136
491	Strathblane, . .	1010	1388	15	21	36	1	2	3	16	9	25	10
			Total,	1630	1524	3154	142	128	270	929	927	1856	628
	18. Dumbarton.												
492	Arrochar, . . .	562	628	10	13	23	1	–	1	7	3	10	2
493	Bonhill, . . .	7819	8866	171	137	308	14	15	29	74	68	142	55
494	Cardross (Landward),	3402	4168	85	76	161	12	4	16	35	39	74	27
495	Cumbernauld, . .	3778	3513	59	66	125	6	4	10	42	40	82	21
496	Dumbarton (Burgh), .	5445	8461	206	196	402	5	9	14	111	99	210	82
497	Kilmaronock, . .	1033	1085	16	15	31	2	–	2	11	8	19	4
498	Kirkintilloch, . .	8426	8179	164	164	328	17	19	36	90	92	182	43
499	Luss, ...	907	831	7	10	17	1	–	1	10	10	20	7
500	New, or East, Kilpatrick,	4286	4911	89	85	174	5	4	9	52	53	105	29
501	Old, or West, Kilpatrick	5921	5577	141	109	250	8	5	13	72	66	138	55
502	Roseneath, . . .	1044	1626	16	10	26	1	1	2	11	14	25	1
503	Row, ...	4372	6336	93	69	162	4	3	7	45	39	84	26
			Total,	1057	950	2007	76	64	140	560	531	1091	352
	19. Argyll.												
	Mainland.												
504	Ardchattan, . . .	1525	1381	12	19	31	–	1	1	11	11	22	4
505	Ardnamurchan—												
	(1) Aharacle, . .	c. 2179	1544	18	24	42	–	1	1	7	6	13	9
	(2) Arisaig, . .	c. 1089	1332	14	10	24	1	1	2	9	2	11	2
	(3) Sunart (or Strontian)	c. 1072	759	13	9	22	–	–	–	6	4	10	5
	(4) Western District, .	c. 1106	1054	12	17	29	1	1	2	3	8	11	4
506	Ballachulish and Corran of Ardgour, . .	c. 1250	919	8	10	18	–	–	–	9	2	11	8
507	Campbeltown (including Burgh), . . .	9381	8158	120	123	243	6	6	12	71	79	150	47
508	Craignish, . . .	756	618	3	8	11	–	1	1	7	9	16	4
509	Cumlodden, . . .	?	1039	18	16	34	–	–	–	11	4	15	7
510	Dunoon and Kilmun, .	4518	5458	72	60	132	4	3	7	46	38	84	32
511	Glassary, . . .	?	1800	28	39	67	1	3	4	20	15	35	6
512	Glenorchy and Inishail, .	1450	1307	18	19	37	1	2	3	10	8	18	4
513	Inveraray (incl. Burgh),	2229	1649	21	11	32	3	1	4	6	10	16	8
514	Inverchaolain, . .	474	426	3	5	8	–	1	1	2	1	3	3
515	Kilbrandon & Kilchattan,	2375	2043	24	18	42	1	–	1	14	15	29	9
516	Kilcalmonell, etc. (part of)												
	(1) Kilcalmonell, .	c. 1170	751	6	13	19	–	–	–	10	12	22	3
	(2) Kilberry, . .	c. 689	586	5	7	12	1	2	3	2	3	5	1
517	Kilchrenan, etc.—												
	(1) Kilchrenan, . .	494	385	6	4	10	3	–	3	5	3	8	3
	(2) Dalavich, . .	282	230	5	7	12	2	1	3	3	3	6	–
518	Kilfinan, . . .	1695	1890	26	30	56	1	–	1	14	15	29	6
519	Killean and Kilchenzie, .	2219	1890	29	24	53	–	2	2	14	10	24	7
520	Kilmallie, . . .	c. 3985	3347	48	48	96	5	2	7	30	23	53	14
521	Kilmartin, . . .	1144	951	14	9	23	3	1	4	6	9	15	6
522	Kilmodan, . . .	500	433	5	5	10	–	–	–	2	6	8	3
523	Burgh of Oban, . .	1742	2083	24	13	37	4	1	5	23	18	41	11
	Landward, . .	1389	864	8	6	14	1	1	2	8	6	14	3

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
524	Kilninver, etc.—												
	(1) Kilninver, . .	449	313	5	3	8	–	–	–	4	7	11	2
	(2) Kilmelford, . .	265	486	6	14	20	–	–	–	3	3	6	3
525	Lismore, etc.—												
	(1) Lismore, . .	c. 1000	1023	18	10	28	1	–	1	9	9	18	6
	(2) Appin, . . .	c. 1200	825	6	12	18	–	–	–	7	2	9	6
	(3) Glencoe & Ballachulish, . . .	c. 1447	1321	23	26	49	–	2	2	6	7	13	–
	(4) Duror, . . .	c. 450	426	2	1	3	–	–	–	4	3	7	3
526	Lochgilphead, . .	?	3245	40	53	93	3	1	4	35	29	64	10
527	Lochgoilhead & Kilmorich,	834	702	5	5	10	–	–	–	3	5	8	3
528	Morvern, . . .	1517	1225	14	11	25	–	3	3	8	7	15	4
529	Muckairn, . . .	788	728	11	5	16	2	–	2	6	3	9	–
530	North Knapdale, . .	1666	1327	15	21	36	1	2	3	10	24	34	3
531	Saddell, etc. (part of)—												
	(1) Saddell, . . .	c. 786	739	11	9	20	1	–	1	1	4	5	3
	(2) Skipness, . .	c. 710	533	6	10	16	–	–	–	11	4	15	3
532	Southend, . . .	1406	1214	19	17	36	1	–	1	5	7	12	5
533	South Knapdale (part of),	c. 1631	692	9	8	17	–	–	–	2	3	5	2
534	Stralachlan, etc.—												
	(1) Stralachlan, . .	397	307	3	2	5	–	–	–	4	–	4	2
	(2) Strachur . .	518	563	12	3	15	1	1	2	5	5	10	4
535	Tarbert, . . .	c. 1555	1626	41	30	71	4	–	4	21	23	44	16
	Insular.												
536	Bowmore (or Kilarrow), .	3469	2700	38	35	73	7	5	12	21	22	43	12
537	Gigha, ...	547	467	4	2	6	–	–	–	–	–	–	1
538	Iona, ...	604	743	10	13	23	2	–	2	6	4	10	3
539	Jura, etc.—												
	(1) Jura, . . .	1064	853	10	12	22	1	–	1	3	2	5	3
	(2) Colonsay, . .	837	598	9	11	20	1	1	2	4	3	7	6
540	Kilchoman, . . .	2873	2372	40	35	75	4	7	11	28	19	47	14
541	Kildalton, . . .	2424	2187	31	35	66	1	1	2	17	14	31	18
542	Kilfinichen & Kilvickeon,	2450	1791	22	23	45	–	1	1	17	17	34	7
543	Kilmeny, . . .	1413	1266	18	16	34	3	3	6	10	16	26	5
544	Kilninian and Kilmore, .	3954	1641	13	21	34	1	1	2	13	13	26	4
545	Kinlochspelvie, . .	?	428	3	9	12	–	–	–	3	3	6	2
546	Oa, ...	886	769	19	10	29	–	–	–	8	2	10	1
547	Portnahaven, . . .	1269	1058	13	19	32	–	–	–	14	9	23	10
548	Salen, ...	?	604	10	6	16	1	–	1	10	3	13	4
549	Tobermory, . . .	?	1564	19	19	38	1	1	2	8	12	20	8
550	Torosay, . . .	1361	548	6	8	14	–	–	–	4	6	10	4
551	Tyree, etc.—												
	(1) Tyree, . . .	3709	3214	49	34	83	4	3	7	17	23	40	9
	(2) Coll, . . .	1109	781	11	9	20	1	1	2	8	5	13	3
			Total,	1131	1111	2242	79	64	143	684	638	1322	398
	20. Bute.												
552	Cumbraes, . . .	1275	1246	11	12	23	1	–	1	18	10	28	11
553	Kilbride (part of), . .	2533	2226	38	20	58	2	–	2	14	21	35	4
554	Kilmory (part of), . .	3414	2515	21	35	56	–	2	2	21	22	43	8
555	Kingarth, . . .	1007	965	12	13	25	1	1	2	3	6	9	8
556	Lochranza, . . .	?	824	12	11	23	–	–	–	4	3	7	4
557	North Bute, . . .	1025	1097	22	16	38	1	4	5	13	10	23	12
558	Rothesay (incl. Burgh),	7354	7375	121	99	220	8	15	23	82	108	190	54
			Total,	237	206	443	13	22	35	155	180	335	101

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	Abbey—												
	(1) Abbey District (Burghal) — (portion of Burgh of Paisley), .	16319	15896	298	291	589	22	27	49	230	194	424	134
	(2) Do. (Landward), .	c. 5230	5670	110	111	221	5	6	11	55	40	95	56
	(3) Johnstone District,	c. 7000	8141	189	184	373	9	9	18	79	93	172	83
560	Cathcart, ...	2916	3782	61	71	132	5	2	7	34	32	66	42
561	Eaglesham, ...	2524	2328	32	33	65	5	5	10	18	21	39	14
562	Eastwood, ...	9243	11314	224	183	407	21	13	34	112	118	230	89
563	Erskine, ...	1232	1452	22	15	37	1	–	1	9	9	18	3
564	Greenock (Burgh)—												
	(1) New, or Middle, Par.	9414	9738	224	208	432	16	15	31	152	158	310	35
	(2) East Parish (includ. Landward), . .	7704	11936	289	290	579	7	8	15	143	160	303	89
	(3) Old, or West, Parish (incl. Landward), .	20318	22109	485	432	917	16	12	28	356	299	655	227
565	Houston and Killellan, .	2753	2490	43	37	80	5	5	10	26	26	52	12
566	Inchinnan, ...	649	619	10	4	14	–	–	–	5	3	8	3
567	Innerkip—												
	(1) Innerkip, . .	c. 1000	1184	19	12	31	–	–	–	10	9	19	–
	(2) Gourock, . .	c. 2018	2277	38	22	60	4	1	5	37	35	72	10
568	Kilbarchan, . . .	5474	6348	126	102	228	10	9	19	70	62	132	40
569	Kilmalcolm, . . .	1399	1454	20	19	39	–	2	2	13	15	28	3
570	Lochwinnoch, . .	4153	3821	52	48	100	4	4	8	36	39	75	26
571	Mearns, ...	3704	3546	56	65	121	3	6	9	33	34	67	23
572	Neilston, ...	12233	11013	199	197	396	18	25	43	134	115	249	58
573	Paisley (Burgh)—(excl. of Abbey Parish)—												
	(1) High Church, .	14643	14899	312	261	573	17	17	34	202	206	408	118
	(2) Low Church, . .	7205	6716	140	121	261	10	11	21	144	113	257	64
	(3) Middle Church, .	9904	9916	165	204	369	13	13	26	157	197	354	76
574	Port-Glasgow (includ. Burgh), . . .	7017	7294	186	170	356	16	11	27	123	122	245	95
575	Renfrew (incl. Burgh),	3898	4650	90	92	182	4	4	8	54	57	111	23
			Total,	3390	3172	6562	211	205	416	2232	2157	4389	1323
	22. Ayr.												
576	Ardrossan, ...	5581	6775	113	109	222	8	7	15	66	69	135	54
577	Auchinleck, ...	3697	4213	74	81	155	3	2	5	63	46	109	12
578	Ayr (incl. Burgh), . .	18840	19660	362	346	708	30	29	59	190	191	381	154
579	Ballantrae, ...	1801	1483	27	26	53	2	3	5	17	8	25	15
580	Barr, ...	907	910	13	10	23	3	–	3	7	9	16	6
581	Beith, ...	6425	5775	120	109	229	13	9	22	70	51	121	47
582	Colmonell, ...	2934	2588	34	41	75	4	4	8	14	21	35	11
583	Coylton, ...	1542	1604	32	24	56	3	–	3	10	8	18	2
584	Craigie, ...	793	730	10	14	24	–	–	–	9	5	14	2
585	Dailly, ...	2413	2050	35	32	67	5	4	9	16	22	38	9
586	Dalmellington, . .	2910	4194	119	96	215	10	3	13	54	46	100	28
587	Dalry, ...	8865	11157	231	255	486	12	12	24	140	98	238	80
588	Dalrymple, ...	1096	1325	26	20	46	4	1	5	13	6	19	7
589	Dreghorn, ...	1828	3283	62	66	128	3	2	5	17	18	35	22
590	Dundonald (Landward),	4555	4696	80	82	162	6	4	10	40	58	98	19
591	Dunlop, ...	1115	1038	12	14	26	–	1	1	10	6	16	3
592	Fenwick, ...	1741	1531	25	16	41	2	3	5	22	16	38	15
593	Galston, ...	4392	5254	78	88	166	2	7	9	50	40	90	39

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
594	Girvan,	8588	7053	171	142	313	16	32	48	101	104	205	29
595	Irvine (incl. Burgh),	8463	8607	164	134	298	17	15	32	90	109	199	87
596	Kilbirnie,	5484	5265	120	128	248	8	10	18	45	29	74	36
597	Kilmarnock (incl. part of Burgh),	21287	23551	490	479	969	41	28	69	280	298	578	203
598	Kilmaurs,	3144	3526	82	62	144	7	7	14	29	26	55	23
599	Kilwinning,	6359	7717	138	150	288	6	13	19	80	67	147	24
600	Kirkmichael,	3262	2823	65	44	109	5	2	7	28	23	51	19
601	Kirkoswald,	2242	2061	40	38	78	7	9	16	13	13	26	13
602	Largs,	3715	3615	55	65	120	4	1	5	28	38	66	31
603	Loudoun,	4720	4840	83	95	178	3	4	7	46	35	81	48
604	Mauchline,	2470	2301	36	41	77	4	2	6	20	18	38	16
605	Maybole,	7615	6712	154	119	273	25	16	41	57	61	118	41
606	Monkton and Prestwick,	1960	1937	25	32	57	2	4	6	23	19	42	21
607	Muirkirk,	3423	3267	62	38	100	5	2	7	33	29	62	23
608	New Cumnock,	2759	2890	54	47	101	8	4	12	24	18	42	11
609	Ochiltree,	1787	1676	18	32	50	1	1	2	12	11	23	6
610	Old Cumnock,	3777	3721	62	74	136	7	9	16	35	39	74	33
611	Riccarton (incl. part of Kilmarnock Burgh),	4583	5627	129	119	248	4	3	7	72	80	152	32
612	St Quivox and Newton-upon-Ayr (Landward),	2231	1870	48	42	90	4	6	10	27	24	51	20
613	Sorn,	4174	4042	81	79	160	10	7	17	43	60	103	33
614	Stair,	820	743	11	13	24	–	2	2	5	7	12	1
615	Stevenston,	3811	5454	152	116	268	16	6	22	73	63	136	35
616	Stewarton,	4572	4449	78	78	156	13	6	19	47	47	94	27
617	Straiton,	1540	1544	23	33	56	2	2	4	14	6	20	10
618	Symington,	902	855	14	11	25	1	–	1	8	5	13	4
619	Tarbolton,	2824	2669	39	32	71	3	4	7	14	13	27	19
620	West Kilbride,	2021	1970	39	29	68	5	5	10	10	14	24	10
			Total,	3886	3701	7587	334	291	625	2065	1974	4039	1380
	23. Lanark.												
621	Avondale,	6451	6125	111	99	210	11	11	22	67	64	131	59
622	Barony (Landward)—												
	(1) Maryhill,	c. 5701	6844	150	162	312	3	9	12	86	77	163	48
	(2) Springburn,	c. 5349	8909	186	198	384	5	10	15	230	213	443	48
	(3) Shettleston,	c. 5000	6914	141	135	276	7	7	14	80	57	137	36
623	Biggar,	2049	2000	34	33	67	1	6	7	13	18	31	11
624	Blantyre,	2848	3096	43	45	88	–	6	6	27	34	61	25
625	Bothwell—												
	(1) Bothwell,	4657	7059	131	132	263	6	3	9	71	74	145	49
	(2) Holytown,	10626	10844	320	276	596	11	12	23	158	118	276	74
626	Cadder,	c. 3000	3023	123	123	246	5	9	14	56	42	98	18
627	Cambuslang,	3306	3647	79	72	151	5	8	13	33	25	58	24
628	Cambusnethan,	8621	14602	298	330	628	13	24	37	112	106	218	90
629	Carluke,	6283	6176	162	142	304	14	6	20	62	40	102	47
630	Carmichael,	805	836	12	15	27	2	6	8	6	5	11	10
631	Carmunnock,	710	734	14	15	29	2	1	3	3	4	7	4
632	Carnwath,	3551	3584	59	52	111	13	9	22	25	23	48	30
633	Carstairs,	1066	1345	16	18	34	1	2	3	8	4	12	9
634	Covington & Thankerton,	548	532	8	6	14	1	–	1	3	5	8	2
635	Crawford,	c. 750	896	28	23	51	2	5	7	8	11	19	7
636	Crawfordjohn,	1112	980	12	10	22	1	3	4	5	4	9	6
637	Culter,	472	665	9	9	18	1	1	2	7	4	11	–

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
638	Dalserf—												
	(1) Larkhall,	c. 2883	3628	46	55	101	4	2	6	25	34	59	21
	(2) Dalserf,	c. 700	1247	7	22	29	–	1	1	11	5	16	10
639	Dalziel,	2262	5438	133	105	238	2	2	4	74	57	131	19
640	Dolphington,	305	260	3	2	5	1	1	2	3	1	4	1
641	Douglas,	2611	2490	45	46	91	5	4	9	25	25	50	19
642	Dunsyre,	312	312	1	2	3	–	1	1	1	2	3	3
643	East Kilbride,	3760	4062	73	64	137	5	3	8	54	28	82	19
644	Glasgow (Burgh)—												
	(1) Central District,	c. 42500	49598	961	973	1934	72	84	156	882	877	1759	602
	(2) High Church,	c. 41000	48120	967	947	1914	57	58	115	986	897	1883	293
	(3) Bridgeton,	c. 34700	45485	868	781	1649	48	58	106	530	591	1121	229
	(4) Calton,	c. 37244	36624	1002	888	1890	162	142	304	592	599	1191	452
	(5) Clyde,	c. 32668	30073	721	608	1329	49	35	84	596	572	1168	241
	(6) Blythswood,	c. 24581	28697	425	437	862	13	20	33	276	264	540	601
	(7) Milton,	c. 26000	33327	737	682	1419	22	31	53	438	398	836	231
	(8) Anderston,	c. 27000	40882	828	738	1566	30	17	47	480	446	926	226
	(9) Tradeston,	c. 31000	38561	747	687	1434	27	36	63	448	436	884	478
	(10) Hutchesontown,	c. 32404	44018	915	794	1709	36	41	77	530	537	1067	231
645	Glassford,	1955	1938	36	28	64	5	4	9	27	16	43	12
646	Govan (Landward)—												
	(1) Govan,	c. 8326	13726	233	242	475	10	6	16	112	106	218	96
	(2) Partick,	c. 6670	14861	264	288	552	5	9	14	161	164	325	100
647	Hamilton (incl. Burgh),	11740	14045	268	254	522	12	22	34	156	165	321	162
648	Lanark (incl. Burgh),	8243	7892	145	149	294	21	13	34	73	110	183	76
649	Lesmahagow,	7746	9266	193	163	356	21	19	40	83	96	179	64
650	Libberton,	800	836	14	16	30	2	3	5	2	6	8	4
651	New Monkland—												
	(1) Burgh of Airdrie,	14435	12918	350	293	643	10	21	31	181	176	357	152
	(2) Landward,	8766	7634	193	184	377	10	10	20	115	94	209	64
652	Old Monkland—												
	(1) Western District,	c. 5740	6931	135	136	271	3	4	7	84	82	166	24
	(2) Middle District,	c. 14201	15305	354	358	712	11	11	22	200	215	415	142
	(3) Eastern District,	c. 7392	7308	198	181	379	9	8	17	93	75	168	17
653	Pettinain,	428	407	9	5	14	–	1	1	5	4	9	1
654	Rutherglen (incl. Burgh),	7954	9332	152	171	323	10	5	15	101	102	203	95
655	Shotts,	5982	7344	159	137	296	3	2	5	75	50	125	46
656	Stonehouse,	2781	3267	71	66	137	5	2	7	17	22	39	21
657	Symington,	536	528	11	6	17	1	1	2	6	2	8	3
658	Walston,	497	480	5	7	12	–	1	1	2	3	5	3
659	Wandell and Lamington,	369	380	9	2	11	1	1	2	3	2	5	2
660	Wiston and Roberton,	839	786	9	13	22	1	1	2	4	4	8	6
			Total,	13223	12425	25648	777	818	1595	8511	8191	16702	5363
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	977	965	16	10	26	2	1	3	7	5	12	5
662	Bathgate,	4533	10132	181	178	359	8	15	23	98	81	179	54
663	Borrowstounness,	5192	5900	124	116	240	4	6	10	39	38	77	25
664	Carriden,	1724	1821	33	37	70	4	3	7	11	18	29	11
665	Dalmeny (Landward),	768	965	9	11	20	2	1	3	3	8	11	5
666	Ecclesmachen,	289	309	3	4	7	–	–	–	2	1	3	1
667	Kirkliston (part of),	1471	1907	26	30	56	4	2	6	10	10	20	12
668	Linlithgow—												
	(1) Burgh,	4213	3843	62	81	143	4	7	11	46	55	101	37
	(2) Landward (St Michael's Dist.),	1902	1941	33	27	60	2	2	4	23	15	38	7

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
669	Livingstone,	1289	1366	28	26	54	4	7	11	13	16	29	4
670	Queensferry (Burgh),	1195	1230	20	15	35	2	2	4	8	11	19	5
671	Torphichen,	1356	1848	26	28	54	3	1	4	17	14	31	15
672	Uphall,	1331	1507	25	20	45	4	2	6	8	11	19	8
673	Whitburn,	3792	5511	101	101	202	8	6	14	47	33	80	21
			Total,	687	684	1371	51	55	106	332	316	648	210
	25. Edinburgh.												
674	Borthwick,	1614	1742	34	26	60	6	1	7	12	8	20	13
675	Carrington,	710	681	12	9	21	–	–	–	4	1	5	5
676	Cockpen,	3228	2900	61	44	105	7	5	12	25	22	47	19
677	Colinton,	2676	2656	50	37	87	8	5	13	18	30	48	11
678	Corstorphine,	1499	1573	18	25	43	1	1	2	14	14	28	8
679	Cramond,	2547	2695	48	40	88	1	5	6	20	17	37	16
680	Cranston,	1235	1035	17	14	31	1	3	4	10	14	24	13
681	Crichton,	1387	1304	25	27	52	2	–	2	21	14	35	9
682	Currie,	2190	2249	29	37	66	3	2	5	21	20	41	7
683	Dalkeith,	6521	7114	128	103	231	9	3	12	84	36	170	53
684	Duddingston—												
	(1) Burgh of Portobello,	3497	4366	57	56	113	2	5	7	28	34	62	31
	(2) Landward,	966	857	19	9	28	3	1	4	14	5	19	13
685	Edinburgh (Burgh)—												
	(1) Dean & Morningside (incl. Landward of St Cuthberts),	c. 23000	170421	341	309	650	13	11	24	248	288	536	213
	(2) Newington & Grange,	c. 24000		399	381	780	17	22	39	205	238	443	158
	(3) Castle & Portsburgh,	c. 28000		538	523	1061	135	113	248	336	361	697	275
	(4) St Giles,	c. 30000		458	425	883	24	28	52	488	390	878	108
	(5) Holyrood & Canongate,	c. 24000		440	397	837	17	25	42	248	282	530	162
	(6) Calton & Bonnington,	c. 13648		253	257	510	9	9	18	145	147	292	225
	(7) Heriot & Warriston,	c. 19000		293	303	596	18	19	37	198	212	410	189
686	Fala and Soutra,	434	382	4	9	13	1	–	1	2	3	5	2
687	Glencross,	1138	1217	11	11	22	–	–	–	4	14	18	6
688	Heriot,	352	407	6	5	11	3	2	5	3	3	6	2
689	Inveresk (incl. Burgh of Musselburgh),	8653	9515	149	152	301	13	10	23	114	128	242	53
690	Kirknewton and East-Calder,	2188	1549	23	23	46	1	2	3	11	10	21	14
691	Lasswade,	5821	5685	99	85	184	9	4	13	43	45	88	33
692	Leith (Burgh)—												
	(1) North Leith,	c. 9451	11490	185	182	367	7	7	14	109	96	205	99
	(2) South Leith (incl. Landward),	c. 22768	24447	439	430	869	22	21	43	277	269	546	191
693	Liberton,	3528	3510	47	44	91	7	6	13	31	23	54	14
694	Mid-Calder,	1474	1389	24	26	50	2	3	5	7	8	15	8
695	Newbattle,	2518	2837	51	49	100	2	7	9	25	18	43	16
696	Newton,	1780	1553	26	26	52	2	1	3	15	13	28	9
697	Penicuik,	3003	3249	60	48	108	4	5	9	25	24	49	21
698	Ratho,	1718	1659	20	27	47	5	1	6	6	12	18	10
699	Stow,	1973	2171	50	37	87	6	1	7	10	7	17	9
700	Temple,	1414	1385	29	27	56	1	4	5	12	15	27	9
701	West-Calder,	2120	1927	39	33	72	4	2	6	19	12	31	13
			Total,	4482	4236	8718	365	334	699	2852	2883	5735	2037

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	26. Haddington.												
702	Aberlady,	1099	1018	11	12	23	–	1	1	9	10	19	6
703	Athelstaneford,	971	902	19	18	37	2	1	3	12	11	23	5
704	Bolton,	373	332	7	5	12	2	–	2	1	1	2	3
705	Dirleton,	1634	1540	24	18	42	5	2	7	8	12	20	6
706	Dunbar (incl. Burgh),	4415	4939	71	82	153	8	3	11	47	52	99	34
707	Garvald,	869	891	15	14	29	1	–	1	4	7	11	7
708	Gladsmuir,	1780	1945	44	43	87	1	1	2	11	11	22	23
709	Haddington (incl. Burgh),	5525	5548	97	105	202	3	9	12	66	69	135	58
710	Humbie,	925	997	13	15	28	1	–	1	6	2	8	5
711	Innerwick,	1012	937	11	16	27	–	–	–	6	7	13	7
712	Morham,	249	281	5	5	10	–	1	1	4	4	8	1
713	North Berwick (includ. Burgh),	1643	2068	28	34	62	1	–	1	12	11	23	9
714	Oldhamstocks,	692	615	9	6	15	1	1	2	7	5	12	3
715	Ormiston,	811	914	10	10	20	2	3	5	2	5	7	7
716	Pencaitland,	1175	1187	28	24	52	5	–	5	11	8	19	7
717	Prestonkirk,	1894	1957	28	35	63	2	5	7	14	18	32	11
718	Prestonpans,	2123	2080	35	37	72	2	3	5	28	26	54	14
719	Salton,	697	712	6	8	14	–	1	1	1	2	3	3
720	Spott,	595	556	8	9	17	1	–	1	4	4	8	5
721	Stenton,	719	692	10	15	25	2	1	3	4	7	11	7
722	Tranent,	4158	4648	87	81	168	5	4	9	55	52	107	33
723	Whitekirk & Tynninghame	1131	1113	9	14	23	–	1	1	13	11	24	9
724	Whittinghame,	671	710	9	11	20	1	1	2	6	3	9	5
725	Yester (or Gifford),	1202	1033	15	16	31	2	4	6	10	8	18	4
			Total,	599	633	1232	47	42	89	341	346	687	272
	27. Berwick.												
726	Abbey St Bathans,	155	179	–	2	2	–	–	–	–	–	–	–
727	Ayton,	1959	2014	40	24	64	4	2	6	22	14	36	12
728	Bunkle and Preston,	715	756	12	16	28	–	–	–	1	2	3	6
729	Channelkirk,	728	671	14	8	22	2	–	2	6	4	10	7
730	Chirnside,	1384	1502	26	25	51	8	4	12	11	12	23	7
731	Cockburnspath,	1196	1194	25	14	39	1	–	1	6	9	15	8
732	Coldingham,	3188	3237	56	50	106	4	5	9	19	17	36	12
733	Coldstream,	3245	2823	44	45	89	6	6	12	19	27	46	16
734	Cranshaws,	127	134	1	3	4	–	–	–	–	1	1	1
735	Dunse,	3407	3595	52	50	102	5	3	8	24	34	58	16
736	Earlston,	1819	1825	24	30	54	3	2	5	13	23	36	10
737	Eccles,	1892	1861	32	27	59	1	2	3	14	8	22	9
738	Edrom,	1474	1592	22	24	46	3	1	4	4	4	8	12
739	Eyemouth,	1488	1804	32	33	65	1	–	1	16	22	38	7
740	Fogo,	604	559	6	6	12	–	1	1	1	3	4	1
741	Foulden,	430	431	13	7	20	–	2	2	2	1	3	1
742	Gordon,	983	932	19	13	32	2	2	4	3	6	9	5
743	Greenlaw,	1378	1371	17	18	35	4	3	7	6	9	15	8
744	Hume,	406	420	9	5	14	1	–	1	1	3	4	4
745	Hutton,	1102	1067	20	13	33	–	2	2	8	8	16	6
746	Ladykirk,	561	565	2	7	9	1	–	1	3	3	4	2
747	Langton,	484	502	9	5	14	–	–	–	3	2	5	6
748	Lauder (incl. Burgh),	2154	2198	38	26	64	3	3	6	23	14	37	11
749	Legerwood,	587	599	10	8	18	–	–	–	3	6	9	1
750	Longformacus,	411	448	6	4	10	–	1	1	4	2	6	5
751	Merton,	692	730	11	8	19	–	1	1	6	5	11	7

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
752	Mordington, . . .	427	377	6	8	14	1	–	1	2	–	2	6
753	Nenthorn, . . .	441	462	9	6	15	2	–	2	1	–	1	4
754	Polwarth . . .	331	251	1	3	4	–	1	1	2	1	3	1
755	Swinton, . . .	994	964	21	12	33	1	2	3	7	6	13	8
756	Westruther, . . .	791	786	11	14	25	1	1	2	4	5	9	4
757	Whitsome, . . .	612	640	9	11	20	2	2	4	1	2	3	7
			Total,	597	525	1122	56	46	102	233	253	486	210
	28. Peebles.												
758	Broughton, . . .	284	297	2	4	6	–	–	–	1	2	3	–
759	Drumelzier, . . .	244	209	6	2	8	–	–	–	1	2	3	–
760	Eddlestone, . . .	790	753	9	12	21	–	–	–	7	3	10	2
761	Glenholm, . . .	252	198	3	3	6	–	1	1	2	1	3	3
762	Innerleithen, . . .	1236	1823	25	26	51	1	2	3	11	12	23	6
763	Kilbucho, . . .	345	228	5	3	8	3	–	3	–	–	–	1
764	Kirkurd, . . .	326	362	4	4	8	–	1	1	1	1	2	1
765	Lyne, etc.—(1) Lyne, .	95	81	3	1	4	–	–	–	–	1	1	–
	(2) Meggat,	63	53	–	–		–	–	–	–	–	–	–
766	Manor, . . .	256	247	2	1	3	–	1	1	2	2	4	2
767	Newlands, . . .	950	987	11	9	20	2	1	3	10	6	16	4
768	Peebles (incl. Burgh), .	2673	2850	43	47	90	3	3	6	23	28	51	29
769	Skirling, . . .	316	317	3	4	7	–	–	–	2	1	3	4
770	Stobo, . . .	478	478	14	5	19	–	1	1	4	3	7	4
771	Traquair, . . .	646	687	11	17	28	1	4	5	3	1	4	4
772	Tweedsmuir, . .	220	196	1	3	4	–	1	1	1	2	3	1
773	West Linton, . .	1630	1534	28	31	59	4	7	11	14	13	27	14
			Total,	170	172	342	14	22	36	82	78	160	75
	29. Selkirk.												
774	Ettrick, . . .	477	454	6	7	13	2	1	3	1	4	5	2
775	Galashiels, . .	3014	3379	68	67	135	4	5	9	32	25	57	15
776	Kirkhope, . . .	633	555	9	6	15	1	–	1	5	4	9	5
777	Roberton, . . .	670	640	8	12	20	1	3	4	7	8	15	2
778	Selkirk (incl. Burgh), .	4347	4739	72	81	153	3	8	11	32	45	77	32
779	Yarrow, . . .	661	643	12	8	20	–	–	–	4	5	9	5
			Total,	175	181	356	11	17	28	81	91	172	61
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum, . . .	1554	1511	33	21	54	3	2	5	9	14	23	5
781	Ashkirk, . . .	578	578	5	6	11	1	–	1	2	2	4	7
782	Bedrule, . . .	240	222	5	4	9	–	–	–	1	2	3	3
783	Bowden, . . .	981	864	19	13	32	2	–	2	7	10	17	9
784	Castleton, . . .	2130	3688	34	31	65	5	7	12	20	22	42	13
785	Cavers, . . .	1495	1824	28	18	46	2	2	4	14	10	24	6
786	Crailing, . . .	734	673	12	4	16	2	–	2	–	8	8	4
787*a*	Eckford, . . .	1073	957	12	13	25	1	–	1	8	3	11	4
787*b*	Edgerston, . . .	658	599	6	2	8	–	–	–	1	2	3	–
788	Ednam, . . .	480		7	3	10	–	–	–	3	2	5	4
789	Hawick, . . .	7801	8726	170	166	336	25	25	50	113	115	228	49
790	Hobkirk, . . .	720	771	11	10	21	1	1	2	4	3	7	4

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
791	Hownam, . . .	252	289	3	1	4	–	–	–	–	4	4	–
792	Jedburgh (part of)—(incl. Burgh), . .	5476	5264	75	70	145	10	9	19	36	46	82	30
793	Kelso, . . .	5634	5191	69	59	128	8	5	13	44	49	93	33
794	Kirktown, . . .	282	421	4	4	8	–	1	1	4	2	6	–
795	Lilliesleaf, . . .	798	772	14	10	24	1	–	1	8	7	15	2
796	Linton, . . .	630	608	6	5	11	–	2	2	2	4	6	–
797	Makerston, . . .	345	380	7	8	15	1	1	2	6	5	11	6
798	Maxton, . . .	550	497	10	9	19	4	–	4	4	2	6	–
799	Melrose—(1) Melrose,	3592	3557	64	57	121	3	3	6	28	32	60	19
	(2) Ladhope,	3773	4154	73	74	147	7	4	11	29	41	70	35
800	Minto, . . .	467	430	12	2	14	1	–	1	1	5	6	2
801	Morebattle, . . .	997	1031	18	11	29	5	2	7	6	6	12	6
802	Oxnam (part of), . .	669	627	5	7	12	2	–	2	3	3	6	1
803	Roxburgh, . . .	1141	1178	23	21	44	2	1	3	10	14	24	8
804	St Boswells, . . .	884	865	16	18	34	3	4	7	9	6	15	7
805	Smailholm, . . .	617	554	12	9	21	3	1	4	4	9	13	2
806	Southdean (part of), .	845	759	10	8	18	1	1	2	5	3	8	4
807	Sprouston, . . .	1424	1295	20	24	44	–	3	3	4	13	17	11
808	Stitchel, . . .	426	425	6	7	13	–	1	1	1	2	3	–
809	Teviothead, . . .	550	438	9	3	12	2	–	2	–	2	2	1
810	Wilton, . . .	2557	3357	54	59	113	7	11	18	22	34	56	14
811	Yetholm, . . .	1352	1207	16	17	33	1	1	2	9	11	20	5
			Total,	868	774	1642	103	87	190	417	493	910	294
	31. Dumfries.												
812	Annan—												
	(1) Burgh), . . .	5848	5760	57	67	124	6	6	12	41	34	75	25
	(2) Landward (part of),			32	28	60	6	8	14	13	12	25	14
813*a*	Applegarth, . . .	918	935	17	10	27	1	1	2	7	7	14	8
813*b*	Brydekirk, . . .	1010	779	8	12	20	3	4	7	8	8	16	4
814	Canonbie, . . .	3163	3219	44	40	84	12	5	17	27	23	50	13
815	Carlaverock, . . .	1418	1248	17	20	37	1	2	3	7	11	18	6
816	Closeburn, . . .	1732	1655	28	25	53	1	2	3	17	12	29	13
817	Cummertrees (part of),	1386	1230	7	21	28	–	3	3	4	10	14	4
818	Dalton, . . .	761	680	10	9	19	1	1	2	3	4	7	5
819	Dornock, . . .	936	856	15	20	35	3	3	6	4	6	10	7
820	Dryfesdale, . . .	2409	2508	34	38	72	3	6	9	15	15	30	20
821	Dumfries (incl. part of Burgh), . . .	12298	13523	232	229	461	37	24	61	174	147	321	142
822	Dunscore, . . .	1578	1553	23	20	43	–	1	1	13	11	24	5
823	Durrisdeer, . . .	1795	1320	16	20	36	2	2	4	5	9	14	6
824	Eskdalemuir, . .	672	590	6	13	19	–	1	1	2	5	7	2
825	Ewes, ...	354	356	7	4	11	2	1	3	5	–	5	4
826	Glencairn, . . .	1980	1867	18	29	47	5	–	5	15	17	32	11
827	Graitney (or Gretna), .	1830	1620	32	31	63	6	7	13	15	13	28	14
828	Halfmorton, . . .	687	713	10	13	23	2	–	2	10	6	16	1
829	Hoddam (part of), . .	1797	1653	28	14	42	5	4	9	22	13	35	8
830	Holywood, . . .	1060	1113	14	16	30	1	3	4	7	8	15	7
831	Hutton, ...	836	876	16	10	26	1	1	2	4	2	6	4
832	Johnstone, . . .	1261	1149	16	17	33	1	–	1	8	7	15	9
833	Keir, ...	960	849	18	17	35	2	–	2	5	11	16	9
834	Kirkconnel, . . .	1245	996	10	13	23	3	4	7	7	8	15	8
835	Kirkmahoe, . . .	1553	1463	22	14	36	–	3	3	12	8	20	8
836	Kirkmichael, . . .	1124	1026	19	18	37	2	1	3	7	9	16	7
837	Kirkpatrick-Fleming, .	1829	1925	29	23	52	5	7	12	16	15	31	5

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
838	Kirkpatrick-Juxta,	1097	1025	13	20	33	–	3	3	5	8	13	8
839	Langholm,	2990	2979	36	58	94	5	5	10	34	37	71	13
840	Lochmaben (1) Burgh,	3127	3095	26	23	49	3	5	8	17	19	36	9
	(2) Landward,			35	14	49	5	1	6	23	13	36	16
841	Middlebie,	2163	2001	36	36	72	8	9	17	18	16	34	14
842	Moffat,	2304	2232	28	33	61	5	8	13	14	26	40	19
843	Morton,	2482	2253	32	28	60	5	4	9	18	30	48	13
844	Mousewald,	686	633	11	13	24	4	2	6	5	3	8	2
845	Penpont,	1411	1325	17	20	37	4	4	8	7	9	16	6
846	Ruthwell,	1110	1041	21	17	38	7	1	8	4	14	18	8
847	St Mungo,	645	686	10	11	21	–	2	2	3	5	8	3
848	Sanquhar (part of)—												
	(1) Burgh,	3229	3570	22	27	49	3	3	6	20	23	43	16
	(2) Landward,			19	24	43	–	2	2	6	6	12	12
849	Tinwald,	1080	1078	20	13	33	2	1	3	5	9	14	8
850	Torthorwald,	1313	1254	18	22	40	1	6	7	9	4	13	6
851	Tundergarth,	577	507	11	12	23	2	3	5	3	3	6	4
852	Tynron,	482	445	5	4	9	–	1	1	–	3	3	1
853*a*	Wamphray,	523	559	4	13	17	1	–	1	5	1	6	2
853*b*	Wanlockhead,	842	811	12	12	24	1	1	2	5	8	13	6
854	Westerkirk,	658	537	2	7	9	–	–	–	2	4	6	1
			Total,	1163	1198	2361	167	161	328	676	672	1348	536
	32. Kirkcudbright.												
855	Anwoth,	900	893	7	10	17	1	3	4	3	5	8	3
856	Balmaclellan (part of),	*c.* 928	887	14	12	26	1	–	1	8	5	13	7
857	Balmaghie,	1217	1225	18	13	31	6	2	8	8	14	22	9
858	Borgue,	1043	1159	18	14	32	2	–	2	4	9	13	9
859	Buittle,	1042	1155	17	22	39	–	–	–	7	8	15	9
860	Carsphairn,	1855	553	7	2	9	–	–	–	2	3	5	3
861	Colvend,	1398	1365	16	14	30	2	–	2	7	6	13	3
862	Corsock-Bridge,	*c.* 551	544	9	10	19	–	–	–	4	3	7	3
863	Crossmichael,	1362	1536	17	27	44	–	4	4	13	8	21	3
864	Dalbeattie,	*c.* 1879	2054	34	35	69	3	7	10	22	28	50	18
865	Dalry,	1238	1148	15	19	34	–	1	1	10	8	18	11
866	Girthon,	1787	1705	19	22	41	–	4	4	19	8	27	6
867	Irongray,	918	913	19	14	33	4	1	5	1	8	9	4
868	Kells (incl. Burgh of New-Galloway),	1091	1169	21	7	28	4	1	5	8	6	14	3
869	Kelton,	3186	3434	49	50	99	1	2	3	33	31	64	15
870	Kirkbean,	982	942	8	10	18	1	1	2	10	7	17	7
871	Kirkcudbright (includ. Burgh),	3555	3407	54	50	104	7	4	11	40	35	75	16
872	Kirkgunzeon,	734	793	9	10	19	2	1	3	5	4	9	1
873	Kirkmabreck,	2266	1851	25	16	41	3	–	3	13	20	33	17
874	Kirkpatrick-Durham (part of),	*c.* 1364	1323	21	20	41	3	2	5	8	12	20	7
875	Lochrutton,	726	669	12	9	21	2	1	3	6	8	14	5
876	Minnigaff,	2054	1804	21	36	57	–	2	2	8	10	18	9
877	New Abbey,	1098	1062	22	16	38	4	2	6	9	9	18	10
878	Parton (part of),	*c.* 541	572	6	4	10	–	1	1	1	2	3	1
879	Rerrick,	1725	1727	18	33	51	2	6	8	13	25	38	3
880	Terregles (including part of Dumfries Burgh),	566	559	7	4	11	1	2	3	5	4	9	1
881	Tongland,	924	892	20	13	33	1	1	2	8	5	13	5

	Parishes or Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1851.	1861.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
882	Troqueer (including part of Dumfries Burgh),	4925	4744	78	88	166	6	13	19	48	49	97	23
883	Twynholm,	782	815	12	10	22	1	1	2	6	4	10	5
884	Urr (part of),	c. 1484	1530	30	24	54	7	6	13	15	18	33	5
			Total,	623	614	1237	64	68	132	344	362	706	221
	33. Wigtown.												
885	Glasserton,	1487	1472	20	16	36	4	1	5	8	4	12	6
886	Inch (Landward),	2579	2459	30	27	57	1	5	6	15	12	27	9
887	Kirkcolm,	2018	1862	23	34	57	1	5	6	16	14	30	8
888	Kirkcowan,	1541	1434	24	16	40	2	7	9	7	15	22	7
889	Kirkinner,	1914	1716	22	27	49	2	2	4	14	10	24	10
890	Kirkmaiden,	2681	2325	48	36	84	6	4	10	16	13	29	23
891	Leswalt (Landward),	1703	1417	22	17	39	1	2	3	14	11	25	7
892	Mochrum,	2946	2694	38	33	71	9	7	16	23	17	40	23
893	New Luce,	791	731	12	12	24	1	3	4	5	4	9	4
894	Old Luce (or Glenluce),	2841	2797	36	32	68	4	5	9	17	17	34	20
895	Penninghame,	4155	4057	52	52	104	4	8	12	37	28	65	25
896	Portpatrick,	1963	2156	24	26	50	5	4	9	10	12	22	7
897	Sorbie,	1886	1814	25	27	52	–	4	4	8	17	25	7
898	Stoneykirk,	3321	3229	44	55	99	4	13	17	27	19	46	18
899	Stranraer (Burgh),	5738	6310	95	77	172	14	11	25	50	67	117	43
900	Whithorn (incl. Burgh),	3001	2930	49	35	84	10	3	13	23	25	48	13
901	Wigtown (incl. Burgh),	2824	2635	41	39	80	1	3	4	20	17	37	15
			Total,	605	561	1166	69	87	156	310	302	612	245

SUMMARY.

Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
	1851.	1861.	Mal.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem.	Total.	
Insular,	166,487	160,580	2284	2176	4460	112	115	227	1141	1165	2306	954
Mainland—Rural,	1,710,465	1,762,724	29597	27971	57568	2861	2691	5552	15195	15195	30390	10960
Town,*	1,011,790	1,138,025	21277	20110	41387	1563	1527	3090	14601	14609	29210	9455
Scotland,	2,888,742	3,061,329	53158	50257	103415	4536	4333	8869	30937	30969	61906	21369

* The constitution of the Town Districts was slightly altered in 1857, so that the populations of the Mainland and Town Districts do not quite correspond with those of former Returns.

MARRIAGES registered in SCOTLAND in 1857, and the Number of Persons who signed the Register by Marks.

COUNTY.	Regular Marriages according to the Rites of								Irregular Marriages.	Signed the Register by Marks.		
	Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholics.	Other Denominations.	Not Stated.	TOTAL.		Males.	Females.	TOTAL.
Shetland	150	22	3	–	–	4	–	179	–	25	73	98
Orkney	81	34	48	–	–	12	–	175	–	3	13	16
Caithness	55	169	7	–	–	16	1	248	–	13	36	49
Sutherland	19	99	–	–	–	–	–	118	–	17	45	62
Ross and Cromarty	81	398	12	1	1	–	–	493	–	238	334	572
Inverness	231	184	8	10	73	3	–	509	–	163	266	429
Nairn	18	20	3	–	–	–	–	41	–	7	12	19
Elgin	134	106	26	4	3	5	–	278	–	13	36	49
Banff	231	100	13	8	30	4	–	386	–	21	46	67
Aberdeen	941	361	72	61	21	57	6	1519	–	38	171	209
Kincardine	152	49	3	4	–	–	–	208	–	2	19	21
Forfar	710	296	208	67	181	69	–	1531	–	202	474	676
Perth	429	207	124	11	35	17	–	823	–	40	99	139
Fife	558	133	216	7	21	17	18	970	–	62	149	211
Kinross	31	8	10	–	–	–	–	49	–	–	3	3
Clackmannan	55	31	40	–	–	10	–	136	–	15	30	45
Stirling	315	118	137	6	42	8	2	628	–	74	151	225
Dumbarton	150	55	40	2	87	9	9	352	–	94	140	234
Argyll	248	106	18	7	11	7	1	398	–	64	124	188
Bute	51	34	6	2	7	1	–	101	–	17	24	41
Renfrew	750	204	135	15	183	36	–	1323	–	235	488	723
Ayr	827	227	163	15	90	50	8	1380	–	211	373	584
Lanark	1731	1051	955	112	895	578	41	5363	–	808	1763	2571
Linlithgow	113	40	26	2	18	10	–	209	1	27	50	77
Edinburgh	1012	413	338	68	118	73	12	2034	3	104	190	294
Haddington	181	48	20	1	22	–	–	272	–	32	55	87
Berwick	119	30	58	–	1	2	–	210	–	4	11	15
Peebles	41	8	19	2	1	4	–	75	–	1	1	2
Selkirk	17	12	29	2	–	1	–	61	–	1	1	2
Roxburgh	156	45	63	5	21	3	–	293	1	16	34	50
Dumfries	292	97	95	4	33	10	3	534	2	16	35	51
Kirkcudbright	149	49	12	–	10	1	–	221	–	6	11	17
Wigtown	166	35	19	–	15	10	–	245	–	19	48	67
SCOTLAND	10194	4789	2926	416	1919	1017	101	21362	7	2588	5305	7893

Ages and Condition of Persons married in Scotland in 1857.

Condition combined with Age.	Total.	Ages of Parties at Marriage.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Bachelors and Spinsters.	17030	–	1	–	14	105	416	891	6648	5252	2094	898	374	170	81	35	10	9	1	–	–	–	31
	17030	–	4	61	240	777	1250	1735	6978	4192	1170	384	119	37	8	2	2	–	1	–	–	–	70
Bachelors and Widows.	521	–	–	–	–	2	3	8	87	124	133	81	42	22	10	7	1	–	–	–	–	–	1
	521	–	–	–	–	–	–	–	34	143	146	116	57	20	2	1	–	–	–	–	–	–	2
Widowers and Spinsters.	1648	–	–	–	–	–	–	–	18	174	314	304	266	219	155	91	67	21	9	4	3	–	3
	1648	–	–	1	3	16	31	53	259	382	370	259	137	78	37	11	4	1	–	–	–	–	6
Widowers and Widows.	601	–	–	–	–	–	–	–	2	17	66	82	127	125	79	48	28	14	6	4	1	–	2
	601	–	–	–	–	–	–	1	10	45	122	136	136	77	41	11	12	2	1	–	–	1	6
Condition not stated. Males.	1569	–	–	–	5	14	47	87	626	375	205	104	51	17	15	5	3	–	–	–	–	–	15
Condition not stated. Females.	1569	–	1	5	26	84	126	154	604	350	108	59	21	6	3	–	–	–	–	–	–	–	22
Total Males	21369	–	1	–	19	121	466	986	7381	5942	2812	1469	860	553	340	186	109	44	16	8	4	–	52
Total Females ...	21369	–	5	67	269	877	1407	1943	7885	5112	1916	954	470	218	91	25	18	3	2	–	–	1	106

AGES of MALES married in Scotland in 1857.

	Total Males.	Ages of Males at Marriage.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21369	–	1	–	19	121	466	986	7381	5942	2812	1469	860	553	340	186	109	44	16	8	4	–	52
DIVISIONS.																							
1. Northern .	720	–	–	–	–	1	6	18	204	254	119	51	24	15	14	7	5	–	1	–	1	–	–
2. North-Western	1002	–	–	–	–	1	8	14	187	334	233	106	50	22	18	12	7	4	–	1	–	–	5
3. North-Eastern	2432	–	–	–	1	9	35	72	770	694	339	214	112	72	52	28	18	9	1	2	–	–	4
4. East-Midland .	3509	–	–	–	7	22	85	167	1279	931	437	214	141	102	51	29	26	7	3	3	–	–	5
5. West-Midland	1479	–	1	–	–	8	27	65	438	421	219	128	68	44	28	20	3	–	2	1	1	–	5
6. South-Western	8066	–	–	–	5	57	224	463	3057	2148	919	491	285	182	115	56	32	13	4	–	2	–	13
7. South-Eastern	2865	–	–	–	3	12	50	113	1003	789	393	178	133	81	47	26	7	10	3	1	–	–	16
8. Southern . .	1296	–	–	–	3	11	31	74	443	371	153	87	47	35	15	8	11	1	2	–	–	–	4
COUNTIES.																							
Shetland . .	179	–	–	–	–	–	–	6	52	74	24	8	5	5	3	2	–	–	–	–	–	–	–
Orkney . .	175	–	–	–	–	–	3	8	52	65	24	7	6	3	2	–	4	–	1	–	–	–	–
Caithness . .	248	–	–	–	–	1	2	2	68	79	49	19	8	6	9	3	1	–	–	–	1	–	–
Sutherland . .	118	–	–	–	–	–	1	2	32	36	22	17	5	1	–	2	–	–	–	–	–	–	–
Ross and Cromarty	493	–	–	–	–	–	5	9	96	166	118	43	27	8	7	6	2	2	–	1	–	–	3
Inverness . .	509	–	–	–	–	1	3	5	91	168	115	63	23	14	11	6	5	2	–	–	–	–	2

AGES of MALES married in Scotland in 1857.

Nairn . . .	41	–	–	–	–	–	–	–	17	12	6	2	2	1	1	–	–	–	–	–	–	–	–
Elgin . . .	278	–	–	–	–	–	–	5	97	79	36	25	17	8	6	3	2	–	–	–	–	–	–
Banff . . .	386	–	–	–	–	1	9	5	137	111	56	29	18	8	5	3	3	–	–	–	–	–	1
Aberdeen . .	1519	–	–	–	1	6	22	52	454	437	208	142	70	43	39	20	11	8	1	2	–	–	3
Kincardine . .	208	–	–	–	–	2	4	10	65	55	33	16	5	12	1	2	2	1	–	–	–	–	–
Forfar . .	1531	–	–	–	3	8	35	74	562	399	192	87	66	48	22	15	13	3	1	1	–	–	2
Perth . . .	823	–	–	–	3	6	19	28	274	229	119	50	38	26	16	5	7	2	–	–	–	–	1
Fife . . .	970	–	–	–	–	7	25	53	377	246	113	63	32	24	12	7	6	2	2	–	–	–	1
Kinross . .	49	–	–	–	–	1	1	4	11	16	4	7	–	–	1	1	–	–	–	2	–	–	1
Clackmannan .	136	–	–	–	1	–	5	8	55	41	9	7	5	4	–	1	–	–	–	–	–	–	–
Stirling . .	628	–	1	–	–	8	14	34	210	155	84	52	31	14	11	5	2	–	1	1	–	–	5
Dumbarton . .	352	–	–	–	–	–	9	21	134	105	37	19	11	5	3	7	–	–	1	–	–	–	–
Argyll . .	398	–	–	–	–	–	4	6	72	129	81	47	20	19	11	7	1	–	–	–	1	–	–
Bute . . .	101	–	–	–	–	–	–	4	22	32	17	10	6	6	3	1	–	–	–	–	–	–	–
Renfrew . .	1323	–	–	–	–	6	30	76	543	361	145	68	43	13	12	12	5	4	1	–	–	–	4
Ayr . . .	1380	–	–	–	2	19	52	84	532	340	143	84	52	26	14	14	11	3	2	–	1	–	1
Lanark . .	5363	–	–	–	3	32	142	303	1982	1447	631	339	190	143	89	30	16	6	1	–	1	–	8
Linlithgow . .	210	–	–	–	1	2	7	8	91	66	18	5	7	1	2	–	–	–	–	–	–	–	2
Edinburgh . .	2037	–	–	–	1	7	35	73	683	552	303	132	103	66	34	20	5	9	2	1	–	–	11
Haddington .	272	–	–	–	–	–	4	15	96	74	32	20	13	5	7	4	–	–	1	–	–	–	1
Berwick . .	210	–	–	–	1	3	2	8	84	57	23	14	7	3	2	2	1	1	–	–	–	–	2
Peebles . .	75	–	–	–	–	–	1	7	19	29	7	3	2	5	1	–	1	–	–	–	–	–	–
Selkirk . .	61	–	–	–	–	–	1	2	30	11	10	4	1	1	1	–	–	–	–	–	–	–	–
Roxburgh . .	294	–	–	–	–	–	5	21	107	95	33	14	9	2	2	2	1	–	2	–	–	–	1
Dumfries . .	536	–	–	–	1	6	10	31	185	151	66	38	20	11	5	3	6	1	–	–	–	–	2
Kirkcudbright .	221	–	–	–	–	1	6	8	72	54	33	19	7	11	4	2	3	–	–	–	–	–	1
Wigtown . .	245	–	–	–	2	4	10	14	79	71	21	16	11	11	4	1	1	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1857.

	Total Females.	Ages of Females at Marriage.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . .	21369	–	5	67	269	877	1407	1943	7885	5112	1916	954	470	218	91	25	18	3	2	–	–	1	106
DIVISIONS.																							
1. Northern . .	720	–	–	3	7	20	24	38	257	229	83	39	12	4	–	1	1	1	–	–	–	–	1
2. North-Western	1002	–	–	3	7	22	36	65	336	339	123	34	15	6	5	–	–	–	1	–	–	–	10
3. North-Eastern	2432	–	–	5	30	89	132	167	867	632	266	131	55	36	6	6	2	–	–	–	–	–	8
4. East-Midland .	3509	–	–	5	25	101	196	308	1375	841	322	167	82	47	15	4	4	–	–	–	–	–	17
5. West-Midland .	1479	–	1	5	15	58	88	143	513	384	138	68	34	14	6	–	1	–	–	–	–	1	10
6. South-Western	8066	–	1	36	142	419	665	898	3051	1606	615	295	184	70	43	10	8	1	–	–	–	–	22
7. South-Eastern	2865	–	2	7	28	108	160	229	1022	742	262	159	63	34	13	4	1	1	1	–	–	–	29
8. Southern . .	1296	–	1	3	15	60	106	95	464	339	107	61	25	7	3	–	1	–	–	–	–	–	9
COUNTIES.																							
Shetland . .	179	–	–	1	–	1	4	8	65	65	21	11	3	–	–	–	–	–	–	–	–	–	–
Orkney . .	175	–	–	–	1	7	6	9	63	58	16	7	4	1	–	1	1	1	–	–	–	–	–
Caithness . .	248	–	–	1	3	7	8	15	92	67	31	17	5	1	–	–	–	–	–	–	–	–	1
Sutherland . .	118	–	–	1	3	5	6	6	37	39	15	4	–	2	–	–	–	–	–	–	–	–	–
Ross and Cromarty	493	–	–	–	4	7	18	39	178	153	61	17	6	4	1	–	–	–	1	–	–	–	4
Inverness . .	509	–	–	3	3	15	18	26	158	186	62	17	9	2	4	–	–	–	–	–	–	–	6

AGES of FEMALES married in Scotland in 1857.

Nairn . . .	41	–	–	–	–	1	1	2	13	19	2	3	–	–	–	–	–	–	–	–	–	–
Elgin . . .	278	–	–	1	3	11	16	8	96	84	38	13	4	2	1	–	–	–	–	–	–	1
Banff . . .	386	–	–	1	5	13	15	24	157	96	38	20	6	7	1	1	–	–	–	–	–	2
Aberdeen . .	1519	–	–	3	20	58	90	108	519	380	171	88	41	26	4	4	2	–	–	–	–	5
Kincardine . .	208	–	–	–	2	6	10	25	82	53	17	7	4	1	–	1	–	–	–	–	–	–
Forfar .	1531	–	–	3	10	36	89	137	593	356	147	83	38	18	6	3	1	–	–	–	–	11
Perth . .	823	–	–	1	5	29	45	71	301	224	77	37	17	11	2	–	2	–	–	–	–	1
Fife . . .	970	–	–	1	9	28	46	86	406	215	85	42	25	15	7	–	1	–	–	–	–	4
Kinross . .	49	–	–	–	–	1	3	3	17	16	3	1	2	1	–	1	–	–	–	–	–	1
Clackmannan .	136	–	–	–	1	7	13	11	58	30	10	4	–	2	–	–	–	–	–	–	–	–
Stirling . .	628	–	1	3	6	30	50	73	209	143	54	25	18	8	1	–	–	–	–	–	1	6
Dumbarton .	352	–	–	2	4	20	19	43	131	79	24	12	8	4	3	–	1	–	–	–	–	2
Argyll . .	398	–	–	–	4	7	12	24	137	131	47	25	6	1	2	–	–	–	–	–	–	2
Bute . . .	101	–	–	–	1	1	7	3	36	31	13	6	2	1	–	–	–	–	–	–	–	–
Renfrew . .	1323	–	–	6	12	72	99	166	543	253	82	42	23	10	4	1	1	–	–	–	–	9
Ayr . . .	1380	–	–	6	42	69	121	155	505	261	102	54	35	13	9	3	3	–	–	–	–	2
Lanark . .	5363	–	1	24	88	278	445	577	2003	1092	431	199	126	47	30	6	4	1	–	–	–	11
Linlithgow . .	210	–	–	–	3	11	15	19	98	40	12	7	3	–	–	–	–	–	–	–	–	2
Edinburgh . .	2037	–	2	7	19	74	117	147	701	527	202	123	49	29	11	2	1	1	1	–	–	24
Haddington .	272	–	–	–	3	10	7	30	96	75	26	11	7	4	1	1	–	–	–	–	–	1
Berwick . .	210	–	–	–	–	5	10	21	77	69	11	9	4	1	1	–	–		–	–	–	2
Peebles . .	75	–	–	–	3	6	5	7	27	15	7	5	–	–	–	–	–	–	–	–	–	–
Selkirk . .	61	–	–	–	–	2	6	5	23	16	4	4	–	–	–	1	–	–	–	–	–	–
Roxburgh . .	294	–	–	1	2	20	23	24	113	79	17	9	1	2	2	–	–	–	–	–	–	1
Dumfries . .	536	–	1	–	7	23	43	41	191	145	44	25	8	3	–	–	–	–	–	–	–	5
Kirkcudbright .	221	–	–	1	1	5	14	8	83	57	26	17	6	–	–	–	1	–	–	–	–	2
Wigtown . .	245	–	–	1	5	12	26	22	77	58	20	10	10	2	1	–	–	–	–	–	–	1

DEATHS at Different Ages in SCOTLAND during the YEAR 1857.—BOTH SEXES.

	Population 1851.	Population 1861.	BOTH SEXES. ALL AGES.	AGE UNDER MONTHS. 3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	2888742	3061329	61906	6052	1980	4159	5877	2758	1752	1265	2954	1525	2070	2342	2123
Insular . .	166487	160580	2306	245	50	93	104	63	28	20	72	35	79	86	90
Mainland .	2714522	1762724	30390	2806	825	1613	2287	1080	752	536	1451	849	1096	1190	1002
Towns . .	1007733	1138025	29210	3001	1105	2453	3486	1615	972	709	1431	641	895	1066	1031
Shetland . .	31078	31678	455	47	10	20	12	7	7	1	8	5	21	30	20
Orkney . .	31455	32416	421	28	6	10	10	6	–	5	8	7	10	15	18
Caithness .	39782	42304	577	49	11	12	25	12	4	7	22	15	20	26	32
Sutherland .	24720	24120	329	23	8	13	11	3	3	1	6	5	13	15	9
Ross & Cromarty	83781	82301	1090	146	27	31	47	21	8	8	34	22	35	42	33
Inverness .	91954	84879	1221	126	39	29	48	32	15	8	41	20	45	43	35
Nairn . .	8076	8349	170	16	4	8	15	3	2	3	13	7	6	8	4
Elgin . .	40862	44215	717	61	13	20	42	17	21	4	29	16	23	27	29
Banff . .	51023	56040	812	87	18	26	30	17	15	5	29	17	22	31	46
Aberdeen .	213466	223154	3981	358	121	174	234	127	77	57	192	87	163	180	143
Kincardine .	34939	34849	504	35	10	13	24	9	9	6	17	9	30	26	24
Forfar . .	193632	206696	4353	518	154	266	360	166	116	94	200	108	152	145	151
Perth . .	136305	133067	2697	182	55	118	159	96	90	73	170	65	98	113	85
Fife . . .	153789	154806	2887	225	71	161	240	122	87	48	151	77	97	98	82
Kinross . .	9626	8729	139	14	4	6	8	5	6	2	3	2	4	3	4
Clackmannan .	21555	20121	355	37	8	18	20	18	9	8	20	10	17	16	18
Stirling . .	84861	88273	1856	167	52	115	181	92	58	43	133	60	49	70	41
Dumbarton .	46995	54181	1091	99	40	82	136	47	44	23	61	30	30	43	40
Argyll . .	94042	83776	1322	116	26	66	84	53	21	20	51	26	44	40	51
Bute . .	16608	16188	335	20	8	22	24	15	4	7	12	6	12	6	10
Renfrew . .	157950	168593	4389	472	164	368	537	260	130	85	207	123	174	151	160
Ayr . .	189973	199051	4039	395	142	298	415	205	127	98	227	139	136	156	122
Lanark . .	533169	640436	16702	1721	660	1646	2409	1072	646	456	848	405	516	580	559
Linlithgow .	30032	39245	648	67	15	49	60	30	15	17	37	25	23	29	22
Edinburgh .	260051	273965	5735	565	193	354	439	201	135	108	228	107	156	222	230
Haddington .	36363	37615	687	74	22	39	61	24	17	14	22	18	16	26	21
Berwick . .	36164	36489	486	34	15	16	19	13	10	9	16	13	18	22	29
Peebles . .	10805	11300	160	18	1	5	5	2	5	4	13	2	13	8	6
Selkirk . .	9802	10410	172	18	1	9	14	6	3	3	6	6	7	9	4
Roxburgh .	51225	53712	910	104	12	48	64	28	22	22	42	17	26	37	24
Dumfries . .	81962	79503	1348	131	47	61	85	23	22	18	55	35	52	63	44
Kirkcudbright	39308	38830	706	54	9	29	32	18	10	7	26	23	22	29	16
Wigtown . .	43389	42038	612	45	14	27	27	8	14	1	27	18	20	33	11

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1857.—BOTH SEXES.

Inverness .	16496	16149	283	23	13	12	13	10	4	2	10	5	11	15	6
Aberdeen .	71973	73876	1718	148	56	98	132	72	38	23	100	36	64	65	61
Arbroath .	17238	17829	419	49	9	25	33	12	7	7	19	10	16	27	13
Dundee . .	80027	91625	2242	319	96	155	235	108	70	61	103	55	74	60	83
Forfar . .	11009	10839	255	28	11	17	15	6	3	4	11	4	9	7	8
Montrose .	16191	15663	335	15	11	15	22	11	12	4	15	9	15	16	10
Perth . .	23835	25294	767	45	11	44	68	41	38	40	75	10	27	21	20
Dunfermline .	13836	13504	290	26	7	32	35	11	10	6	24	8	10	6	7
Kirkcaldy .	10636	11148	197	14	5	6	13	5	11	3	4	8	13	8	7
Stirling . .	13460	14145	325	27	13	28	34	15	10	13	18	10	6	9	3
Greenock .	37436	43783	1268	159	52	104	161	77	39	17	38	27	34	46	51
Paisley . .	48071	47427	1443	146	59	122	170	91	41	32	80	38	49	51	58
Ayr . .	18840	19660	381	44	12	27	44	7	12	4	18	14	10	13	11
Kilmarnock .	21443	23551	578	59	23	51	72	33	23	18	36	12	14	20	23
Glasgow . .	329097	395385	11375	1183	488	1180	1711	761	449	333	547	234	337	420	390
Barony . .	16050	22667	743	77	23	70	99	45	24	16	32	16	23	19	17
Govan . .	14996	28587	543	63	22	57	67	41	21	13	32	16	15	21	22
Hamilton . .	11740	14045	321	31	2	25	29	13	11	4	18	12	13	16	12
Airdrie . .	14435	12918	357	27	14	38	48	28	21	9	29	12	9	6	7
Coatbridge, etc.	14201	15305	415	36	17	44	85	40	24	12	37	19	9	6	9
Edinburgh .	161648	170421	3786	353	119	211	303	149	83	60	137	66	112	160	164
Leith . .	32219	35937	751	88	28	67	69	27	19	23	37	13	14	36	31
Dumfries .	17223	18267	418	41	14	25	28	12	2	5	11	7	11	18	18

DEATHS at Different Ages in SCOTLAND during the YEAR 1857.—BOTH SEXES.

	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1921	1774	1820	1819	1929	2135	2499	2621	3051	2934	2448	1296	506	147	36	113
Insular . . .	67	55	52	80	82	75	126	117	139	186	171	94	54	20	8	15
Mainland . . .	852	821	816	823	921	1098	1286	1474	1907	1863	1590	901	342	98	24	87
Towns . . .	1002	898	952	916	926	962	1087	1030	1005	885	687	301	110	29	4	11
Shetland . . .	10	12	9	17	11	14	26	22	21	40	44	21	10	4	2	4
Orkney . . .	14	8	10	14	11	16	26	29	42	43	47	24	10	2	1	1
Caithness . . .	14	14	13	8	23	25	27	29	31	55	36	30	14	9	2	12
Sutherland . .	5	4	10	11	15	12	18	21	25	36	28	22	7	4	–	1
Ross and Cromarty .	28	32	24	28	35	40	52	61	84	83	91	35	24	7	7	5
Inverness . . .	46	28	35	33	50	46	78	62	85	96	91	49	26	10	2	3
Nairn . . .	4	5	4	8	3	6	5	4	12	6	13	10	1	–	–	–
Elgin . . .	23	16	27	21	23	24	31	42	44	55	60	30	13	4	1	1
Banff . . .	35	27	18	28	30	30	36	33	52	70	50	40	16	2	1	1
Aberdeen . . .	126	114	105	122	125	149	168	178	234	279	234	138	63	20	5	8
Kincardine . .	17	9	20	9	14	15	25	25	46	44	39	21	7	1	–	–
Forfar . . .	142	113	124	142	158	155	169	201	226	219	160	75	28	4	1	6
Perth . . .	63	60	61	80	85	98	126	146	184	199	170	69	34	12	1	5
Fife	66	78	73	70	80	132	146	137	210	168	151	74	30	5	–	8
Kinross . . .	5	6	4	5	3	6	5	10	10	10	7	4	2	1	–	–
Clackmannan . .	10	8	13	10	8	12	17	13	23	16	15	7	3	1	–	–
Stirling . . .	50	53	57	59	59	61	71	67	111	89	64	35	14	3	1	1
Dumbarton . .	36	30	34	24	34	36	38	40	44	37	33	16	10	1	–	3
Argyll . . .	26	34	28	35	49	44	69	67	96	94	80	47	36	9	4	6
Bute . . .	8	11	8	20	12	12	16	14	19	31	18	12	4	–	–	4
Renfrew . . .	122	128	129	126	140	126	159	156	145	118	118	60	16	9	1	5
Ayr	126	118	113	103	98	117	141	164	181	175	131	75	22	7	1	7
Lanark . . .	556	471	496	457	455	472	519	470	443	363	287	130	41	13	3	8
Linlithgow . .	21	10	15	18	13	27	30	26	30	28	19	14	6	–	–	2
Edinburgh . .	220	245	237	221	225	275	269	262	301	253	170	86	24	6	1	2
Haddington . .	17	20	15	23	29	25	23	43	42	40	28	16	6	1	–	5
Berwick . . .	13	10	15	15	13	18	23	37	42	37	28	17	–	2	–	2
Peebles . . .	2	2	6	3	3	3	11	9	8	12	12	6	1	–	–	–
Selkirk . . .	9	4	7	3	7	7	10	10	6	8	9	2	4	–	–	–
Roxburgh . .	28	30	21	23	29	34	44	54	82	45	43	22	6	2	–	1
Dumfries . . .	49	37	52	37	46	44	58	92	81	73	77	47	13	3	1	2
Kirkcudbright . .	18	23	15	28	30	22	29	51	47	62	53	36	10	2	1	4
Wigtown . . .	12	14	22	18	13	32	34	46	44	50	42	26	5	3	–	6

DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1857.—BOTH SEXES.

Inverness . . .	11	7	12	12	7	14	15	14	13	23	17	8	6	–	–	–
Aberdeen . . .	60	49	56	70	62	68	70	73	71	105	78	37	16	7	2	1
Arbroath . . .	16	16	10	17	11	13	11	26	15	26	18	10	2	–	–	1
Dundee . . .	62	58	79	69	96	74	80	63	87	74	54	18	9	–	–	–
Forfar . . .	8	8	5	10	13	11	13	19	16	9	11	6	1	–	–	2
Montrose . . .	13	5	8	18	13	18	14	23	15	23	18	8	3	–	–	1
Perth . . .	22	20	23	23	28	26	28	31	38	39	27	12	7	3	–	–
Dunfermline . .	8	10	6	4	4	10	12	16	16	10	7	2	3	–	–	–
Kirkcaldy . . .	7	7	4	4	5	8	19	11	11	4	10	8	2	–	–	–
Stirling . . .	9	10	12	9	9	14	14	19	16	14	7	3	1	2	–	–
Greenock . . .	34	51	50	41	50	44	46	46	32	28	25	7	4	2	–	3
Paisley . . .	39	35	35	36	41	36	55	47	54	48	53	21	5	1	–	–
Ayr . . .	14	10	11	11	8	16	25	15	15	15	13	9	3	–	–	–
Kilmarnock . .	24	19	15	10	11	9	15	28	23	21	12	5	2	–	–	–
Glasgow . . .	403	314	334	321	315	315	353	309	263	190	158	47	13	5	–	2
Barony . . .	29	19	32	25	20	27	26	29	23	20	13	12	4	3	–	–
Govan . . .	18	17	15	16	16	11	13	9	13	12	9	3	1	–	–	–
Hamilton . . .	7	12	10	8	11	9	13	14	13	15	10	7	6	–	–	–
Airdrie . . .	11	12	10	12	6	6	15	9	11	8	3	3	2	–	1	–
Coatbridge, etc. .	11	8	9	6	6	4	11	4	6	3	5	3	–	–	1	–
Edinburgh . .	162	159	166	159	155	180	179	175	200	158	106	49	14	5	–	1
Leith . . .	15	37	30	22	18	31	35	26	28	24	20	11	2	–	–	–
Dumfries . . .	18	15	20	13	21	18	25	24	26	16	13	12	4	1	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1857.—MALES.

	Male Population 1851.	Male Population 1861.	MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
				3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1375479	1447015	30937	3507	1124	2172	3092	1364	925	643	1495	770	1077	1216	1049
Insular . .	76760	73153	1141	145	29	51	58	33	17	11	41	16	48	59	50
Mainland .	831110	847527	15195	1636	468	827	1220	532	386	275	730	431	589	635	524
Towns . .	468609	526335	14601	1726	627	1294	1814	799	522	357	724	323	440	522	475
Shetland . .	13145	13041	241	26	5	13	7	3	5	1	5	4	16	23	13
Orkney . .	14350	14921	178	14	2	4	4	5	–	2	5	3	7	10	8
Caithness .	18809	19827	269	26	6	7	10	7	2	2	12	8	13	16	18
Sutherland .	11437	11008	156	10	2	10	7	1	2	–	2	3	4	8	7
Ross & Cromarty	39489	38281	545	91	15	17	24	14	4	5	13	9	18	24	18
Inverness .	42814	39432	603	76	26	19	31	14	5	3	21	8	26	32	19
Nairn . .	3831	3975	73	8	2	3	9	1	–	–	5	4	4	2	2
Elgin . .	19104	20719	368	33	7	8	26	8	12	4	17	8	13	18	16
Banff . .	24034	26377	417	51	12	14	11	7	8	3	14	12	18	23	33
Aberdeen .	100938	105019	1970	209	69	94	135	66	38	27	93	48	85	98	78
Kincardine .	17185	16914	237	14	5	8	10	4	4	2	7	6	16	16	12
Forfar . .	89399	93056	2086	294	81	144	190	75	60	47	99	58	72	66	66
Perth . .	65266	63000	1316	105	23	66	87	58	50	40	77	26	48	62	45
Fife . . .	73305	72363	1449	139	42	85	124	57	43	31	81	41	44	52	44
Kinross . .	4660	4134	63	11	4	5	2	–	3	–	2	–	3	1	–
Clackmannan .	10634	9713	162	22	5	11	8	6	3	4	7	3	5	7	10
Stirling . .	41563	43507	929	101	33	51	88	45	31	24	71	23	26	35	19
Dumbarton .	23340	26418	560	61	18	35	77	24	25	13	37	23	15	22	19
Argyll . .	46197	40772	684	58	20	34	41	27	12	11	27	13	23	24	34
Bute . .	7518	7043	155	14	4	8	11	6	3	3	6	2	5	3	5
Renfrew . .	74224	79121	2232	288	97	198	277	124	60	43	106	47	92	75	73
Ayr . .	92993	96865	2065	244	84	149	214	109	74	50	122	75	67	77	52
Lanark . .	258450	307985	8511	981	378	862	1284	530	358	216	424	199	262	279	252
Linlithgow .	15137	20230	332	37	7	28	32	13	9	11	20	13	17	16	9
Edinburgh .	119713	126256	2852	327	110	181	213	94	63	64	115	63	91	115	125
Haddington .	17592	17842	341	38	13	25	35	16	9	6	11	12	7	16	5
Berwick . .	17367	17332	233	22	12	5	9	6	5	3	8	3	8	11	14
Peebles . .	5400	5593	82	7	1	3	4	2	3	1	7	2	9	4	1
Selkirk . .	4836	5065	81	11	1	3	5	1	3	–	6	4	1	3	3
Roxburgh .	25002	26565	417	60	5	21	31	16	13	13	15	6	14	17	11
Dumfries .	38922	37244	676	69	25	29	48	11	9	8	32	22	26	30	25
Kirkcudbright	19501	18086	344	34	4	16	19	9	3	5	14	14	11	11	8
Wigtown .	20335	19311	310	26	6	16	19	5	6	1	14	8	11	20	5

MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1857.

Inverness .	7401	7245	131	13	8	7	6	4	2	1	5	3	6	11	2
Aberdeen .	31746	32468	823	90	32	50	77	36	19	15	44	22	24	34	28
Arbroath .	7866	7755	204	25	5	12	21	6	3	4	13	8	8	16	3
Dundee . .	36364	40245	1085	179	51	87	125	45	40	33	52	30	34	24	36
Forfar . .	5017	4718	117	16	7	7	8	2	–	2	3	2	6	3	3
Montrose .	7131	6730	150	10	5	8	8	6	6	2	8	2	8	5	5
Perth . .	11282	11541	380	26	6	25	39	26	19	23	29	2	13	10	12
Dunfermline .	6901	6438	151	15	5	19	17	6	3	5	14	4	4	1	6
Kirkcaldy .	4906	5096	107	7	4	5	7	2	6	3	2	6	9	4	4
Stirling . .	6348	6860	159	18	7	13	13	7	5	5	11	5	2	7	1
Greenock .	17905	21445	651	85	29	59	83	41	19	7	13	13	18	21	21
Paisley . .	22608	21872	733	90	37	65	84	47	23	16	48	12	22	26	26
Ayr . .	8670	9092	190	30	4	13	24	4	8	2	10	8	4	6	5
Kilmarnock .	10237	11385	280	35	13	29	32	15	13	9	18	5	5	10	9
Glasgow . .	154930	185327	5758	674	280	624	895	379	255	155	282	115	170	200	162
Barony . .	8090	11309	396	43	13	36	58	18	11	7	20	14	9	11	12
Govan . .	7286	13602	273	33	11	30	35	22	15	6	15	8	6	9	10
Hamilton .	5576	6777	156	19	1	13	11	7	5	1	10	6	7	7	5
Airdrie . .	7405	6224	181	20	7	15	29	18	13	4	12	6	5	4	3
Coatbridge, etc.	7684	8143	200	21	6	17	46	17	9	8	20	4	5	1	4
Edinburgh .	72067	75919	1868	202	71	118	146	70	36	33	70	37	65	80	92
Leith . .	15482	17891	386	52	17	29	35	15	10	15	16	6	6	22	16
Dumfries .	7809	8253	222	23	8	13	15	6	2	1	9	5	4	10	10

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1857.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	900	851	872	969	979	1058	1176	1227	1365	1280	996	533	176	43	10	68
Insular . . .	24	24	26	39	37	42	45	58	66	84	64	40	19	7	1	7
Mainland . . .	412	391	375	436	441	562	639	714	859	833	684	385	121	27	8	55
Towns . . .	464	436	471	494	501	454	492	455	440	363	248	108	36	9	1	6
Shetland . . .	3	7	8	13	6	9	11	8	7	20	13	9	3	1	–	2
Orkney . . .	3	3	4	8	4	8	9	13	21	14	15	8	3	–	–	1
Caithness . . .	8	8	4	3	12	11	13	14	9	19	9	15	3	2	1	11
Sutherland . .	1	2	5	7	7	6	7	13	9	20	9	10	3	1	–	–
Ross and Cromarty .	18	14	15	18	14	20	26	34	33	29	34	17	12	3	4	2
Inverness . . .	27	11	13	13	26	20	29	31	43	44	32	20	11	2	–	1
Nairn . . .	1	4	2	5	1	2	3	1	6	2	–	6	–	–	–	–
Elgin . . .	13	4	17	10	8	16	18	21	22	29	24	10	5	–	–	1
Banff . . .	23	16	9	8	16	17	11	17	25	23	23	20	2	1	–	–
Aberdeen . . .	62	56	47	62	67	81	78	80	101	116	98	60	13	5	1	3
Kincardine . .	10	2	10	7	5	11	16	11	21	13	17	7	2	1	–	–
Forfar . . .	63	43	51	70	80	68	88	89	86	89	64	28	10	1	1	3
Perth . . .	25	27	28	34	40	46	57	80	93	76	77	25	11	7	1	2
Fife . . .	26	34	26	30	34	71	67	66	103	93	70	32	8	1	–	5
Kinross . . .	2	5	1	3	2	4	–	5	3	3	2	1	1	–	–	–
Clackmannan . .	5	2	4	4	3	7	11	9	8	7	7	3	–	1	–	–
Stirling . . .	21	22	26	38	32	41	29	28	49	44	30	13	7	1	–	1
Dumbarton . .	15	14	18	12	19	20	21	16	18	15	14	8	–	–	–	1
Argyll . . .	12	15	15	19	24	21	39	31	49	56	35	20	16	4	–	4
Bute	4	5	4	6	7	7	4	8	7	16	10	4	2	–	–	1
Renfrew . . .	55	66	66	76	69	68	67	76	71	49	51	27	7	1	–	3
Ayr	57	62	54	56	52	61	73	72	86	76	55	28	11	–	–	5
Lanark . . .	263	234	244	255	237	223	249	217	201	163	113	58	16	6	1	6
Linlithgow . .	15	2	8	13	4	16	14	10	12	12	6	5	2	–	–	1
Edinburgh . .	103	133	126	117	124	128	122	108	126	103	63	29	6	2	–	1
Haddington . .	11	9	6	12	15	12	12	20	15	19	8	5	1	–	.	3
Berwick . . .	5	3	7	8	5	9	10	20	22	16	13	9	–	–	–	–
Peebles . . .	1	–	1	1	2	2	7	2	4	7	6	4	1	–	–	–
Selkirk . . .	2	1	3	1	4	2	5	6	3	4	6	1	2	–	–	–
Roxburgh . .	6	11	8	13	16	10	20	30	35	16	21	7	2	–	–	–
Dumfries . . .	26	20	28	20	26	18	28	43	36	38	33	16	7	1	1	1
Kirkcudbright . .	7	8	5	16	11	8	13	25	23	30	23	16	7	–	–	4
Wigtown . . .	7	8	9	11	7	15	19	23	18	19	15	12	2	2	–	6
MALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1857.																
Inverness . . .	8	2	6	6	3	7	2	7	3	10	5	3	1	–	–	–
Aberdeen . . .	30	25	27	34	32	31	26	32	28	43	25	13	6	–	–	–
Arbroath . . .	7	10	5	7	5	6	4	10	3	14	6	2	1	–	–	–
Dundee . . .	23	22	32	33	50	29	43	26	30	30	22	8	1	–	–	–
Forfar . . .	5	2	3	4	6	3	7	10	7	5	1	3	1	–	–	1
Montrose . . .	7	2	3	12	6	9	8	9	6	5	6	2	1	–	–	1
Perth . . .	9	10	9	10	15	12	14	19	22	15	9	4	–	2	–	–
Dunfermline . .	4	6	4	1	2	3	3	11	8	4	4	1	1	–	–	–
Kirkcaldy . . .	5	3	1	3	2	7	9	4	4	2	3	4	1	–	–	–
Stirling . . .	3	4	7	6	4	7	4	9	9	6	4	–	1	1	–	–
Greenock . . .	15	28	31	30	32	28	17	25	17	7	7	3	1	–	–	1
Paisley . . .	15	16	17	18	23	19	21	19	29	22	26	9	3	–	–	–
Ayr . . .	6	5	4	5	5	9	11	7	6	4	6	3	1	–	–	–
Kilmarnock . .	7	12	8	5	5	4	4	12	12	9	6	3	–	–	–	–
Glasgow . . .	190	145	160	179	167	143	166	138	118	87	47	17	7	1	–	2
Barony . . .	12	12	15	18	15	12	14	13	12	7	8	3	1	2	–	–
Govan . . .	11	10	9	7	8	7	7	1	4	5	3	1	–	–	–	–
Hamilton . . .	2	5	4	4	4	5	8	8	5	5	6	4	4	–	–	–
Airdrie . . .	4	6	4	5	2	2	7	3	5	5	–	1	–	–	1	–
Coatbridge . .	9	4	5	2	2	2	7	1	2	2	3	3	–	–	–	–
Edinburgh . .	75	81	87	83	91	80	74	73	87	57	41	12	4	2	–	1
Leith	8	17	18	14	8	19	21	6	12	11	7	6	–	–	–	–
Dumfries . . .	9	9	12	8	14	10	15	12	11	8	3	3	1	1	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1857.—FEMALES.

	Female Population 1851.	Female Population 1861.	FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
				3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1513263	1614314	30969	2545	856	1987	2785	1394	827	622	1459	755	993	1126	1074
Insular . .	89727	87427	1165	100	21	42	46	30	11	9	31	19	31	27	40
Mainland .	883412	915197	15195	1170	357	786	1067	548	366	261	721	418	507	555	478
Towns . .	539124	611690	14609	1275	478	1159	1672	816	450	352	707	318	455	544	556
Shetland . .	17933	18637	214	21	5	7	5	4	2	–	3	1	5	7	7
Orkney . .	17105	17495	243	14	4	6	6	1	–	3	3	4	3	5	10
Caithness .	20973	22477	308	23	5	5	15	5	2	5	10	7	7	10	14
Sutherland .	13283	13112	173	13	6	3	4	2	1	1	4	2	9	7	2
Ross & Cromarty	44292	44020	545	55	12	14	23	7	4	3	21	13	17	18	15
Inverness .	49140	45447	618	50	13	10	17	18	10	5	20	12	19	11	16
Nairn . .	4245	4374	97	8	2	5	6	2	2	3	8	3	2	6	2
Elgin . .	21758	23496	349	28	6	12	16	9	9	–	12	8	10	9	13
Banff . .	26989	29663	395	36	6	12	19	10	7	2	15	5	4	8	13
Aberdeen .	112528	118135	2011	149	52	80	99	61	39	30	99	39	78	82	65
Kincardine .	17754	17935	267	21	5	5	14	5	5	4	10	3	14	10	12
Forfar . .	104232	113640	2267	224	73	122	170	91	56	47	101	50	80	79	85
Perth . .	71039	70067	1381	77	32	52	72	38	40	33	93	39	50	51	40
Fife . .	80484	82443	1438	86	29	76	116	65	44	17	70	36	53	46	38
Kinross . .	4966	4595	76	3	–	1	6	5	3	2	1	2	1	2	4
Clackmannan .	10921	10408	193	15	3	7	12	12	6	4	13	7	12	9	8
Stirling . .	43298	44766	927	66	19	64	93	47	27	19	62	37	23	35	22
Dumbarton .	23655	27763	531	38	22	47	59	23	19	10	24	7	15	21	21
Argyll . .	47845	43004	638	58	6	32	43	26	9	9	24	13	21	16	17
Bute . .	9090	9145	180	6	4	14	13	9	1	4	6	4	7	3	5
Renfrew . .	83726	89472	2157	184	67	170	260	136	70	42	101	76	82	76	87
Ayr . .	96980	102186	1974	151	58	149	201	96	53	48	105	64	69	79	70
Lanark . .	274719	332451	8191	740	282	784	1125	542	288	240	424	206	254	301	307
Linlithgow .	14895	19015	316	30	8	21	28	17	6	6	17	12	6	13	13
Edinburgh .	140338	147709	2883	238	83	173	226	107	72	44	113	44	65	107	105
Haddington .	18771	19773	346	36	9	14	26	8	8	8	11	6	9	10	16
Berwick . .	18798	19157	253	12	3	11	10	7	5	6	8	10	10	11	15
Peebles . .	5404	5707	78	11	–	2	1	–	2	3	6	–	4	4	5
Selkirk . .	4966	5345	91	7	–	6	9	5	–	3	–	2	6	6	1
Roxburgh .	26223	27147	493	44	7	27	33	12	9	9	27	11	12	20	13
Dumfries .	43040	42254	672	62	22	32	37	12	13	10	23	13	26	33	19
Kirkcudbright	20807	20744	362	20	5	13	13	9	7	2	12	9	11	18	8
Wigtown .	23054	22727	302	19	8	11	8	3	8	–	13	10	9	13	6

FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1857.

Inverness .	9095	8904	152	10	5	5	7	6	2	1	5	2	5	4	4
Aberdeen .	40227	41408	895	58	24	48	55	36	19	8	56	14	40	31	33
Arbroath .	9372	10074	215	24	4	13	12	6	4	3	6	2	8	11	10
Dundee . .	43663	51380	1157	140	45	68	110	63	30	28	51	25	40	36	47
Forfar . .	5992	6121	138	12	4	10	7	4	3	2	8	2	3	4	5
Montrose .	9060	8933	185	5	6	7	14	5	6	2	7	7	7	11	5
Perth . .	12553	13753	387	19	5	19	29	15	19	17	46	8	14	11	8
Dunfermline .	6935	7066	139	11	2	13	18	5	7	1	10	4	6	5	1
Kirkcaldy .	5730	6052	90	7	1	1	6	3	5	–	2	2	4	4	3
Stirling . .	7112	7285	166	9	6	15	21	8	5	8	7	5	4	2	2
Greenock .	19531	22338	617	74	23	45	78	36	20	10	25	14	16	25	30
Paisley . .	25463	25555	710	56	22	57	86	44	18	16	32	26	27	25	32
Ayr . .	10170	10568	191	14	8	14	20	3	4	2	8	6	6	7	6
Kilmarnock .	11206	12166	298	24	10	22	40	18	10	9	18	7	9	10	14
Glasgow . .	174167	210058	5617	509	208	556	816	382	194	178	265	119	167	220	228
Barony . .	7960	11358	347	34	10	34	41	27	13	9	12	2	14	8	5
Govan . .	7710	14985	270	30	11	27	32	19	6	7	17	8	9	12	12
Hamilton .	6164	7268	165	12	1	12	18	6	6	3	8	6	6	9	7
Airdrie . .	7030	6694	176	7	7	23	19	10	8	5	17	6	4	2	4
Coatbridge, etc.	6517	7162	215	15	11	27	39	23	15	4	17	15	4	5	5
Edinburgh .	89581	94502	1918	151	48	93	157	79	47	27	67	29	47	80	72
Leith . .	16737	18046	365	36	11	38	34	12	9	8	21	7	8	14	15
Dumfries .	9414	10014	196	18	6	12	13	6	–	4	2	2	7	8	8

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1857.—FEMALES.

	FEMALES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1021	923	948	850	950	1077	1323	1394	1686	1654	1452	763	330	104	26	45
Insular . . .	43	31	26	41	45	33	81	59	73	102	107	54	35	13	7	8
Mainland . . .	440	430	441	387	480	536	647	760	1048	1030	906	516	221	71	16	32
Towns . . .	538	462	481	422	425	508	595	575	565	522	439	193	74	20	3	5
Shetland . . .	7	5	1	4	5	5	15	14	14	20	31	12	7	3	2	2
Orkney . . .	11	5	6	6	7	8	17	16	21	29	32	16	7	2	1	–
Caithness . . .	6	6	9	5	11	14	14	15	22	36	27	15	11	7	1	1
Sutherland . .	4	2	5	4	8	6	11	8	16	16	19	12	4	3	–	1
Ross and Cromarty .	10	18	9	10	21	20	26	27	51	54	57	18	12	4	3	3
Inverness . . .	19	17	22	20	24	26	49	31	42	52	59	29	15	8	2	2
Nairn . . .	3	1	2	3	2	4	2	3	6	4	13	4	1	–	–	–
Elgin . . .	10	12	10	11	15	8	13	21	22	26	36	20	8	4	1	–
Banff . . .	12	11	9	20	14	13	25	16	27	47	27	20	14	1	1	1
Aberdeen . . .	64	58	58	60	58	68	90	98	133	163	136	78	50	15	4	5
Kincardine . .	7	7	10	2	9	4	9	14	25	31	22	14	5	–	–	–
Forfar . . .	79	70	73	72	78	87	81	112	140	130	96	47	18	3	–	3
Perth . . .	38	33	33	46	45	52	69	66	91	123	93	44	23	5	–	3
Fife . . .	40	44	47	40	46	61	79	71	107	75	81	42	22	4	–	3
Kinross . . .	3	1	3	2	1	2	5	5	7	7	5	3	1	1	–	–
Clackmannan . .	5	6	9	6	5	5	6	4	15	9	8	4	3	–	–	–
Stirling . . .	29	31	31	21	27	20	42	39	62	45	34	22	7	2	1	–
Dumbarton . .	21	16	16	12	15	16	17	24	26	22	19	8	10	1	–	2
Argyll . . .	14	19	13	16	25	23	30	36	47	38	45	27	20	5	4	2
Bute	4	6	4	14	5	5	12	6	12	15	8	8	2	–	–	3
Renfrew . . .	67	62	63	50	71	58	92	80	74	69	67	33	9	8	1	2
Ayr	69	56	59	47	46	56	68	92	95	99	76	47	11	7	1	2
Lanark . . .	293	237	252	202	218	249	270	253	242	200	174	72	25	7	2	2
Linlithgow . .	6	8	7	5	9	11	16	16	18	16	13	9	4	–	–	1
Edinburgh . .	117	112	111	104	101	147	147	154	175	150	107	57	18	4	1	1
Haddington . .	6	11	9	11	14	13	11	23	27	21	20	11	5	1	–	2
Berwick . . .	8	7	8	7	8	9	13	17	20	21	15	8	–	2	–	2
Peebles . . .	1	2	5	2	1	1	4	7	4	5	6	2	–	–	–	–
Selkirk . . .	7	3	4	2	3	5	5	4	3	4	3	1	2	–	–	–
Roxburgh . . .	22	19	13	10	13	24	24	24	47	29	22	15	4	2	–	1
Dumfries . .	23	17	24	17	20	26	30	49	45	35	44	31	6	2	–	1
Kirkcudbright . .	11	15	10	12	19	14	16	26	24	32	30	20	3	2	1	–
Wigtown . . .	5	6	13	7	6	17	15	23	26	31	27	14	3	1	–	–
FEMALE DEATHS at Different Ages in the TOWN DISTRICTS of SCOTLAND, 1857.																
Inverness . . .	3	5	6	6	4	7	13	7	10	13	12	5	5	–	–	–
Aberdeen . . .	30	24	29	36	30	37	44	41	43	62	53	24	10	7	2	1
Arbroath . . .	9	6	5	10	6	7	7	16	12	12	12	8	1	–	–	1
Dundee . . .	39	36	47	36	46	45	37	37	57	44	32	10	8	–	–	–
Forfar . . .	3	6	2	6	7	8	6	9	9	4	10	3	–	–	–	1
Montrose . . .	6	3	5	6	7	9	6	14	9	18	12	6	2	–	–	–
Perth . . .	13	10	14	13	13	14	14	12	16	24	18	8	7	1	–	–
Dunfermline . .	4	4	2	3	2	7	9	5	8	6	3	1	2	–	–	–
Kirkcaldy . .	2	4	3	1	3	1	10	7	7	2	7	4	1	–	–	–
Stirling . . .	6	6	5	3	5	7	10	10	7	8	3	3	–	1	–	–
Greenock . . .	19	23	19	11	18	16	29	21	15	21	18	4	3	2	–	2
Paisley . . .	24	19	18	18	18	17	34	28	25	26	27	12	2	1	–	–
Ayr	8	5	7	6	3	7	14	8	9	11	7	6	2	–	–	–
Kilmarnock . .	17	7	7	5	6	5	11	16	11	12	6	2	2	–	–	–
Glasgow . . .	213	169	174	142	148	172	187	171	145	103	111	30	6	4	–	–
Barony . . .	17	7	17	7	5	15	12	16	11	13	5	9	3	1	–	–
Govan . . .	7	7	6	9	8	4	6	8	9	7	6	2	1	–	–	–
Hamilton . . .	5	7	6	4	7	4	5	6	8	10	4	3	2	–	–	–
Airdrie . . .	7	6	6	7	4	4	8	6	6	3	3	2	2	–	–	–
Coatbridge, etc. .	2	4	4	4	4	2	4	3	4	1	2	–	–	–	1	–
Edinburgh . . .	88	78	79	76	64	100	105	102	113	101	65	37	10	3	–	–
Leith	7	20	12	8	10	12	14	20	16	13	13	5	2	–	–	–
Dumfries . . .	9	6	8	5	7	8	10	12	15	8	10	9	3	–	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	61906	455	421	577	329	1090	1221	170	717	812	3981	504	4353	2697	2887	139
SPECIFIED CAUSES . .	58011	376	390	523	275	837	1056	146	659	726	3734	476	4178	2558	2682	136
I. Zymotic Class . .	14046	30	42	83	25	127	155	30	121	115	728	88	862	653	615	27
II. Diseases of Uncer. Seat	2418	16	27	28	17	39	47	7	25	25	203	23	207	109	143	6
III. Tubercular Class .	10326	57	72	67	41	112	161	22	94	102	693	83	777	351	367	13
IV. Brain and Nervous Sys.	4789	20	24	42	14	69	73	7	63	62	362	45	401	254	244	13
V. Organs of Circulation	2117	5	9	23	7	11	25	9	21	35	144	25	191	99	120	3
VI. Respiratory Organs .	6256	29	34	43	29	67	119	7	49	59	427	35	419	254	277	14
VII. Organs of Digestion .	5007	23	26	35	15	48	82	13	57	66	279	29	359	228	246	21
VIII. Urinary Organs .	621	3	7	12	4	10	16	2	11	14	76	8	43	31	37	1
IX. Organs of Generation	472	2	3	5	2	13	16	1	2	1	21	3	38	13	16	2
X. Organs of Locomotion	247	3	3	5	2	11	16	–	10	3	18	5	12	10	7	–
XI. Skin, etc. . . .	54	–	–	–	–	2	2	–	–	1	3	–	4	1	5	1
XII. Malformation . .	154	1	1	1	1	2	2	–	1	1	6	–	15	6	3	–
XIII. Premature Debility .	2787	18	10	24	6	34	42	6	27	31	178	20	302	68	90	5
XIV. Atrophy . . .	502	3	3	4	3	3	5	4	2	6	33	5	23	22	19	–
XV. Age	6009	105	117	124	100	251	254	34	139	129	453	89	382	363	381	24
XVI. Sudden Deaths .	138	7	2	1	–	5	1	–	4	1	6	–	6	5	12	1
XVII. Violent Deaths . .	2068	54	10	26	9	33	40	4	33	75	104	18	137	91	100	5
I. Small Pox . . .	845	2	11	7	–	8	4	–	–	1	6	–	8	17	12	–
Measles . . .	1028	–	–	–	–	2	–	–	3	10	126	1	9	7	16	–
Scarlatina . . .	2235	–	–	1	–	1	25	10	21	–	51	8	127	276	120	8
Diphtheria . .	76	1	–	–	–	–	1	–	1	6	15	–	6	4	6	–
Hooping Cough .	1539	1	–	–	–	7	22	–	2	1	33	3	111	14	53	1
Croup . . .	1072	1	1	12	5	19	13	6	8	14	53	7	137	60	75	2
Thrush . . .	36	–	–	–	–	–	–	–	–	–	1	–	3	3	1	1
Diarrhœa . . .	2071	6	11	11	3	7	17	6	6	16	96	8	116	77	57	9
Dysentery . . .	929	2	1	2	1	2	8	–	1	8	35	–	49	40	41	3
Cholera . . .	170	–	–	–	–	1	1	–	2	1	3	3	13	7	6	–
Influenza . . .	285	3	10	3	2	20	16	–	3	8	29	7	25	14	7	–
Purpura . . .	50	–	–	–	–	–	–	–	1	–	9	1	6	3	2	–
Ague	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms . . .	35	–	–	–	1	2	–	–	–	–	–	–	–	1	1	–
Infantile Fever . .	76	–	1	2	–	2	–	1	–	4	5	2	5	3	2	–
Typhus . . .	3087	9	4	43	7	45	36	6	65	39	215	46	218	103	206	3
Metria . . .	145	1	1	1	2	2	–	–	4	2	14	1	7	8	5	–
Rheumatic Fever .	58	–	1	–	3	1	3	1	2	–	2	–	5	3	–	–
Erysipelas . .	204	4	1	–	1	7	7	–	2	5	25	1	8	8	4	–
Syphilis . . .	90	–	–	1	–	1	1	–	–	–	10	–	9	4	–	–
Noma . . .	11	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Hydrophobia . .	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	94	–	1	2	–	–	1	1	1	1	4	–	9	5	4	1
Dropsy . . .	1088	9	14	10	9	18	19	3	12	4	61	4	109	42	67	3
Abscess . . .	76	1	–	1	1	–	1	–	1	2	15	–	4	2	7	1
Ulcer . . .	37	1	1	–	–	–	–	–	–	–	2	–	5	3	–	–
Fistula . . .	7	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Mortification . .	150	1	1	4	–	–	5	1	1	3	14	1	12	6	7	–
Cancer . . .	960	4	10	11	7	21	21	2	10	14	107	17	67	51	58	1
Gout . . .	6	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
III. Scrofula . . .	431	1	6	3	1	–	7	1	1	15	42	10	33	23	19	–
Tabes Mesenterica .	706	–	–	3	3	4	5	–	4	3	20	5	25	14	35	–
Phthisis . . .	7184	53	60	45	35	102	141	18	73	71	485	54	537	269	229	10
Hydrocephalus . .	2005	3	6	16	2	6	8	3	16	13	146	14	182	45	84	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dunbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	355	1856	1091	1322	335	4389	4039	16702	648	5735	687	486	160	172	910	1348	706	612
SPECIFIED CAUSES	318	1752	998	1150	311	4101	3811	15982	580	5506	635	464	155	166	889	1223	659	559
Zymotic Class	82	472	297	217	67	1291	1054	4813	155	1046	160	71	34	28	177	205	84	92
Uncertain Seat	8	78	37	71	17	135	169	469	26	224	25	41	7	8	58	55	37	31
Tubercular Class	55	305	218	198	61	795	784	2977	83	1036	87	80	20	36	151	226	103	99
Brain, etc.	25	137	77	67	29	288	262	1056	44	637	49	60	22	16	100	116	66	45
Heart, etc.	6	55	24	34	19	97	99	453	33	327	44	28	7	15	43	57	32	17
Respiratory Organs	37	188	60	122	27	363	352	2018	45	670	63	41	16	16	85	145	84	62
Digestive Organs	22	167	70	98	25	383	334	1465	60	419	46	41	15	14	80	116	76	49
Urinary Organs	2	13	10	13	3	20	31	88	6	92	6	8	2	1	12	15	16	8
Generative Organs	3	15	5	12	–	36	41	130	8	60	–	4	1	1	6	7	2	3
Locomotive Organs	1	7	3	6	–	15	14	47	1	27	3	3	2	2	1	5	3	2
Skin	–	1	–	3	2	–	4	11	1	7	1	–	1	–	1	1	–	2
Malformation	–	4	2	1	1	7	22	38	5	17	4	–	2	3	3	2	1	2
Premature Debility	20	71	39	23	4	216	151	909	23	273	32	12	3	9	54	54	11	22
Atrophy	3	8	5	4	–	39	36	177	8	52	6	1	1	2	9	6	5	5
Age	40	168	101	232	44	302	313	798	57	404	70	51	15	9	83	170	110	97
Sudden Deaths	2	8	1	–	–	4	5	37	1	18	5	–	–	–	2	3	1	–
Violent Deaths	12	55	49	49	12	110	140	496	24	197	34	23	7	6	24	40	28	23
Small Pox	2	75	6	10	–	58	9	423	2	159	3	–	–	1	13	7	–	1
Measles	1	11	29	15	5	174	56	500	1	37	24	1	–	–	–	–	–	–
Scarlatina	12	78	60	20	3	134	210	769	22	141	18	10	21	11	48	22	7	1
Diphtheria	–	1	1	1	–	3	4	8	5	7	2	–	–	–	1	–	3	–
Hooping Cough	–	64	36	48	5	168	120	614	4	164	17	8	–	–	12	20	6	5
Croup	9	40	20	27	5	104	67	235	15	78	14	5	1	4	12	13	7	3
Thrush	–	–	–	–	2	4	1	15	–	2	–	2	–	–	–	1	–	–
Diarrhœa	3	48	43	24	17	182	151	873	30	140	22	11	4	7	12	28	15	15
Dysentery	9	30	29	16	14	62	118	308	13	46	12	4	1	–	4	19	11	40
Cholera	–	6	3	3	2	23	21	53	–	12	4	2	–	–	–	1	2	1
Influenza	–	2	6	13	1	15	27	43	2	5	1	1	1	1	6	9	1	4
Purpura	–	2	1	–	1	–	4	10	–	7	1	–	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Worms	–	–	3	–	–	2	11	7	–	–	–	–	–	–	1	2	1	3
Infantile Fever	1	1	–	1	1	2	8	20	–	7	1	–	–	–	1	1	1	4
Typhus	43	107	50	31	10	326	207	792	55	192	32	22	5	2	58	71	29	10
Metria	1	3	3	2	1	10	11	44	2	12	2	1	1	1	2	1	–	–
Rheumatic Fever	1	–	3	1	–	1	2	15	–	4	1	1	–	1	2	2	–	3
Erysipelas	–	2	2	4	–	15	18	48	3	24	2	2	–	–	4	5	1	1
Syphilis	–	2	2	1	–	7	7	31	1	9	2	–	–	–	1	–	–	1
Noma	–	–	–	–	–	1	2	3	–	–	2	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	5	–	8	2	25	4	15	–	–	–	–	–	1	2	–
Dropsy	–	42	19	39	7	81	90	249	6	50	8	20	3	5	33	23	13	16
Abscess	–	1	–	1	–	1	7	13	2	12	–	1	–	–	1	1	–	–
Ulcer	–	1	–	–	–	1	3	8	–	4	–	1	1	–	–	2	2	2
Fistula	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	1	–	–
Mortification	2	5	1	6	–	5	8	27	2	18	3	1	–	–	8	5	2	1
Cancer	5	29	16	19	10	38	57	145	12	123	14	18	3	3	16	21	18	12
Gout	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	1	–	–
Scrofula	3	10	3	9	–	15	36	98	11	42	5	6	–	–	6	9	9	7
Tabes Mesenterica	2	14	6	6	8	52	52	268	4	116	7	4	–	2	15	18	8	3
Phthisis	43	200	152	157	43	547	523	2019	44	677	57	63	15	28	107	170	76	81
Hydrocephalus	7	81	57	26	10	181	173	592	24	201	18	7	5	6	23	29	10	8

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—BOTH SEXES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	325	1	–	6	1	5	7	–	4	4	26	1	28	8	11	1
Apoplexy	1054	5	5	8	3	7	11	2	10	11	80	10	83	52	62	5
Paralysis	1447	7	16	17	6	34	31	–	32	22	96	19	111	113	89	4
Delirium Tremens	86	1	–	–	–	–	2	–	3	1	6	–	9	–	4	–
Chorea	5	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–
Epilepsy	218	1	1	1	1	7	2	–	3	1	16	1	17	12	13	–
Tetanus	62	–	–	1	–	7	2	–	1	–	3	–	3	5	3	–
Insanity	59	–	–	2	–	3	1	–	–	–	9	–	4	4	6	–
Convulsions	703	3	–	3	3	4	11	3	6	10	66	3	81	17	11	2
Brain Disease	830	2	2	4	–	1	6	2	4	13	60	11	65	43	44	1
V. Pericarditis	77	–	–	–	–	–	1	–	1	1	8	–	4	–	4	–
Aneurism	70	–	–	1	1	–	–	–	1	1	10	1	3	2	1	–
Heart Disease	1970	5	9	22	6	11	24	9	19	33	126	24	184	97	115	3
VI. Laryngitis	178	–	1	3	–	2	–	1	1	–	18	1	8	10	10	–
Bronchitis	2867	7	11	6	9	21	50	–	26	29	236	9	187	118	135	4
Pleurisy	319	2	1	2	2	2	26	–	–	7	26	1	24	19	16	3
Pneumonia	1890	11	13	22	5	14	16	3	12	15	97	13	112	58	76	2
Asthma	645	9	6	9	12	27	26	3	5	4	26	7	64	28	20	2
Lung Disease	357	–	2	1	1	1	1	–	5	4	24	4	24	21	20	3
VII. Teething	1341	4	2	2	2	4	20	5	15	14	50	3	155	52	73	7
Quinsey	65	–	–	–	1	2	1	–	1	1	3	2	3	4	3	–
Gastritis	162	2	1	1	–	2	2	–	3	1	13	–	10	11	6	–
Enteritis	962	2	3	5	2	7	14	3	6	6	32	5	42	45	40	2
Peritonitis	227	–	1	3	2	3	5	2	2	2	15	1	9	7	13	1
Ascites	98	1	1	1	–	2	1	–	–	5	8	–	3	10	5	–
Ulceration of Intestines	156	–	–	3	–	–	1	–	5	2	28	3	17	7	10	–
Hernia	86	–	–	1	–	2	2	–	1	2	8	–	6	4	3	–
Ileus	287	3	4	5	1	8	6	–	4	11	32	5	11	13	10	1
Intussusception	35	–	–	–	–	1	–	–	–	–	2	–	1	4	1	2
Stricture of Intestines	20	–	1	–	–	–	–	1	–	–	1	1	3	1	–	–
Stomach Disease	733	6	8	5	2	8	16	1	11	14	33	6	51	26	39	2
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	125	2	–	4	1	–	–	–	–	4	9	1	2	10	–	–
Jaundice	190	2	3	2	–	1	5	–	3	–	21	–	18	13	13	1
Liver Disease	504	1	2	3	4	7	9	1	6	4	24	2	28	21	28	4
Spleen Disease	15	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1
VIII. Nephritis	33	–	–	–	–	–	1	–	1	–	7	1	2	1	2	–
Nephria	109	–	–	4	1	–	2	–	1	1	8	–	6	7	6	–
Ischuria	45	–	–	2	–	2	3	–	–	1	4	–	4	–	1	–
Diabetes	53	1	–	–	–	1	2	–	–	–	4	1	4	1	5	1
Stone	65	2	2	3	1	1	3	1	2	3	13	3	6	2	3	–
Cystitis	50	–	3	–	1	1	2	–	1	2	5	1	2	2	4	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Kidney Disease	262	–	2	3	1	5	3	1	6	7	35	2	19	17	16	–
IX. Paramenia	26	–	–	–	–	–	4	–	–	–	–	–	3	–	1	–
Ovarian Dropsy	61	–	1	1	–	–	1	–	1	–	6	–	3	2	1	1
Childbirth	304	2	2	4	2	13	11	1	1	–	7	2	29	7	12	1
Organs of Generation	81	–	–	–	–	–	–	–	–	1	8	1	3	4	2	–
X. Arthritis	20	–	–	–	–	–	–	–	1	1	2	–	1	3	–	–
Rheumatism	111	3	3	4	2	9	13	–	3	–	10	3	4	3	3	–
Joint and Bone Disease	116	–	–	1	–	2	3	–	6	2	6	2	7	4	4	–
XI. Carbuncle	18	–	–	–	–	–	1	–	–	1	1	–	2	–	2	1
Phlegmon	8	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	28	–	–	–	–	1	1	–	–	–	2	–	2	1	3	–
XII. Cyanosis	62	–	–	–	–	1	–	–	–	–	–	–	9	1	1	–
Spina Bifida	33	–	–	–	–	–	1	–	–	–	3	–	1	3	–	–
Other Malformations	59	1	1	1	1	1	1	–	1	1	3	–	5	2	2	–
XVII. Intemperance	85	–	–	–	–	–	2	–	–	2	3	–	4	7	5	1
Privation	8	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Want of Breast Milk	36	–	–	–	–	–	–	–	–	–	2	–	6	–	2	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	31	–	–	–	–	–	1	–	1	2	2	–	4	–	3	–
Poison	52	–	–	–	–	–	–	1	–	1	6	–	1	3	2	–
Burns and Scalds	288	4	2	6	3	8	7	–	5	7	11	6	17	14	9	1
Hanging, etc.	45	–	–	–	–	1	–	1	1	1	2	1	4	1	–	–
Suffocation	69	–	1	–	–	–	–	1	1	–	5	2	3	5	4	–
Drowning	541	46	5	12	3	14	10	1	12	55	23	5	22	20	19	1
Fracture and Contusion	705	2	2	8	2	7	18	–	11	7	33	2	61	32	47	2
Wounds	87	2	–	–	1	3	2	–	–	–	8	1	5	4	2	–
Other Violent Causes	121	–	–	–	–	–	–	–	2	–	9	1	10	4	7	–
Not Specified	3895	79	31	54	54	253	165	24	58	86	247	28	175	139	205	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	7	5	7	3	23	18	81	6	37	1	2	2	5	6	4	10	2
Apoplexy	5	26	25	12	7	66	58	237	3	159	7	6	7	5	17	35	13	12
Paralysis	8	47	22	21	8	80	79	213	19	181	16	23	7	5	41	36	29	15
Delirium Tremens	2	2	–	2	–	5	4	17	2	14	4	1	–	–	2	3	–	2
Chorea	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Epilepsy	1	8	–	–	2	7	17	42	2	38	2	6	–	–	3	8	3	3
Tetanus	–	–	1	3	–	8	5	15	–	2	–	–	–	–	–	1	1	1
Insanity	–	2	–	3	1	2	3	6	–	9	1	1	–	–	2	–	–	–
Convulsions	–	26	8	7	3	31	37	237	6	74	6	9	1	–	15	10	6	4
Brain Disease	6	19	16	12	5	66	41	206	6	122	12	12	5	1	14	19	4	6
Pericarditis	–	2	1	1	–	4	9	20	1	11	2	–	–	–	–	6	–	1
Aneurism	–	2	–	3	–	1	2	15	2	16	–	1	–	–	1	3	–	3
Heart Disease	6	51	23	30	19	92	88	418	30	300	42	27	7	15	42	48	32	13
Laryngitis	1	11	3	3	1	8	14	47	2	25	–	–	1	–	2	3	1	1
Bronchitis	15	71	28	56	11	178	145	933	22	320	30	22	8	3	41	65	37	34
Pleurisy	5	11	4	2	3	8	22	49	1	41	6	3	1	2	9	7	7	7
Pneumonia	10	64	17	34	7	111	108	712	15	185	20	10	6	11	20	53	28	10
Asthma	6	10	3	22	3	39	39	174	5	56	1	2	–	–	10	9	11	7
Lung Disease	–	21	5	5	2	19	24	103	–	43	6	4	–	–	3	8	–	3
Teething	8	34	23	14	3	147	63	506	17	71	3	2	1	1	15	14	4	7
Quinsey	–	3	3	4	1	3	3	19	–	7	–	–	–	–	–	–	1	–
Gastritis	1	5	1	4	1	11	21	40	3	12	–	–	–	–	–	4	3	4
Enteritis	2	21	12	15	10	100	101	329	15	64	4	5	5	3	8	20	28	6
Peritonitis	2	5	2	1	2	8	11	70	3	32	2	2	–	2	1	10	6	2
Ascites	1	4	3	–	–	2	6	25	–	7	–	2	2	1	1	3	3	1
Ulceration of Intestines	1	7	4	3	1	3	5	17	–	19	4	5	–	1	5	5	–	–
Hernia	–	1	–	3	1	4	5	22	1	7	2	4	1	1	–	3	1	1
Ileus	1	10	1	11	1	8	18	64	4	18	6	7	1	1	6	9	4	3
Intussusception	–	2	1	1	–	1	3	9	–	3	1	–	–	–	–	1	1	1
Stricture of Intestines	–	–	–	–	1	1	1	4	–	2	1	–	–	–	–	–	1	1
Stomach Disease	2	43	13	18	1	43	48	169	3	74	8	8	4	3	27	16	12	13
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	3	1	2	1	7	9	35	6	7	–	1	–	–	2	11	1	5
Jaundice	2	6	–	2	–	8	11	40	2	18	3	4	–	–	2	6	2	2
Liver Disease	1	22	6	20	2	37	27	115	5	76	10	1	1	1	12	12	9	3
Spleen Disease	–	1	–	–	–	–	1	1	1	2	2	–	–	–	1	2	–	–
Nephritis	–	–	–	–	–	3	3	4	–	3	1	–	1	–	1	1	–	1
Nephria	–	1	2	2	–	1	1	22	2	30	1	2	–	–	–	4	4	1
Ischuria	–	–	2	2	–	2	2	6	1	7	1	–	–	–	1	1	1	2
Diabetes	–	1	1	1	–	4	3	7	3	8	–	2	–	–	1	1	–	1
Stone	–	–	1	4	–	–	5	5	–	2	–	1	–	–	1	–	1	–
Cystitis	–	2	2	–	–	3	3	7	–	3	–	1	–	–	–	3	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Kidney Disease	2	9	2	4	3	7	14	37	–	38	2	1	1	1	8	5	8	3
Paramenia	–	–	1	1	–	3	3	4	–	3	–	–	–	–	1	2	–	–
Ovarian Dropsy	–	4	–	3	–	5	6	10	1	13	–	–	–	–	–	1	–	1
Childbirth	2	10	3	6	–	22	25	93	5	32	–	3	1	1	2	2	1	2
Organs of Generation	1	1	1	2	–	6	7	23	2	12	–	1	–	–	3	2	1	–
Arthritis	–	–	–	–	–	2	–	5	–	2	–	–	–	–	–	2	–	1
Rheumatism	–	4	1	4	–	7	6	13	–	5	1	1	2	2	1	1	2	1
Joint Disease	1	3	2	2	–	6	8	29	1	20	2	2	–	–	–	2	1	–
Carbuncle	–	–	–	2	–	–	–	3	–	3	1	–	–	–	1	–	–	–
Phlegmon	–	1	–	–	–	–	1	–	1	1	–	–	1	–	–	1	–	1
Skin Disease	–	–	–	1	2	–	3	8	–	3	–	–	–	–	–	–	–	1
Cyanosis	–	2	–	1	–	2	10	19	2	7	3	–	–	–	1	1	–	2
Spina Bifida	–	–	1	–	1	1	4	8	2	4	–	–	–	3	–	–	1	–
Other Malformations	–	2	1	–	–	4	8	11	1	6	1	–	2	–	2	1	–	–
Intemperance	–	1	3	2	–	4	4	25	1	13	1	–	1	–	2	2	–	2
Privation	–	–	–	1	–	1	–	2	–	2	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	2	–	–	3	4	10	–	6	–	–	1	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	3	–	2	5	2	1	1	–	–	1	–	1	–	–	–
Poison	–	–	–	–	–	3	4	15	1	8	1	–	–	–	–	1	3	2
Burns and Scalds	4	11	9	6	2	13	21	84	2	17	3	5	–	–	4	4	2	1
Hanging, etc.	–	1	1	3	1	–	1	14	1	5	1	1	–	1	1	2	–	–
Suffocation	1	1	1	1	1	3	7	11	–	8	2	1	1	1	1	3	4	–
Drowning	1	7	22	21	7	41	16	99	6	24	18	3	–	3	5	4	5	11
Fracture and Contusion	5	22	7	10	1	32	53	187	9	86	7	10	2	1	6	17	10	6
Wounds	1	8	–	1	–	4	9	8	1	15	1	3	–	–	2	4	1	1
Other Violent Causes	–	2	4	1	–	4	16	39	2	12	–	–	–	–	2	3	3	–
Not Specified	37	104	93	172	24	288	228	720	68	229	52	22	5	6	21	125	47	53

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	30937	241	178	269	156	545	603	73	368	417	1970	237	2086	1316	1449	63
SPECIFIED CAUSES	28885	193	167	238	124	405	511	64	334	373	1850	224	1996	1249	1349	60
I. Zymotic Class	6846	18	21	43	14	67	78	16	55	48	346	40	394	309	292	14
II. Diseases of Uncer. Seat	923	4	7	11	6	15	13	2	11	9	79	7	76	47	53	3
III. Tubercular Class	5184	28	27	37	15	56	88	10	57	58	359	45	376	178	186	4
IV. Brain and Nervous Sys.	2544	9	10	13	8	38	32	4	38	36	182	26	203	131	129	7
V. Organs of Circulation	1108	2	3	14	5	7	13	4	13	14	77	14	87	47	58	–
VI. Respiratory Organs	3278	13	16	20	15	40	61	4	27	26	229	17	218	136	155	7
VII. Organs of Digestion	2605	11	16	16	9	29	47	6	28	33	141	13	194	114	116	9
VIII. Urinary Organs	455	3	7	8	4	6	14	1	8	11	57	8	29	23	29	1
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	134	1	2	2	1	1	9	–	6	2	8	5	5	4	4	–
XI. Skin, etc.	26	–	–	–	–	–	–	–	–	1	2	–	2	1	1	–
XII. Malformation	86	–	1	1	–	1	–	–	–	1	4	–	10	4	3	–
XIII. Premature Debility	1590	12	7	9	2	18	26	3	13	21	105	7	165	38	57	3
XIV. Atrophy	222	2	1	2	–	2	3	3	2	3	15	3	11	8	9	–
XV. Age	2304	39	40	44	41	98	99	8	53	45	167	29	130	148	172	8
XVI. Sudden Deaths	69	1	1	1	–	2	–	–	1	1	3	–	4	3	9	1
XVII. Violent Deaths	1509	50	8	17	4	25	28	3	22	64	76	10	92	58	76	3
I. Small Pox	440	2	7	6	–	5	4	–	–	–	5	–	4	10	9	–
Measles	509	–	–	–	–	–	–	–	1	2	68	–	5	6	7	–
Scarlatina	1133	–	–	–	–	1	14	4	9	–	21	4	63	139	59	1
Diphtheria	35	1	–	–	–	–	1	–	1	4	4	–	2	2	2	–
Hooping Cough	692	1	–	–	–	4	13	–	1	1	18	1	45	6	19	1
Croup	556	–	–	4	2	10	10	2	6	8	25	2	69	30	45	1
Thrush	24	–	–	–	–	–	–	–	–	–	1	–	2	1	–	1
Diarrhœa	1070	3	5	11	2	1	7	5	3	5	40	5	55	34	29	5
Dysentery	398	2	1	–	1	–	2	–	1	1	17	–	17	17	14	3
Cholera	107	–	–	–	–	–	1	–	2	–	1	3	7	2	5	–
Influenza	110	1	4	1	1	13	4	–	2	4	8	2	9	3	3	–
Purpura	28	–	–	–	–	–	–	–	1	–	6	1	3	1	1	–
Ague	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Worms	19	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–
Infantile Fever	51	–	1	1	–	2	–	1	–	3	3	1	5	3	–	–
Typhus	1483	6	2	20	7	22	16	4	26	17	109	20	99	48	98	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	24	–	1	–	1	–	2	–	1	–	1	–	–	–	–	–
Erysipelas	116	2	–	–	–	6	2	–	1	3	13	1	6	4	–	–
Syphilis	45	–	–	–	–	1	1	–	–	–	6	–	3	1	–	–
Noma	4	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	48	–	–	2	–	–	–	–	1	1	1	–	6	3	3	–
Dropsy	439	3	4	1	2	5	5	1	6	1	21	1	40	18	29	2
Abscess	41	–	–	1	–	–	1	–	1	–	10	–	4	–	3	1
Ulcer	16	–	–	–	–	–	–	–	–	–	1	–	2	1	–	–
Fistula	5	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Mortification	61	–	–	2	–	–	2	–	1	3	5	–	5	2	2	–
Cancer	308	1	3	5	4	10	5	1	2	3	41	5	19	23	16	–
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	218	1	2	2	1	–	3	1	1	9	20	8	18	13	11	–
Tabes Mesenterica	384	–	–	2	1	2	3	–	3	2	13	1	13	9	20	–
Phthisis	3435	25	22	26	14	48	78	6	41	41	243	27	239	134	110	2
Hydrocephalus	1117	2	3	7	–	6	4	3	12	6	83	9	106	22	45	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	162	929	560	684	155	2232	2065	8511	332	2852	341	233	82	81	417	676	344	310
SPECIFIED CAUSES	148	881	506	592	145	2084	1942	8113	288	2732	315	223	81	79	404	607	323	285
Zymotic Class	36	218	159	101	29	650	535	2387	79	498	80	31	16	14	76	98	41	43
Uncertain Seat	2	26	14	28	6	53	77	174	13	75	8	18	3	2	25	23	17	16
Tubercular Class	20	146	105	118	23	408	375	1483	40	557	39	34	13	11	73	116	49	50
Brain, etc.	17	75	43	31	15	163	149	599	27	326	27	31	9	10	40	62	30	24
Heart, etc.	5	35	13	19	7	56	57	247	17	172	24	14	4	7	19	32	15	7
Respiratory Organs	17	120	31	74	13	184	192	1055	28	323	36	18	7	6	45	76	42	27
Digestive Organs	8	75	36	53	15	192	179	776	32	217	28	20	11	8	38	66	36	33
Urinary Organs	–	10	7	9	2	14	24	65	4	58	6	6	1	–	7	12	14	7
Generative Organs	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	3	2	–	10	8	26	1	21	1	2	1	1	–	1	1	2
Skin	–	1	–	2	1	–	2	7	1	2	1	–	1	–	–	1	–	–
Malformation	–	3	1	–	1	4	12	16	4	12	2	–	1	1	1	–	1	2
Premature Debility	14	46	23	12	2	130	94	510	8	151	18	10	1	6	34	22	6	17
Atrophy	2	4	3	2	–	18	17	75	1	24	–	1	–	2	1	4	3	1
Age	18	72	32	108	22	115	113	315	14	139	20	25	8	6	29	67	45	35
Sudden Deaths	1	7	–	–	–	3	2	18	–	10	1	–	–	–	–	–	–	–
Violent Deaths	7	40	36	33	9	84	106	359	19	146	24	13	5	5	16	27	23	21
Small Pox	1	40	2	7	–	30	5	214	1	75	2	–	–	1	7	2	–	1
Measles	–	5	15	6	2	85	24	255	–	13	14	1	–	–	–	–	–	–
Scarlatina	7	40	35	9	–	68	111	391	12	78	7	5	12	5	25	11	2	–
Diphtheria	–	–	–	–	–	2	2	3	3	3	1	–	–	–	1	–	3	–
Hooping Cough	–	25	15	19	1	84	57	279	3	65	7	6	–	–	4	11	4	2
Croup	4	17	10	14	3	56	42	123	11	30	8	2	1	1	6	9	4	1
Thrush	–	–	–	–	–	2	1	12	–	2	–	1	–	–	–	1	–	–
Diarrhœa	1	24	26	12	9	113	78	462	17	65	13	4	1	5	3	15	5	7
Dysentery	4	16	16	6	3	28	51	133	4	20	6	2	–	–	3	6	3	21
Cholera	–	2	2	1	2	14	14	41	–	8	1	–	–	–	–	–	–	1
Influenza	–	–	3	6	1	7	14	14	1	1	–	–	–	–	2	4	1	1
Purpura	–	1	1	–	1	–	1	6	–	3	–	–	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	2	–	–	–	7	4	–	–	–	–	–	–	–	1	–	2
Infantile Fever	1	1	–	–	–	–	4	14	–	4	1	–	–	–	1	1	1	3
Typhus	18	46	29	16	7	149	107	383	24	109	15	8	2	1	21	31	18	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	1	7	–	4	–	1	–	1	–	2	–	1
Erysipelas	–	–	1	4	–	8	12	30	2	13	2	1	–	–	3	2	–	–
Syphilis	–	1	1	1	–	3	4	15	1	5	2	–	–	–	–	–	–	–
Noma	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	1	–	4	–	13	3	7	–	–	–	–	–	1	1	–
Dropsy	–	17	7	18	4	40	39	103	4	16	3	8	–	–	13	13	8	7
Abscess	–	–	–	–	–	–	3	8	–	7	–	1	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	2	3	–	1	–	1	1	–	–	–	2	2
Fistula	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–	–
Mortification	1	1	–	3	–	2	4	12	1	5	1	1	–	–	4	1	2	1
Cancer	1	8	6	5	2	6	28	33	5	38	4	7	2	2	8	5	4	6
Gout	–	–	–	1	–	1	–	1	–	1	–	–	–	–	–	1	–	–
Scrofula	–	6	2	4	–	9	21	56	5	28	4	2	–	–	3	8	8	3
Tabes Mesenterica	1	6	5	4	4	25	33	143	1	67	2	2	–	–	6	11	4	1
Phthisis	16	90	70	95	14	264	230	952	25	351	23	28	9	10	51	78	30	43
Hydrocephalus	3	44	28	15	5	110	91	332	9	111	10	2	4	1	13	19	7	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—MALES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	172	1	–	4	1	3	3	–	4	3	14	1	16	2	7	1
Apoplexy	529	2	2	3	2	3	6	1	8	4	35	5	42	32	33	2
Paralysis	710	2	6	5	3	21	9	–	16	12	42	10	52	53	49	2
Delirium Tremens	71	1	–	–	–	–	1	–	3	1	5	–	6	–	3	–
Chorea	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	116	–	1	–	1	4	2	–	1	1	7	–	10	6	3	–
Tetanus	37	–	–	–	–	2	–	–	–	–	1	–	1	5	1	–
Insanity	30	–	–	–	–	1	1	–	–	–	5	–	2	3	3	–
Convulsions	396	2	–	1	1	2	5	1	3	8	40	1	44	8	5	2
Brain Disease	479	1	1	–	–	1	5	2	3	7	33	9	30	22	25	–
V. Pericarditis	38	–	–	–	–	–	–	–	1	1	5	–	2	–	3	–
Aneurism	40	–	–	–	1	–	–	–	1	1	7	1	2	–	–	–
Heart Disease	1030	2	3	14	4	7	13	4	11	12	65	13	83	47	55	–
VI. Laryngitis	94	–	–	2	–	2	–	–	1	–	7	–	6	7	6	–
Bronchitis	1388	2	2	–	4	14	27	–	16	10	121	5	94	59	66	2
Pleurisy	175	–	–	1	2	1	15	–	–	3	13	–	11	15	7	1
Pneumonia	1099	7	10	13	2	10	11	1	5	11	64	7	65	30	47	2
Asthma	332	4	3	4	6	12	7	3	2	–	11	3	34	10	16	–
Lung Disease	190	–	1	–	1	1	1	–	3	2	13	2	8	15	13	2
VII. Teething	706	3	–	2	1	3	10	1	5	6	27	2	88	29	37	2
Quinsey	32	–	–	–	–	2	–	–	1	–	2	2	1	3	2	–
Gastritis	87	1	1	–	–	2	2	–	2	1	6	–	6	6	2	–
Enteritis	524	–	2	3	2	5	7	2	4	5	16	1	21	23	18	2
Peritonitis	108	–	–	2	1	1	3	1	2	1	7	–	2	2	6	1
Ascites	39	–	1	–	–	1	1	–	–	2	1	–	1	3	2	–
Ulceration of Intestines	95	–	–	2	–	–	1	–	3	1	17	2	9	5	6	–
Hernia	48	–	–	–	–	1	2	–	–	1	4	–	5	3	1	–
Ileus	156	1	3	2	–	5	3	–	2	6	15	3	8	4	4	–
Intussusception	21	–	–	–	–	1	–	–	–	–	1	–	–	3	–	–
Stricture of Intestines	11	–	1	–	–	–	–	1	–	–	–	–	2	–	–	–
Stomach Disease	362	3	6	2	1	4	8	1	4	8	22	3	25	15	19	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	69	2	–	3	1	–	–	–	–	2	3	–	2	3	–	–
Jaundice	96	1	–	–	–	–	4	–	1	–	8	–	12	6	8	1
Liver Disease	243	–	2	–	3	4	6	–	4	–	12	–	12	9	11	2
Spleen Disease	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	24	–	–	–	–	–	1	–	–	–	4	1	2	1	1	–
Nephria	62	–	–	2	1	–	2	–	–	1	5	–	2	4	4	–
Ischuria	37	–	–	2	–	2	3	–	–	1	2	–	3	–	1	–
Diabetes	30	1	–	–	–	1	1	–	–	–	3	1	2	1	3	1
Stone	60	2	2	2	1	1	3	1	2	3	12	3	5	1	2	–
Cystitis	41	–	3	–	1	1	1	–	1	1	2	1	2	2	4	–
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Kidney Disease	197	–	2	2	1	1	3	–	5	5	29	2	13	13	14	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	12	–	–	–	–	–	–	–	1	1	1	–	–	1	–	–
Rheumatism	47	1	2	1	1	–	7	–	2	–	4	3	2	1	2	–
Joint and Bone Disease	75	–	–	1	–	1	2	–	3	1	3	2	3	2	2	–
XI. Carbuncle	10	–	–	–	–	–	–	–	–	1	1	–	1	–	1	–
Phlegmon	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	12	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
XII. Cyanosis	38	–	–	–	–	–	–	–	–	–	–	–	8	1	1	–
Spina Bifida	17	–	–	–	–	–	–	–	–	–	2	–	–	1	–	–
Other Malformations	31	–	1	1	–	1	–	–	–	1	2	–	2	2	2	–
XVII. Intemperance	56	–	–	–	–	–	2	–	–	2	3	–	4	2	3	1
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	20	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	19	–	–	–	–	–	1	–	1	1	1	–	1	–	2	–
Poison	26	–	–	–	–	–	–	1	–	–	4	–	1	2	–	–
Burns and Scalds	126	1	2	1	–	5	2	–	1	2	3	2	6	3	5	–
Hanging, etc.	30	–	–	–	–	–	–	1	–	–	1	1	1	1	–	–
Suffocation	43	–	–	–	–	–	–	1	–	–	3	1	2	3	2	–
Drowning	462	46	5	11	2	12	10	–	9	54	20	3	16	14	16	–
Fracture and Contusion	567	1	1	5	1	5	11	–	10	5	29	1	47	25	41	2
Wounds	68	2	–	–	1	3	2	–	–	–	6	1	3	4	2	–
Other Violent Causes	89	–	–	–	–	–	–	–	1	–	5	1	8	4	4	–
Not Specified	2052	48	11	31	32	140	92	9	34	44	120	13	90	67	100	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	2	4	2	2	10	6	40	6	23	1	–	–	3	3	2	5	1
Apoplexy	3	17	9	7	–	33	32	130	2	63	4	3	3	4	7	19	7	6
Paralysis	3	20	14	10	4	51	39	107	9	100	8	14	2	2	12	16	11	6
Delirium Tremens	2	2	–	1	–	4	3	15	1	13	3	1	–	–	2	3	–	1
Chorea	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Epilepsy	1	5	–	–	2	4	12	19	1	23	2	2	–	–	1	4	1	3
Tetanus	–	–	1	1	–	6	4	11	–	1	–	–	–	–	–	1	1	1
Insanity	–	–	–	1	1	2	3	4	–	3	–	–	–	–	1	–	–	–
Convulsions	–	17	4	3	3	19	25	136	4	32	5	4	–	–	8	8	3	2
Brain Disease	6	12	11	6	3	34	25	135	4	67	4	7	4	1	6	9	2	4
Pericarditis	–	1	1	–	–	3	4	10	–	4	–	–	–	–	–	3	–	–
Aneurism	–	2	–	1	–	–	1	6	1	12	–	1	–	–	–	1	–	2
Heart Disease	5	32	12	18	7	53	52	231	16	156	24	13	4	7	19	28	15	5
Laryngitis	–	7	1	3	–	1	8	30	–	9	–	–	–	–	–	2	1	1
Bronchitis	9	38	10	32	6	87	66	448	14	150	19	9	3	1	17	27	17	13
Pleurisy	2	9	2	2	1	6	10	28	1	20	2	2	1	1	7	5	4	3
Pneumonia	3	46	13	20	5	57	68	410	10	99	11	5	3	4	10	28	16	6
Asthma	3	8	1	14	1	21	23	89	3	30	1	1	–	–	8	8	4	2
Lung Disease	–	12	4	3	–	12	17	50	–	15	3	1	–	–	3	6	–	2
Teething	2	9	10	7	1	82	31	275	8	37	3	–	1	1	8	9	2	4
Quinsey	–	1	–	2	1	–	–	11	–	4	–	–	–	–	–	–	–	–
Gastritis	–	3	–	3	–	7	10	20	3	5	–	–	–	–	–	3	1	3
Enteritis	1	13	7	8	8	48	54	183	8	38	2	3	3	3	4	11	14	5
Peritonitis	–	2	–	1	1	2	8	35	2	19	–	1	–	–	–	5	1	2
Ascites	–	3	3	–	–	–	3	11	–	–	–	1	1	1	–	2	1	1
Ulceration of Intestines	1	5	3	1	–	2	4	6	–	12	3	3	–	1	4	4	–	–
Hernia	–	–	–	2	–	1	3	14	1	4	–	1	1	1	–	2	1	–
Ileus	–	5	1	6	1	4	13	37	3	8	3	5	1	1	3	7	1	1
Intussusception	–	1	1	–	–	1	2	6	–	1	1	–	–	–	–	1	1	1
Stricture of Intestines	–	–	–	–	1	–	–	2	–	2	1	–	–	–	–	–	1	–
Stomach Disease	1	19	8	9	1	18	25	77	2	36	5	2	4	–	10	7	6	10
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	–	2	–	2	6	20	2	4	–	–	–	–	2	7	1	4
Jaundice	2	4	–	–	–	7	7	22	–	7	2	3	–	–	–	1	–	–
Liver Disease	–	7	3	12	1	18	12	56	2	39	6	1	–	–	6	7	6	2
Spleen Disease	–	1	–	–	–	–	1	1	1	1	2	–	–	–	1	–	–	–
Nephritis	–	–	–	–	–	1	3	4	–	2	1	–	1	–	–	1	–	1
Nephria	–	1	1	–	–	1	–	12	2	14	1	2	–	–	–	2	4	1
Ischuria	–	–	1	2	–	2	2	6	–	4	1	–	–	–	1	1	1	2
Diabetes	–	1	1	1	–	3	1	3	2	4	–	–	–	–	–	–	–	–
Stone	–	–	1	4	–	–	5	5	–	2	–	1	–	–	1	–	1	–
Cystitis	–	2	1	–	–	3	3	7	–	–	–	1	–	–	–	3	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Kidney Disease	–	6	2	2	2	4	10	28	–	31	2	1	–	–	5	5	6	3
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	2	–	3	–	2	–	–	–	–	–	–	–	1
Rheumatism	–	1	1	2	–	4	2	5	–	1	–	1	1	1	–	1	–	1
Joint Disease	1	2	2	–	–	4	6	18	1	18	1	1	–	–	–	–	1	–
Carbuncle	–	–	–	1	–	–	–	3	–	1	1	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–
Skin Disease	–	–	–	1	1	–	2	4	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	2	–	–	–	1	8	7	2	4	2	–	–	–	–	–	–	2
Spina Bifida	–	–	–	–	1	1	3	4	1	2	–	–	–	1	–	–	1	–
Other Malformations	–	1	1	–	–	2	1	5	1	6	–	–	1	–	1	–	–	–
Intemperance	–	1	3	1	–	3	3	13	1	8	1	–	1	–	2	1	–	1
Privation	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	2	2	6	–	3	–	–	1	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	2	–	2	4	1	–	–	–	–	1	–	1	–	–	–
Poison	–	–	–	–	–	1	2	7	–	4	1	–	–	–	–	–	1	2
Burns and Scalds	1	6	1	2	1	7	8	49	–	10	1	2	–	–	3	–	1	1
Hanging, etc.	–	1	–	1	1	–	1	11	1	5	1	–	–	1	1	1	–	–
Suffocation	1	1	1	–	1	3	6	7	–	4	–	–	1	–	–	3	3	–
Drowning	1	6	21	19	6	36	12	79	6	18	14	1	–	3	3	3	5	11
Fracture and Contusion	4	16	6	6	–	28	49	149	9	68	6	8	1	1	3	15	9	5
Wounds	–	7	–	1	–	–	7	6	1	14	–	2	–	–	1	3	1	1
Other Violent Causes	–	1	3	–	–	1	12	30	1	12	–	–	–	–	2	1	3	–
Not Specified	14	48	54	92	10	148	123	398	44	120	26	10	1	2	13	69	21	25

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	30969	214	243	308	173	545	618	97	349	395	2011	267	2267	1381	1438	76
SPECIFIED CAUSES	29126	183	223	285	151	432	545	82	325	353	1884	252	2182	1309	1333	76
I. Zymotic Class	7200	12	21	40	11	60	77	14	66	67	382	48	468	344	323	13
II. Diseases of Uncer. Seat	1495	12	20	17	11	24	34	5	14	16	124	16	131	62	90	3
III. Tubercular Class	5142	29	45	30	26	56	73	12	37	44	334	38	401	173	181	9
IV. Brain and Nervous Sys.	2245	11	14	29	6	31	41	3	25	26	180	19	198	123	115	6
V. Organs of Circulation	1009	3	6	9	2	4	12	5	8	21	67	11	104	52	62	3
VI. Respiratory Organs	2978	16	18	23	14	27	58	3	22	33	198	18	201	118	122	7
VII. Organs of Digestion	2402	12	10	19	6	19	35	7	29	33	138	16	165	114	130	12
VIII. Urinary Organs	166	–	–	4	–	4	2	1	3	3	19	–	14	8	8	–
IX. Organs of Generation	470	2	3	5	2	13	16	1	2	1	21	3	38	13	16	2
X. Organs of Locomotion	113	2	1	3	1	10	7	–	4	1	10	–	7	6	3	–
XI. Skin, etc.	28	–	–	–	–	2	2	–	–	–	1	–	2	–	4	1
XII. Malformation	68	1	–	–	1	1	2	–	1	–	2	–	5	2	–	–
XIII. Premature Debility	1197	6	3	15	4	16	16	3	14	10	73	13	137	30	33	2
XIV. Atrophy	280	1	2	2	3	1	2	1	–	3	18	2	12	14	10	–
XV. Age	3705	66	77	80	59	153	155	26	86	84	286	60	252	215	209	16
XVI. Sudden Deaths	69	6	1	–	–	3	1	–	3	–	3	–	2	2	3	–
XVII. Violent Deaths	559	4	2	9	5	8	12	1	11	11	28	8	45	33	24	2
I. Small Pox	405	–	4	1	–	3	–	–	–	1	1	–	4	7	3	–
Measles	519	–	–	–	–	2	–	–	2	8	58	1	4	1	9	–
Scarlatina	1102	–	–	1	–	–	11	6	12	–	30	4	64	137	61	7
Diphtheria	41	–	–	–	–	–	–	–	–	2	11	–	4	2	4	–
Hooping Cough	847	–	–	–	–	3	9	–	1	–	15	2	66	8	34	–
Croup	516	1	1	8	3	9	3	4	2	6	28	5	68	30	30	1
Thrush	12	–	–	–	–	–	–	–	–	–	–	–	1	2	1	–
Diarrhœa	1001	3	6	–	1	6	10	1	3	11	56	3	61	43	28	4
Dysentery	531	–	–	2	–	2	6	–	–	7	18	–	32	23	27	–
Cholera	63	–	–	–	–	1	–	–	–	1	2	–	6	5	1	–
Influenza	175	2	6	2	1	7	12	–	1	4	21	5	16	11	4	–
Purpura	22	–	–	–	–	–	–	–	–	–	3	–	3	2	1	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	16	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–
Infantile Fever	25	–	–	1	–	–	–	–	–	1	2	1	–	–	2	–
Typhus	1604	3	2	23	–	23	20	2	39	22	106	26	119	55	108	1
Metria	145	1	1	1	2	2	–	–	4	2	14	1	7	8	5	–
Rheumatic Fever	34	–	–	–	2	1	1	1	1	–	1	–	5	3	–	–
Erysipelas	88	2	1	–	1	1	5	–	1	2	12	–	2	4	4	–
Syphilis	45	–	–	1	–	–	–	–	–	–	4	–	6	3	–	–
Noma	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	46	–	1	–	–	–	1	1	–	–	3	–	3	2	1	1
Dropsy	649	6	10	9	7	13	14	2	6	3	40	3	69	24	38	1
Abscess	35	1	–	–	1	–	–	–	–	2	5	–	–	2	4	–
Ulcer	21	1	1	–	–	–	–	–	–	–	1	–	3	2	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	89	1	1	2	–	–	3	1	–	–	9	1	7	4	5	–
Cancer	652	3	7	6	3	11	16	1	8	11	66	12	48	28	42	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
III. Scrofula	183	–	4	1	1	–	4	–	–	6	22	2	15	10	8	–
Tabes Mesenterica	322	–	–	1	2	2	2	–	1	1	7	4	12	5	15	–
Phthisis	3749	28	38	19	21	54	63	12	32	30	242	27	298	135	119	8
Hydrocephalus	888	1	3	9	2	–	4	–	4	7	63	5	76	23	39	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	193	927	531	638	180	2157	1974	8191	316	2883	346	253	78	91	493	672	362	302
SPECIFIED CAUSES	170	871	492	558	166	2017	1869	7869	292	2774	320	241	74	87	485	616	336	274
Zymotic Class	46	254	138	116	38	641	519	2426	76	548	80	40	18	14	101	107	43	49
Uncertain Seat	6	52	23	43	11	82	92	295	13	149	17	23	4	6	33	32	20	15
Tubercular Class	35	159	113	80	38	387	409	1494	43	479	48	46	7	25	78	110	54	49
Brain, etc.	8	62	34	36	14	125	113	457	17	311	22	29	13	6	60	54	36	21
Heart, etc.	1	20	11	15	12	41	42	206	16	155	20	14	3	8	24	25	17	10
Respiratory Organs	20	68	29	48	14	179	160	963	17	347	27	23	9	10	40	69	42	35
Digestive Organs	14	92	34	45	10	191	155	689	28	202	18	21	4	6	42	50	40	16
Urinary Organs	2	3	3	4	1	6	7	23	2	34	–	2	1	1	5	3	2	1
Generative Organs	3	15	5	12	–	36	41	129	8	59	–	4	1	1	6	7	2	3
Locomotive Organs	–	4	–	4	–	5	6	21	–	6	2	1	1	1	1	4	2	–
Skin	–	–	–	1	1	–	2	4	–	5	–	–	–	–	1	–	–	2
Malformation	–	1	1	1	–	3	10	22	1	5	2	–	1	2	2	2	–	–
Premature Debility	6	25	16	11	2	86	57	399	15	122	14	2	2	3	20	32	5	5
Atrophy	1	4	2	2	–	21	19	102	7	28	6	–	1	–	8	2	2	4
Age	22	96	69	124	22	187	200	483	43	265	50	26	7	3	54	103	65	62
Sudden Deaths	1	1	1	–	–	1	3	19	1	8	4	–	–	–	2	3	1	–
Violent Deaths	5	15	13	16	3	26	34	137	5	51	10	10	2	1	8	13	5	2
Small Pox	1	35	4	3	–	28	4	209	1	84	1	–	–	–	6	5	–	–
Measles	1	6	14	9	3	89	32	245	1	24	10	–	–	–	–	–	–	–
Scarlatina	5	38	25	11	3	66	99	378	10	63	11	5	9	6	23	11	5	1
Diphtheria	–	1	1	1	–	1	2	5	2	4	1	–	–	–	–	–	–	–
Hooping Cough	–	39	21	29	4	84	63	335	1	99	10	2	–	–	8	9	2	3
Croup	5	23	10	13	2	48	25	112	4	48	6	3	–	3	6	4	3	2
Thrush	–	–	–	–	2	2	–	3	–	–	–	1	–	–	–	–	–	–
Diarrhœa	2	24	17	12	8	69	73	411	13	75	9	7	3	2	9	13	10	8
Dysentery	5	14	13	10	11	34	67	175	9	26	6	2	1	–	1	13	8	19
Cholera	–	4	1	2	–	9	7	12	–	4	3	2	–	–	–	1	2	–
Influenza	–	2	3	7	–	8	13	29	1	4	1	1	1	1	4	5	–	3
Purpura	–	1	–	–	–	–	3	4	–	4	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Worms	–	–	1	–	–	2	4	3	–	–	–	–	–	–	1	1	1	1
Infantile Fever	–	–	–	1	1	2	4	6	–	3	–	–	–	–	–	–	–	1
Typhus	25	61	21	15	3	177	100	409	31	83	17	14	3	1	37	40	11	7
Metria	1	3	3	2	1	10	11	44	2	12	2	1	1	1	2	1	–	–
Rheumatic Fever	1	–	2	1	–	1	1	8	–	–	1	–	–	–	2	–	–	2
Erysipelas	–	2	1	–	–	7	6	18	1	11	–	1	–	–	1	3	1	1
Syphilis	–	1	1	–	–	4	3	16	–	4	–	–	–	–	1	–	–	1
Noma	–	–	–	–	–	–	2	3	–	–	1	–	–	–	–	1	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	4	–	4	2	12	1	8	–	–	–	–	–	–	1	–
Dropsy	–	25	12	21	3	41	51	146	2	34	5	12	3	5	20	10	5	9
Abscess	–	1	–	1	–	1	4	5	2	5	–	–	–	–	1	–	–	–
Ulcer	–	1	–	–	–	1	1	5	–	3	–	–	–	–	–	2	–	–
Fistula	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Mortification	1	4	1	3	–	3	4	15	1	13	2	–	–	–	4	4	–	–
Cancer	4	21	10	14	8	32	29	112	7	85	10	11	1	1	8	16	14	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	4	1	5	–	6	15	42	6	14	1	4	–	–	3	1	1	4
Tabes Mesenterica	1	8	1	2	4	27	19	125	3	49	5	2	–	2	9	7	4	2
Phthisis	27	110	82	62	29	283	293	1067	19	326	34	35	6	18	56	92	46	38
Hydrocephalus	4	37	29	11	5	71	82	260	15	90	8	5	1	5	10	10	3	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	153	–	–	2	–	2	4	–	–	1	12	–	12	6	4	–
Apoplexy	525	3	3	5	1	4	5	1	2	7	45	5	41	20	29	3
Paralysis	737	5	10	12	3	13	22	–	16	10	54	9	59	60	40	2
Delirium Tremens	15	–	–	–	–	–	1	–	–	–	1	–	3	–	1	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	102	1	–	1	–	3	–	–	2	–	9	1	7	6	10	–
Tetanus	25	–	–	1	–	5	2	–	1	–	2	–	2	–	2	–
Insanity	29	–	–	2	–	2	–	–	–	–	4	–	2	1	3	–
Convulsions	307	1	–	2	2	2	6	2	3	2	26	2	37	9	6	–
Brain Disease	351	1	1	4	–	–	1	–	1	6	27	2	35	21	19	1
V. Pericarditis	39	–	–	–	–	–	1	–	–	–	3	–	2	–	1	–
Aneurism	30	–	–	1	–	–	–	–	–	–	3	–	1	2	1	–
Heart Disease	940	3	6	8	2	4	11	5	8	21	61	11	101	50	60	3
VI. Laryngitis	84	–	1	1	–	–	–	1	–	–	11	1	2	3	4	–
Bronchitis	1479	5	9	6	5	7	23	–	10	19	115	4	93	59	69	2
Pleurisy	144	2	1	1	–	1	11	–	–	4	13	1	13	4	9	2
Pneumonia	791	4	3	9	3	4	5	2	7	4	33	6	47	28	29	–
Asthma	313	5	3	5	6	15	19	–	3	4	15	4	30	18	4	2
Lung Disease	167	–	1	1	–	–	–	–	2	2	11	2	16	6	7	1
VII. Teething	635	1	2	–	1	1	10	4	10	8	23	1	67	23	36	5
Quinsey	33	–	–	–	1	–	1	–	–	1	1	–	2	1	1	–
Gastritis	75	1	–	1	–	–	–	–	1	–	7	–	4	5	4	–
Enteritis	438	2	1	2	–	2	7	1	2	1	16	4	21	22	22	–
Peritonitis	119	–	1	1	1	2	2	1	–	1	8	1	7	5	7	–
Ascites	59	1	–	1	–	1	–	–	–	3	7	–	2	7	3	–
Ulceration of Intestines	61	–	–	1	–	–	–	–	2	1	11	1	8	2	4	–
Hernia	38	–	–	1	–	1	–	–	1	1	4	–	1	1	2	–
Ileus	131	2	1	3	1	3	3	–	2	5	17	2	3	9	6	1
Intussusception	14	–	–	–	–	–	–	–	–	–	1	–	1	1	1	2
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	1	1	1	1	–	–
Stomach Disease	371	3	2	3	1	4	8	–	7	6	11	3	26	11	20	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	56	–	–	1	–	–	–	–	–	2	6	1	–	7	–	–
Jaundice	94	1	3	2	–	1	1	–	2	–	13	–	6	7	5	–
Liver Disease	261	1	–	3	1	3	3	1	2	4	12	2	16	12	17	2
Spleen Disease	7	–	–	–	–	1	–	–	–	–	–	–	–	–	2	1
VIII. Nephritis	9	–	–	–	–	–	–	–	1	–	3	–	–	–	1	–
Nephria	47	–	–	2	–	–	–	–	1	–	3	–	4	3	2	–
Ischuria	8	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Diabetes	23	–	–	–	–	–	1	–	–	–	1	–	2	–	2	–
Stone	5	–	–	1	–	–	–	–	–	–	1	–	1	1	1	–
Cystitis	9	–	–	–	–	–	1	–	–	1	3	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	65	–	–	1	–	4	–	1	1	2	6	–	6	4	2	–
IX. Paramenia	26	–	–	–	–	–	4	–	–	–	–	–	3	–	1	–
Ovarian Dropsy	61	–	1	1	–	–	1	–	1	–	6	–	3	2	1	1
Childbirth	304	2	2	4	2	13	11	1	1	–	7	2	29	7	12	1
Organs of Generation	79	–	–	–	–	–	–	–	–	1	8	1	3	4	2	–
X. Arthritis	8	–	–	–	–	–	–	–	–	–	1	–	1	2	–	–
Rheumatism	64	2	1	3	1	9	6	–	1	–	6	–	2	2	1	–
Joint and Bone Disease	41	–	–	–	–	1	1	–	3	1	3	–	4	2	2	–
XI. Carbuncle	8	–	–	–	–	–	1	–	–	–	–	–	1	–	1	1
Phlegmon	4	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	16	–	–	–	–	1	1	–	–	–	1	–	1	–	3	–
XII. Cyanosis	24	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–
Spina Bifida	16	–	–	–	–	–	1	–	–	–	1	–	1	2	–	–
Other Malformations	28	1	–	–	1	–	1	–	1	–	1	–	3	–	–	–
XVII. Intemperance	29	–	–	–	–	–	–	–	–	–	–	–	–	5	2	–
Privation	5	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Want of Breast Milk	16	–	–	–	–	–	–	–	–	–	1	–	3	–	1	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	12	–	–	–	–	–	–	–	–	1	1	–	3	–	1	–
Poison	26	–	–	–	–	–	–	–	–	1	2	–	–	1	2	–
Burns and Scalds	162	3	–	5	3	3	5	–	4	5	8	4	11	11	4	1
Hanging, etc.	15	–	–	–	–	1	–	–	1	1	1	–	3	–	–	–
Suffocation	26	–	1	–	–	–	–	–	1	–	2	1	1	2	2	–
Drowning	79	–	–	1	1	2	–	1	3	1	3	2	6	6	3	1
Fracture and Contusion	138	1	1	3	1	2	7	–	1	2	4	1	14	7	6	–
Wounds	19	–	–	–	–	–	–	–	–	–	2	–	2	–	–	–
Other Violent Causes	32	–	–	–	–	–	–	–	1	–	4	–	2	–	3	–
Not Specified	1843	31	20	23	22	113	73	15	24	42	127	15	85	72	105	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1857.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	5	1	5	1	13	12	41	–	14	–	2	2	2	3	2	5	1
Apoplexy	2	9	16	5	7	33	26	107	1	96	3	3	4	1	10	16	6	6
Paralysis	5	27	8	11	4	29	40	106	10	81	8	9	5	3	29	20	18	9
Delirium Tremens	–	–	–	1	–	1	1	2	1	1	1	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	–	–	–	3	5	23	1	15	–	4	–	–	2	4	2	–
Tetanus	–	–	–	2	–	2	1	4	–	1	–	–	–	–	–	–	–	–
Insanity	–	2	–	2	–	–	–	2	–	6	1	1	–	–	1	–	–	–
Convulsions	–	9	4	4	–	12	12	101	2	42	1	5	1	–	7	2	3	2
Brain Disease	–	7	5	6	2	32	16	71	2	55	8	5	1	–	8	10	2	2
Pericarditis	–	1	–	1	–	1	5	10	1	7	2	–	–	–	–	3	–	1
Aneurism	–	–	–	2	–	1	1	9	1	4	–	–	–	–	1	2	–	1
Heart Disease	1	19	11	12	12	39	36	187	14	144	18	14	3	8	23	20	17	8
Laryngitis	1	4	2	–	1	7	6	17	2	16	–	–	1	–	2	1	–	–
Bronchitis	6	33	18	24	5	91	79	485	8	170	11	13	5	2	24	38	20	21
Pleurisy	3	2	2	–	2	2	12	21	–	21	4	1	–	1	2	2	3	4
Pneumonia	7	18	4	14	2	54	40	302	5	86	9	5	3	7	10	25	12	4
Asthma	3	2	2	8	2	18	16	85	2	26	–	1	–	–	2	1	7	5
Lung Disease	–	9	1	2	2	7	7	53	–	28	3	3	–	–	–	2	–	1
Teething	6	25	13	7	2	65	32	231	9	34	–	2	–	–	7	5	2	3
Quinsey	–	2	3	2	–	3	3	8	–	3	–	–	–	–	–	–	1	–
Gastritis	1	2	1	1	1	4	11	20	–	7	–	–	–	–	–	1	2	1
Enteritis	1	8	5	7	2	52	47	146	7	26	2	2	2	–	4	9	14	1
Peritonitis	2	3	2	–	1	6	3	35	1	13	2	1	–	2	1	5	5	–
Ascites	1	1	–	–	–	2	3	14	–	7	–	1	1	–	1	1	2	–
Ulceration of Intestines	–	2	1	2	1	1	1	11	–	7	1	2	–	–	1	1	–	–
Hernia	–	1	–	1	1	3	2	8	–	3	2	3	–	–	–	1	–	1
Ileus	1	5	–	5	–	4	5	27	1	10	3	2	–	–	3	2	3	2
Intussusception	–	1	–	1	–	–	1	3	–	2	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	1
Stomach Disease	1	24	5	9	–	25	23	92	1	38	3	6	–	3	17	9	6	3
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	1	5	3	15	4	3	–	1	–	–	–	4	–	1
Jaundice	–	2	–	2	–	1	4	18	2	11	1	1	–	–	2	5	2	2
Liver Disease	1	15	3	8	1	19	15	59	3	37	4	–	1	1	6	5	3	1
Spleen Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	2	–	–
Nephritis	–	–	–	–	–	2	–	–	–	1	–	–	–	–	1	–	–	–
Nephria	–	–	1	2	–	–	1	10	–	16	–	–	–	–	–	2	–	–
Ischuria	–	–	1	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	1	2	4	1	4	–	2	–	–	1	1	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	3	–	2	1	3	4	9	–	7	–	–	1	1	3	–	2	–
Paramenia	–	–	1	1	–	3	3	4	–	3	–	–	–	–	1	2	–	–
Ovarian Dropsy	–	4	–	3	–	5	6	10	1	13	–	–	–	–	–	1	–	1
Childbirth	2	10	3	6	–	22	25	93	5	32	–	3	1	1	2	2	1	2
Organs of Generation	1	1	1	2	–	6	7	22	2	11	–	1	–	–	3	2	1	–
Arthritis	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	2	–	–
Rheumatism	–	3	–	2	–	3	4	8	–	4	1	–	1	1	1	–	2	–
Joint Disease	–	1	–	2	–	2	2	11	–	2	1	1	–	–	–	2	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	2	–	–	–	–	1	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Skin Disease	–	–	–	–	1	–	1	4	–	2	–	–	–	–	–	–	–	1
Cyanosis	–	–	–	1	–	1	2	12	–	3	1	–	–	–	1	1	–	–
Spina Bifida	–	–	1	–	–	–	1	4	1	2	–	–	–	2	–	–	–	–
Other Malformations	–	1	–	–	–	2	7	6	–	–	1	–	1	–	1	1	–	–
Intemperance	–	–	–	1	–	1	1	12	–	5	–	–	–	–	–	1	–	1
Privation	–	–	–	–	–	–	–	1	–	2	–	–	1	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	1	2	4	–	3	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	1	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	2	2	8	1	4	–	–	–	–	–	1	2	–
Burns and Scalds	3	5	8	4	1	6	13	35	2	7	2	3	–	–	1	4	1	–
Hanging, etc.	–	–	1	2	–	–	–	3	–	–	–	1	–	–	–	1	–	–
Suffocation	–	–	–	1	–	–	1	4	–	4	2	1	–	1	1	–	1	–
Drowning	–	1	1	2	1	5	4	20	–	6	4	2	–	–	2	1	–	–
Fracture and Contusion	1	6	1	4	1	4	4	38	–	18	1	2	1	–	3	2	1	1
Wounds	1	1	–	–	–	4	2	2	–	1	1	1	–	–	1	1	–	–
Other Violent Causes	–	1	1	1	–	3	4	9	1	–	–	–	–	–	–	2	–	–
Not Specified	23	56	39	80	14	140	105	322	24	109	26	12	4	4	8	56	26	28

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—BOTH SEXES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	11375	743	543	3786	2242	1718	1443	1268	751	767
SPECIFIED CAUSES	10990	655	529	3659	2164	1697	1358	1201	727	751
I. Zymotic Class	3339	153	152	623	478	349	442	365	190	248
II. Diseases of Uncertain Seat	312	19	11	144	102	89	54	30	37	21
III. Tubercular Class	2009	141	138	749	450	381	237	234	118	109
IV. Brain and Nervous System	747	42	47	412	201	185	96	86	80	83
V. Organs of Circulation	324	19	7	233	76	68	16	36	29	30
VI. Respiratory Organs	1516	62	47	477	213	206	106	113	72	61
VII. Organs of Digestion	1017	49	40	271	174	100	150	105	56	66
VIII. Urinary Organs	64	6	1	70	14	29	8	6	9	13
IX. Organs of Generation	82	5	3	43	18	13	15	7	9	2
X. Organs of Locomotion	28	1	5	19	4	8	6	4	2	1
XI. Skin, etc.	7	–	1	2	2	3	–	–	1	–
XII. Malformation	16	–	4	11	5	3	–	5	1	1
XIII. Premature Debility	651	50	28	179	198	85	64	86	41	23
XIV. Atrophy	114	15	6	35	13	17	16	13	8	8
XV. Age	427	73	22	263	147	132	124	70	36	55
XVI. Sudden Deaths	30	1	–	12	1	3	–	1	1	1
XVII. Violent Deaths	307	19	17	116	68	26	24	40	37	29
I. Small Pox	399	6	3	66	7	5	33	18	60	–
Measles	359	20	29	25	3	72	59	56	8	2
Scarlatina	420	21	24	69	93	30	48	17	33	151
Diphtheria	3	2	–	5	3	1	–	2	2	1
Hooping Cough	495	22	14	134	75	14	71	26	21	6
Croup	127	12	15	44	71	16	23	41	14	22
Thrush	12	–	–	1	–	–	1	2	–	1
Diarrhœa	576	41	23	88	66	58	62	58	12	26
Dysentery	212	7	16	35	19	18	21	10	2	8
Cholera	30	1	2	6	8	3	3	7	–	–
Influenza	28	2	1	–	11	9	2	2	–	2
Purpura	9	–	–	4	3	4	–	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–
Worms	7	–	–	–	–	–	–	–	–	–
Infantile Fever	17	2	–	4	2	2	1	–	2	–
Typhus	549	16	21	110	101	91	111	105	30	20
Metria	27	–	1	9	2	4	3	4	1	1
Rheumatic Fever	7	–	1	3	2	–	–	1	1	–
Erysipelas	32	–	2	16	5	14	3	9	1	3
Syphilis	26	1	–	4	7	8	1	6	2	4
Noma	3	–	–	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	1	1	10	6	3	1	4	1	2
Dropsy	169	10	2	33	59	31	39	14	10	7
Abscess	10	–	–	10	1	6	–	–	1	–
Ulcer	3	1	2	4	1	–	1	–	–	1
Fistula	1	–	–	1	–	–	–	–	–	–
Mortification	17	1	1	8	5	7	3	1	6	2
Cancer	96	6	5	78	30	42	10	10	19	9
Gout	–	–	–	–	–	–	–	1	–	–
III. Scrofula	57	3	2	30	16	12	6	6	1	9
Tabes Mesenterica	165	13	11	84	18	14	14	20	10	6
Phthisis	1393	105	75	493	300	253	168	153	74	76
Hydrocephalus	394	20	50	142	116	102	49	55	33	18

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—BOTH SEXES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	283	419	255	335	290	197	325	381	578	321	357	415	418
SPECIFIED CAUSES	272	409	252	324	270	192	310	331	574	296	338	381	395
Zymotic Class	47	74	45	63	50	36	101	57	170	86	128	185	55
Uncertain Seat	12	20	10	16	13	7	14	6	30	6	11	12	21
Tubercular Class	46	72	40	61	49	26	52	90	137	59	64	61	90
Brain, etc.	27	41	28	45	20	16	31	27	35	19	15	12	39
Heart, etc.	7	31	22	12	9	15	11	14	14	9	6	5	14
Respiratory Organs	26	50	33	25	48	13	26	36	57	34	29	36	54
Digestive Organs	36	44	26	24	33	19	32	21	35	20	34	21	36
Urinary Organs	1	3	3	6	5	–	4	3	5	4	2	–	8
Generative Organs	3	6	1	–	–	1	2	3	1	7	3	2	2
Locomotive Organs	4	2	3	–	–	–	1	2	3	–	–	–	1
Skin	1	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	1	7	–	1	–	–	2	1	1	–	4	–
Premature Debility	10	26	8	10	8	8	14	15	27	9	9	15	23
Atrophy	2	2	2	1	1	6	1	–	3	2	4	5	4
Age	40	20	18	50	23	29	12	42	39	32	23	9	39
Sudden Deaths	1	1	–	1	–	3	–	–	3	–	–	–	–
Violent Deaths	9	15	6	10	9	13	9	13	14	8	10	14	9
Small Pox	–	1	–	–	1	–	39	–	–	–	–	1	–
Measles	–	5	1	–	4	2	1	–	9	12	4	21	–
Scarlatina	11	4	1	6	9	–	2	6	39	16	36	89	4
Diphtheria	–	1	1	–	–	–	–	–	1	–	–	1	–
Hooping Cough	–	–	8	12	9	4	9	15	22	3	23	14	3
Croup	5	14	6	16	5	4	3	2	6	6	3	6	4
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	11	6	13	9	6	5	21	18	24	15	38	25	19
Dysentery	4	12	1	3	–	1	3	–	31	16	2	6	3
Cholera	–	–	–	3	–	–	3	2	4	1	1	1	1
Influenza	–	3	–	1	–	–	2	–	–	1	–	–	1
Purpura	–	–	–	1	–	–	–	–	–	–	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Fever	–	–	1	–	–	–	1	–	2	–	–	–	–
Typhus	11	23	12	12	14	20	15	9	25	16	19	19	14
Metria	–	3	–	–	–	–	–	1	5	–	1	1	–
Rheumatic Fever	–	1	–	–	–	–	–	1	–	–	1	–	2
Erysipelas	4	–	1	–	–	–	1	2	–	–	–	–	4
Syphilis	–	1	–	–	–	–	1	1	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	–	–	–	–	–	–	2	–
Dropsy	4	11	5	3	7	2	8	3	19	4	7	8	10
Abscess	–	–	–	1	–	1	–	2	2	–	–	1	–
Ulcer	–	–	–	–	–	–	1	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	1	–	–	–	–
Mortification	3	3	1	1	–	–	1	–	1	–	2	–	1
Cancer	5	5	4	9	6	4	4	–	7	2	2	1	10
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	1	3	4	1	–	1	–	11	–	1	4	3	–
Tabes Mesenterica	1	2	1	–	3	–	2	5	7	4	7	5	9
Phthisis	37	54	27	44	29	16	42	58	95	44	41	40	67
Hydrocephalus	7	13	8	16	17	9	8	16	35	10	12	13	14

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—BOTH SEXES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	60	4	5	28	10	11	3	8	6	–
Apoplexy	164	8	5	99	29	46	19	17	27	16
Paralysis	140	15	7	110	56	39	32	26	13	37
Delirium Tremens	16	–	–	7	5	2	1	4	5	–
Chorea	2	–	–	1	–	–	–	–	–	–
Epilepsy	28	3	1	25	11	9	2	1	5	6
Tetanus	5	1	2	1	1	1	3	–	–	1
Insanity	1	–	4	7	–	4	–	1	2	4
Convulsions	193	2	7	48	64	44	8	10	10	3
Brain Disease	138	9	16	86	25	29	28	19	12	16
V. Pericarditis	10	–	1	7	2	–	1	1	1	–
Aneurism	12	–	–	15	–	7	–	1	1	1
Heart Disease	302	19	6	211	74	61	15	34	27	29
VI. Laryngitis	38	1	–	16	5	7	–	5	2	3
Bronchitis	706	18	29	225	88	113	64	50	28	31
Pleurisy	34	1	–	33	1	15	–	5	1	7
Pneumonia	538	30	15	133	67	40	24	31	32	7
Asthma	119	5	3	37	48	18	10	18	6	9
Lung Disease	81	7	–	33	4	13	8	4	3	4
VII. Teething	417	18	12	50	95	26	53	55	11	35
Quinsey	17	–	–	5	3	2	–	–	2	3
Gastritis	21	–	1	6	6	3	2	4	4	–
Enteritis	223	11	12	40	23	11	50	18	8	9
Peritonitis	38	–	4	18	5	5	1	3	7	–
Ascites	12	1	1	4	1	1	–	2	1	1
Ulceration of Intestines	12	1	–	9	3	9	–	–	4	1
Hernia	11	2	–	5	–	4	2	1	–	1
Ileus	42	4	–	13	3	10	1	3	1	2
Intussusception	6	–	–	1	–	–	–	1	2	–
Stricture of Intestines	2	–	–	2	–	–	–	1	–	–
Stomach Disease	102	8	3	50	17	11	19	6	5	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	21	1	1	5	–	1	3	2	–	7
Jaundice	18	–	2	10	11	9	4	1	7	1
Liver Disease	74	3	4	51	7	8	15	8	4	2
Spleen Disease	1	–	–	2	–	–	–	–	–	–
VIII. Nephritis	4	–	–	2	2	3	1	1	1	–
Nephria	19	1	–	22	3	4	–	1	3	5
Ischuria	2	–	–	7	1	2	1	–	–	–
Diabetes	4	2	–	8	–	2	2	1	–	–
Stone	3	–	–	2	4	2	–	–	–	–
Cystitis	4	2	–	2	–	2	1	1	–	1
Stricture of Urethra	–	–	–	1	–	–	–	–	–	1
Kidney Disease	28	1	1	26	4	14	3	2	5	6
IX. Paramenia	4	–	–	2	2	–	2	–	–	–
Ovarian Dropsy	7	–	–	11	–	5	–	2	–	1
Childbirth	58	5	3	21	15	2	11	3	7	–
Organs of Generation	13	–	–	9	1	6	2	2	2	1
X. Arthritis	5	–	–	1	1	–	–	1	–	–
Rheumatism	8	–	1	2	2	5	4	1	1	–
Joint and Bone Disease	15	1	4	16	1	3	2	2	1	1
XI. Carbuncle	3	–	–	1	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	–	1	1	1	2	–	–	1	–
XII. Cyanosis	6	–	4	5	2	–	–	2	1	–
Spina Bifida	5	–	–	3	1	3	–	–	–	1
Other Malformations	5	–	–	3	2	–	–	3	–	–
XVII. Intemperance	20	–	1	10	1	1	–	2	1	6
Privation	1	1	–	2	–	–	1	–	–	1
Want of Breast Milk	9	–	–	2	5	–	–	–	2	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	1	–	–	–
Poison	11	–	–	8	1	2	–	2	–	3
Burns and Scalds	48	2	3	11	10	1	6	2	3	1
Hanging, etc.	12	–	–	3	1	–	–	–	–	1
Suffocation	8	–	–	4	1	1	1	1	2	2
Drowning	72	8	4	5	8	12	7	15	12	5
Fracture and Contusion	98	6	7	54	32	7	6	12	12	8
Wounds	6	–	–	14	3	1	1	3	–	–
Other Violent Causes	21	2	2	2	6	1	1	3	5	2
Not Specified	385	88	14	127	78	21	85	67	24	16

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—BOTH SEXES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	4	8	3	1	1	1	1	2	2	1	–	1	–
Apoplexy	4	6	9	13	6	2	7	4	4	7	7	2	8
Paralysis	11	14	3	8	8	9	12	10	8	4	1	3	15
Delirium Tremens	1	–	2	1	1	–	1	1	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	4	–	–	1	1	1	1	1	1	1
Tetanus	–	1	–	–	–	1	–	–	1	1	–	–	–
Insanity	–	–	–	4	–	–	–	1	–	–	–	–	–
Convulsions	5	7	3	2	3	–	5	3	11	–	2	4	6
Brain Disease	2	5	8	12	1	3	4	5	8	5	4	1	7
Pericarditis	1	1	–	1	–	–	–	–	1	–	1	–	2
Aneurism	–	–	–	1	–	–	2	1	–	–	1	–	1
Heart Disease	6	30	22	10	9	15	9	13	13	9	4	5	11
Laryngitis	–	1	–	–	1	1	4	–	1	–	–	2	1
Bronchitis	14	33	13	13	23	7	8	13	33	19	8	18	26
Pleurisy	–	6	5	3	–	–	–	3	3	2	–	2	–
Pneumonia	4	9	11	6	22	1	8	12	12	11	8	11	22
Asthma	8	1	2	1	–	2	1	4	4	–	11	3	3
Lung Disease	–	–	2	2	2	2	5	4	4	2	2	–	2
Teething	16	20	8	3	15	4	8	6	5	3	9	5	4
Quinsey	–	–	–	–	–	–	2	–	–	–	1	–	–
Gastritis	–	1	–	1	–	1	–	2	–	–	1	2	–
Enteritis	6	5	1	4	2	2	–	–	16	2	3	2	11
Peritonitis	–	1	–	–	–	2	2	1	2	2	–	1	1
Ascites	–	–	–	–	1	–	1	–	1	–	2	–	1
Ulceration of Intestines	–	1	3	4	1	–	1	–	–	–	–	–	1
Hernia	1	3	1	–	–	–	–	1	–	–	1	–	1
Ileus	–	1	2	2	1	–	1	4	2	3	–	3	5
Intussusception	–	–	–	–	–	–	1	–	1	–	–	–	–
Stricture of Intestines	–	–	1	2	–	–	–	–	–	1	–	–	1
Stomach Disease	10	3	7	3	7	5	11	3	3	6	10	4	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	1	–	–	1	2	–
Jaundice	–	2	1	–	–	2	2	–	4	1	–	2	–
Liver Disease	3	7	2	5	5	3	3	3	1	2	6	–	8
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	1	–	1	1	–	1	–	–	4
Ischuria	–	1	–	1	–	–	–	–	–	1	1	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	1	1	–	–	–
Cystitis	–	–	1	–	1	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	2	3	3	–	3	1	4	1	–	–	4
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	2	5	–	–	–	1	1	1	–	7	3	2	2
Organs of Generation	–	1	1	–	–	–	1	1	1	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	1	–	–	–	1	1	2	–	–	–	–
Joint Disease	1	2	2	–	–	–	–	1	1	–	–	–	1
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	7	–	–	–	–	1	–	–	–	1	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	1	–	–	1	–	–	1	1	1	–	3	–
Intemperance	1	–	–	2	–	–	–	1	–	1	–	1	2
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	–	–	2	1	1	–	1	–	–
Poison	–	–	–	–	1	–	–	–	1	–	–	1	1
Burns and Scalds	1	1	–	2	1	–	1	5	2	2	1	2	–
Hanging, etc.	–	1	1	–	–	–	–	–	1	–	–	–	–
Suffocation	–	1	1	–	–	–	1	1	–	–	–	–	2
Drowning	2	4	–	1	–	4	–	1	–	–	–	5	–
Fracture and Contusion	4	7	2	2	4	9	5	3	6	4	5	5	4
Wounds	1	1	–	–	1	–	–	–	2	–	–	–	–
Other Violent Causes	–	–	–	2	2	–	–	1	1	1	3	–	–
Not Specified	11	10	3	11	20	5	15	50	4	25	19	34	23

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—MALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5758	396	273	1868	1085	823	733	651	386	380
SPECIFIED CAUSES	5555	338	267	1807	1047	810	685	618	368	374
I. Zymotic Class	1672	66	73	286	209	159	224	194	97	113
II. Diseases of Uncertain Seat	107	7	2	52	37	35	24	13	9	10
III. Tubercular Class	992	83	79	407	226	179	121	120	55	50
IV. Brain and Nervous System	419	28	26	215	111	100	55	47	39	46
V. Organs of Circulation	172	12	5	125	39	34	7	22	14	17
VI. Respiratory Organs	779	33	23	232	113	108	50	54	40	36
VII. Organs of Digestion	542	27	20	137	92	46	79	55	30	36
VIII. Urinary Organs	46	3	1	43	9	18	6	3	7	9
IX. Organs of Generation	1	–	–	1	–	–	–	–	–	–
X. Organs of Locomotion	15	1	2	16	1	3	4	3	1	1
XI. Skin, etc.	5	–	1	2	2	2	–	–	–	–
XII. Malformation	6	–	1	7	2	2	–	3	1	–
XIII. Premature Debility	371	26	14	98	112	48	40	46	21	16
XIV. Atrophy	48	7	3	15	5	9	8	7	6	4
XV. Age	153	31	4	80	43	46	47	20	20	19
XVI. Sudden Deaths	15	–	–	7	–	1	–	1	1	1
XVII. Violent Deaths	212	14	13	84	46	20	20	30	27	16
I. Small Pox	204	–	2	32	4	4	19	9	28	–
Measles	189	9	15	10	1	33	31	28	2	2
Scarlatina	211	10	11	36	47	12	23	10	19	73
Diphtheria	3	–	–	2	–	–	–	1	1	–
Hooping Cough	232	5	7	57	32	8	28	14	5	1
Croup	74	4	7	14	34	9	14	20	8	13
Thrush	10	–	–	1	–	–	1	1	–	–
Diarrhœa	303	22	13	41	32	24	39	38	8	7
Dysentery	90	4	7	15	6	8	10	6	1	5
Cholera	25	–	1	5	3	1	3	4	–	–
Influenza	7	–	–	–	4	1	1	2	–	–
Purpura	5	–	–	1	1	3	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	–	–	–	–	–
Infantile Fever	12	2	–	3	2	1	–	–	1	–
Typhus	263	9	10	56	37	41	51	54	22	9
Metria	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	3	–	–	–	–	1	–
Erysipelas	21	–	–	7	4	9	3	4	1	1
Syphilis	14	1	–	3	2	5	1	2	–	1
Noma	–	–	–	–	–	–	–	1	–	1
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	–	–	4	5	1	1	2	–	1
Dropsy	61	6	1	11	23	13	21	7	1	3
Abscess	7	–	–	6	1	4	–	–	1	–
Ulcer	1	–	1	1	–	–	–	–	–	1
Fistula	1	–	–	–	–	–	–	–	–	–
Mortification	8	1	–	3	1	2	2	–	2	1
Cancer	19	–	–	27	7	15	–	3	5	4
Gout	–	–	–	–	–	–	–	1	–	–
III. Scrofula	30	3	1	19	9	6	4	3	–	2
Tabes Mesenterica	81	8	7	46	9	10	9	11	6	3
Phthisis	658	58	39	261	133	107	80	70	31	37
Hydrocephalus	223	14	32	81	75	56	28	36	18	8

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—MALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	131	204	117	150	151	107	159	190	280	156	181	200	222
SPECIFIED CAUSES	125	200	116	146	141	105	154	166	278	143	169	186	209
Zymotic Class	25	38	22	32	22	20	46	35	87	38	70	85	25
Uncertain Seat	3	6	3	5	4	2	1	2	13	1	3	6	11
Tubercular Class	24	36	15	23	25	19	25	44	55	29	33	27	54
Brain, etc.	10	21	15	21	9	9	22	13	19	10	7	7	22
Heart, etc.	4	10	12	5	5	6	6	11	7	6	3	5	9
Respiratory Organs	10	24	11	16	30	9	13	15	30	18	17	16	33
Digestive Organs	20	27	13	12	16	9	13	9	18	9	10	13	23
Urinary Organs	1	2	3	6	5	–	3	1	5	3	1	–	7
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	1	2	–	–	–	1	1	2	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	1	7	–	1	–	–	1	–	1	–	2	–
Premature Debility	5	13	2	6	6	4	9	11	16	7	5	6	8
Atrophy	2	1	1	–	–	4	1	–	2	1	1	3	3
Age	12	7	7	13	12	10	6	15	14	15	9	4	8
Sudden Deaths	–	1	–	1	–	1	–	–	–	–	–	–	–
Violent Deaths	6	12	3	6	6	12	8	8	10	5	10	12	6
Small Pox	–	–	–	–	1	–	18	–	–	–	–	–	–
Measles	–	3	1	–	–	1	1	–	4	4	1	7	–
Scarlatina	7	2	1	1	6	–	1	5	16	8	18	44	1
Diphtheria	–	1	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	3	5	2	3	5	11	14	–	12	6	–
Croup	5	10	2	9	2	3	1	2	3	1	3	4	3
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	2	6	5	4	3	8	10	13	8	23	13	8
Dysentery	2	5	–	2	–	–	2	–	14	7	1	1	–
Cholera	–	–	–	3	–	–	1	–	4	1	–	1	–
Influenza	–	1	–	–	–	–	–	–	–	1	–	–	–
Purpura	–	–	–	1	–	–	–	–	–	–	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	1	–	–	–	1	–	1	–	–	–	–
Typhus	6	14	6	6	7	10	7	6	17	8	12	8	9
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	2
Erysipelas	1	–	1	–	–	–	–	1	–	–	–	–	2
Syphilis	–	–	–	–	–	–	1	–	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	5	1	–	3	2	1	1	9	–	1	5	9
Abscess	–	–	–	1	–	–	–	–	2	–	–	1	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	1	–	–	–	–	1	–	1	–	1
Cancer	1	–	2	3	1	–	–	–	1	1	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	3	2	–	–	1	–	7	–	1	2	1	–
Tabes Mesenterica	–	1	1	–	2	–	1	3	3	1	6	–	7
Phthisis	20	25	11	14	13	13	21	24	38	21	19	15	37
Hydrocephalus	3	7	1	9	10	5	3	10	14	6	6	11	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—MALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	27	1	4	18	7	7	2	2	4	–
Apoplexy	88	6	2	43	20	21	11	8	10	8
Paralysis	65	9	5	60	29	17	18	17	5	22
Delirium Tremens	14	–	–	7	2	2	–	4	4	–
Chorea	2	–	–	1	–	–	–	–	–	–
Epilepsy	11	1	–	13	6	4	1	1	3	3
Tetanus	4	1	2	–	–	1	2	–	–	1
Insanity	1	–	2	3	–	1	–	1	–	3
Convulsions	112	1	2	23	33	29	7	3	4	2
Brain Disease	95	9	9	47	14	18	14	11	9	7
V. Pericarditis	5	–	1	2	1	–	–	1	1	–
Aneurism	4	–	–	12	–	6	–	–	–	–
Heart Disease	163	12	4	111	38	28	7	21	13	17
VI. Laryngitis	23	1	–	6	4	2	–	1	1	3
Bronchitis	331	9	15	107	45	56	32	26	16	18
Pleurisy	20	1	–	18	1	8	–	4	1	6
Pneumonia	315	15	8	71	35	27	10	13	17	3
Asthma	53	3	–	16	27	7	3	9	5	4
Lung Disease	37	4	–	14	1	8	5	1	–	2
VII. Teething	224	9	4	24	51	14	26	35	7	22
Quinsey	9	–	–	4	1	1	–	–	–	2
Gastritis	10	–	1	2	4	2	1	2	2	–
Enteritis	131	6	6	25	11	4	27	8	4	2
Peritonitis	20	–	2	10	–	3	–	1	4	–
Ascites	7	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	5	2	5	–	–	4	1
Hernia	6	2	–	3	–	2	–	–	–	1
Ileus	23	3	–	4	3	3	1	1	–	1
Intussusception	4	–	–	1	–	–	–	1	–	–
Stricture of Intestines	1	–	–	2	–	–	–	–	–	–
Stomach Disease	48	3	1	22	9	5	11	2	2	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	1	3	–	1	1	1	–	1
Jaundice	8	–	2	3	8	3	3	1	4	1
Liver Disease	35	2	3	28	3	3	9	3	3	2
Spleen Disease	1	–	–	1	–	–	–	–	–	–
VIII. Nephritis	4	–	–	2	2	1	1	–	–	–
Nephria	11	–	–	8	1	3	–	1	3	3
Ischuria	2	–	–	4	–	1	1	–	–	–
Diabetes	3	–	–	4	–	1	1	1	–	–
Stone	3	–	–	2	3	2	–	–	–	–
Cystitis	4	2	–	–	–	1	1	1	–	1
Stricture of Urethra	–	–	–	1	–	–	–	–	–	1
Kidney Disease	19	1	1	22	3	9	2	–	4	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	1	–	–	–	–	–	–
X. Arthritis	3	–	–	1	–	–	–	1	–	–
Rheumatism	2	–	1	1	1	1	3	–	–	–
Joint and Bone Disease	10	1	1	14	–	2	1	2	1	1
XI. Carbuncle	3	–	–	1	1	1	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	1	1	1	–	–	–	–
XII. Cyanosis	3	–	1	3	1	–	–	1	1	–
Spina Bifida	2	–	–	1	–	2	–	–	–	–
Other Malformations	1	–	–	3	1	–	–	2	–	–
XVII. Intemperance	12	–	–	7	1	1	–	2	–	1
Privation	1	–	–	–	–	–	1	–	–	–
Want of Breast Milk	6	–	–	1	3	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–
Poison	5	–	–	4	1	1	–	1	–	2
Burns and Scalds	28	1	2	7	4	–	4	1	1	–
Hanging, etc.	9	–	–	3	–	–	–	–	–	1
Suffocation	5	–	–	2	–	–	1	1	1	1
Drowning	57	7	2	4	6	10	6	14	11	3
Fracture and Contusion	68	5	7	41	25	7	6	11	9	6
Wounds	5	–	–	13	1	1	–	–	–	–
Other Violent Causes	16	1	2	2	5	–	1	–	5	2
Not Specified	203	58	6	61	38	13	48	33	18	6

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—MALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	5	1	1	1	1	1	1	–	–	–	1	–
Apoplexy	2	2	5	3	3	–	6	–	3	4	2	1	2
Paralysis	2	6	2	5	3	6	4	6	4	2	1	2	8
Delirium Tremens	–	–	2	1	1	–	1	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	3	–	–	1	–	1	1	1	–	1
Tetanus	–	1	–	–	–	1	–	–	1	1	–	–	–
Insanity	–	–	–	2	–	–	–	1	–	–	–	–	–
Convulsions	2	5	1	2	1	–	5	1	6	–	1	3	6
Brain Disease	2	2	4	4	–	1	4	4	4	2	2	–	3
Pericarditis	–	–	–	1	–	–	–	–	–	–	1	–	1
Aneurism	–	–	–	1	–	–	2	1	–	–	–	–	1
Heart Disease	4	10	12	3	5	6	4	10	7	6	2	5	7
Laryngitis	–	–	–	–	–	–	2	–	1	–	–	2	1
Bronchitis	7	16	4	7	12	5	3	3	14	11	4	8	15
Pleurisy	–	3	–	3	–	–	–	1	2	1	–	1	–
Pneumonia	2	5	5	5	16	1	6	7	8	6	4	4	15
Asthma	1	–	1	1	–	1	1	1	2	–	8	1	1
Lung Disease	–	–	1	–	2	2	1	3	3	–	1	–	1
Teething	8	12	6	2	10	3	3	4	1	1	4	2	3
Quinsey	–	–	–	–	–	–	–	–	–	–	1	–	–
Gastritis	–	1	–	–	–	–	–	–	–	–	–	1	–
Enteritis	2	4	–	2	1	1	–	–	9	1	1	2	6
Peritonitis	–	–	–	–	–	2	1	1	1	1	–	1	1
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	1
Ulceration of Intestines	–	1	1	1	1	–	–	–	–	–	–	–	–
Hernia	1	3	1	–	–	–	–	1	–	–	–	–	1
Ileus	–	–	1	2	–	–	–	3	1	2	–	2	3
Intussusception	–	–	–	–	–	–	1	–	1	–	–	–	–
Stricture of Intestines	–	–	–	2	–	–	–	–	–	–	–	–	1
Stomach Disease	7	2	2	1	4	–	5	–	2	3	2	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	–	1	1	–	–	1	1	–	2	1	–	2	–
Liver Disease	2	3	1	2	–	2	2	–	–	–	2	–	5
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	1	1	–	1	–	–	–	–	–	3
Ischuria	–	1	–	1	–	–	–	–	–	1	1	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	1	–	–	–
Cystitis	–	–	1	–	1	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	3	3	–	2	–	4	1	–	–	4
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	1	–	–	–	1	–	1	–	–	–	–
Joint Disease	1	1	1	–	–	–	–	1	1	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	7	–	–	–	–	1	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	1	–	–	1	–	–	–	–	1	–	2	–
Intemperance	1	–	–	2	–	–	–	1	–	–	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	1	–	–	1	–	–
Poison	–	–	–	–	–	–	–	–	1	–	–	1	–
Burns and Scalds	–	–	–	–	–	–	1	2	1	1	1	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	1	–	–	–	–
Suffocation	–	1	1	–	–	–	1	–	–	–	–	–	2
Drowning	2	4	–	1	–	3	–	1	–	–	–	5	–
Fracture and Contusion	–	6	1	1	3	9	5	2	5	3	5	5	3
Wounds	1	1	–	–	1	–	–	–	2	–	–	–	–
Other Violent Causes	–	–	–	1	2	–	–	1	–	1	3	–	–
Not Specified	6	4	1	4	10	2	5	24	2	13	12	14	13

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—FEMALES.

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
ALL CAUSES	5617	347	270	1918	1157	895	710	617	365	387
SPECIFIED CAUSES	5435	317	262	1852	1117	887	673	583	359	377
I. Zymotic Class	1667	87	79	337	269	190	218	171	93	135
II. Diseases of Uncertain Seat	205	12	9	92	65	54	30	17	28	11
III. Tubercular Class	1017	58	59	342	224	202	116	114	63	59
IV. Brain and Nervous System	328	14	21	197	90	85	41	39	41	37
V. Organs of Circulation	152	7	2	108	37	34	9	14	15	13
VI. Respiratory Organs	737	29	24	245	100	98	56	59	32	25
VII. Organs of Digestion	475	22	20	134	82	54	71	50	26	30
VIII. Urinary Organs	18	3	–	27	5	11	2	3	2	4
IX. Organs of Generation	81	5	3	42	18	13	15	7	9	2
X. Organs of Locomotion	13	–	3	3	3	5	2	1	1	–
XI. Skin, etc.	2	–	–	–	–	1	–	–	1	–
XII. Malformation	10	–	3	4	3	1	–	2	–	1
XIII. Premature Debility	280	24	14	81	86	37	24	40	20	7
XIV. Atrophy	66	8	3	20	8	8	8	6	2	4
XV. Age	274	42	18	183	104	86	77	50	16	36
XVI. Sudden Deaths	15	1	–	5	1	2	–	–	–	–
XVII. Violent Deaths	95	5	4	32	22	6	4	10	10	13
I. Small Pox	195	6	1	34	3	1	14	9	32	–
Measles	170	11	14	15	2	39	28	28	6	–
Scarlatina	209	11	13	33	46	18	25	7	14	78
Diphtheria	–	2	–	3	3	1	–	1	1	1
Hooping Cough	263	17	7	77	43	6	43	12	16	5
Croup	53	8	8	30	37	7	9	21	6	9
Thrush	2	–	–	–	–	–	–	1	–	1
Diarrhœa	273	19	10	47	34	34	23	20	4	19
Dysentery	122	3	9	20	13	10	11	4	1	3
Cholera	5	1	1	1	5	2	–	3	–	–
Influenza	21	2	1	–	7	8	1	–	–	2
Purpura	4	–	–	3	2	1	–	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	–	–	–	–
Infantile Fever	5	–	–	1	–	1	1	–	1	–
Typhus	286	7	11	54	64	50	60	51	8	11
Metria	27	–	1	9	2	4	3	4	1	1
Rheumatic Fever	2	–	1	–	2	–	–	1	–	–
Erysipelas	11	–	2	9	1	5	–	5	–	2
Syphilis	12	–	–	1	5	3	–	4	2	3
Noma	3	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	1	1	6	1	2	–	2	1	1
Dropsy	108	4	1	22	36	18	18	7	9	4
Abscess	3	–	–	4	–	2	–	–	–	–
Ulcer	2	1	1	3	1	–	1	–	–	–
Fistula	–	–	–	1	–	–	–	–	–	–
Mortification	9	–	1	5	4	5	1	1	4	1
Cancer	77	6	5	51	23	27	10	7	14	5
Gout	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	–	1	11	7	6	2	3	1	7
Tabes Mesenterica	84	5	4	38	9	4	5	9	4	3
Phthisis	735	47	36	232	167	146	88	83	43	39
Hydrocephalus	171	6	18	61	41	46	21	19	15	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—FEMALES.

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
ALL CAUSES	152	215	138	185	139	90	166	191	298	165	176	215	196
SPECIFIED CAUSES	147	209	136	178	129	87	156	165	296	153	169	195	186
Zymotic Class	22	36	23	31	28	16	55	22	83	48	58	100	30
Uncertain Seat	9	14	7	11	9	5	13	4	17	5	8	6	10
Tubercular Class	22	36	25	38	24	7	27	46	82	30	31	34	36
Brain, etc.	17	20	13	24	11	7	9	14	16	9	8	5	17
Heart, etc.	3	21	10	7	4	9	5	3	7	3	3	–	5
Respiratory Organs	16	26	22	9	18	4	13	21	27	16	12	20	21
Digestive Organs	16	17	13	12	17	10	19	12	17	11	24	8	13
Urinary Organs	–	1	–	–	–	–	1	2	–	1	1	–	1
Generative Organs	3	6	1	–	–	1	2	3	1	7	3	2	2
Locomotive Organs	1	1	1	–	–	–	–	1	1	–	–	–	1
Skin	1	1	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	1	1	–	–	2	–
Premature Debility	5	13	6	4	2	4	5	4	11	2	4	9	15
Atrophy	–	1	1	1	1	2	–	–	1	1	3	2	1
Age	28	13	11	37	11	19	6	27	25	17	14	5	31
Sudden Deaths	1	–	–	–	–	2	–	–	3	–	–	–	–
Violent Deaths	3	3	3	4	3	1	1	5	4	3	–	2	3
Small Pox	–	1	–	–	–	–	21	–	–	–	–	1	–
Measles	–	2	–	–	4	1	–	–	5	8	3	14	–
Scarlatina	4	2	–	5	3	–	1	1	23	8	18	45	3
Diphtheria	–	–	–	–	–	–	–	–	1	–	–	1	–
Hooping Cough	–	–	5	7	7	1	4	4	8	3	11	8	3
Croup	–	4	4	7	3	1	2	–	3	5	–	2	1
Thrush	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	8	4	7	4	2	2	13	8	11	7	15	12	11
Dysentery	2	7	1	1	–	1	1	–	17	9	1	5	3
Cholera	–	–	–	–	–	–	2	2	–	–	1	–	1
Influenza	–	2	–	1	–	–	2	–	–	–	–	–	1
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	5	9	6	6	7	10	8	3	8	8	7	11	5
Metria	–	3	–	–	–	–	–	1	5	–	1	1	–
Rheumatic Fever	–	1	–	–	–	–	–	1	–	–	1	–	–
Erysipelas	3	–	–	–	–	–	1	1	–	–	–	–	2
Syphilis	–	1	–	–	–	–	–	1	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	–	–	–	–	–	–	–	2	–
Dropsy	3	6	4	3	4	–	7	2	10	4	6	3	1
Abscess	–	–	–	–	–	1	–	2	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	1	–	–	–	–
Mortification	2	2	1	–	–	–	1	–	–	–	1	–	–
Cancer	4	5	2	6	5	4	4	–	6	1	1	1	9
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	1	–	–	–	4	–	–	2	2	–
Tabes Mesenterica	1	1	–	–	1	–	1	2	4	3	1	5	2
Phthisis	17	29	16	30	16	3	21	34	57	23	22	25	30
Hydrocephalus	4	6	7	7	7	4	5	6	21	4	6	2	4

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—FEMALES. (*Contd.*)

DISEASES.	Glasgow.	Barony.	Govan.	Edinburgh.	Dundee.	Aberdeen.	Paisley.	Greenock.	Leith.	Perth.
IV. Cephalitis	33	3	1	10	3	4	1	6	2	–
Apoplexy	76	2	3	56	9	25	8	9	17	8
Paralysis	75	6	2	50	27	22	14	9	8	15
Delirium Tremens	2	–	–	–	3	–	1	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–
Epilepsy	17	2	1	12	5	5	1	–	2	3
Tetanus	1	–	–	1	1	–	1	–	–	–
Insanity	–	–	2	4	–	3	–	–	2	1
Convulsions	81	1	5	25	31	15	1	7	6	1
Brain Disease	43	–	7	39	11	11	14	8	3	9
V. Pericarditis	5	–	–	5	1	–	1	–	–	–
Aneurism	8	–	–	3	–	1	–	1	1	1
Heart Disease	139	7	2	100	36	33	8	13	14	12
VI. Laryngitis	15	–	–	10	1	5	–	4	1	–
Bronchitis	375	9	14	118	43	57	32	24	12	13
Pleurisy	14	–	–	15	–	7	–	1	–	1
Pneumonia	223	15	7	62	32	13	14	18	15	4
Asthma	66	2	3	21	21	11	7	9	1	5
Lung Disease	44	3	–	19	3	5	3	3	3	2
VII. Teething	193	9	8	26	44	12	27	20	4	13
Quinsey	8	–	–	1	2	1	–	–	2	1
Gastritis	11	–	–	4	2	1	1	2	2	–
Enteritis	92	5	6	15	12	7	23	10	4	7
Peritonitis	18	–	2	8	5	2	1	2	3	–
Ascites	5	–	1	4	1	1	–	2	1	1
Ulceration of Intestines	7	1	–	4	1	4	–	–	–	–
Hernia	5	–	–	2	–	2	2	1	–	–
Ileus	19	1	–	9	–	7	–	2	1	1
Intussusception	2	–	–	–	–	–	–	–	2	–
Stricture of Intestines	1	–	–	–	–	–	–	1	–	–
Stomach Disease	54	5	2	28	8	6	8	4	3	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–
Hepatitis	11	–	–	2	–	–	2	1	–	6
Jaundice	10	–	–	7	3	6	1	–	3	–
Liver Disease	39	1	1	23	4	5	6	5	1	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	2	–	1	1	–
Nephria	8	1	–	14	2	1	–	–	–	2
Ischuria	–	–	–	3	1	1	–	–	–	–
Diabetes	1	2	–	4	–	1	1	–	–	–
Stone	–	–	–	–	1	–	–	–	–	–
Cystitis	–	–	–	2	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	4	1	5	1	2	1	2
IX. Paramenia	4	–	–	2	2	–	2	–	–	–
Ovarian Dropsy	7	–	–	11	–	5	–	2	–	1
Childbirth	58	5	3	21	15	2	11	3	7	–
Organs of Generation	12	–	–	8	1	6	2	2	2	1
X. Arthritis	2	–	–	–	1	–	–	–	–	–
Rheumatism	6	–	–	1	1	4	1	1	1	–
Joint and Bone Disease	5	–	3	2	1	1	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	–	1	–	–	1	–
XII. Cyanosis	3	–	3	2	1	–	–	1	–	–
Spina Bifida	3	–	–	2	1	1	–	–	–	1
Other Malformations	4	–	–	–	1	–	–	1	–	–
XVII. Intemperance	8	–	1	3	–	–	–	–	1	5
Privation	–	1	–	2	–	–	–	–	–	1
Want of Breast Milk	3	–	–	1	2	–	–	–	2	–
Neglect	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	–	–
Poison	6	–	–	4	–	1	–	1	–	1
Burns and Scalds	20	1	1	4	6	1	2	1	2	1
Hanging, etc.	3	–	–	–	1	–	–	–	–	–
Suffocation	3	–	–	2	1	1	–	–	1	1
Drowning	15	1	2	1	2	2	1	1	1	2
Fracture and Contusion	30	1	–	13	7	–	–	1	3	2
Wounds	1	–	–	1	2	–	1	3	–	–
Other Violent Causes	5	1	–	–	1	1	–	3	–	–
Not Specified	182	30	8	66	40	8	37	34	6	10

CAUSES of DEATH in the TOWNS of SCOTLAND during the YEAR 1857.—FEMALES. (*Contd.*)

DISEASES.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Ayr.	Kilmarnock.	Hamilton.	Airdrie.	Coatbridge, etc.	Dumfries.
Cephalitis	2	3	2	–	–	–	–	1	2	1	–	–	–
Apoplexy	2	4	4	10	3	2	1	4	1	3	5	1	6
Paralysis	9	8	1	3	5	3	8	4	4	2	–	1	7
Delirium Tremens	1	–	–	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	1	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	2	–	–	–	–	–	–	–	–	–
Convulsions	3	2	2	–	2	–	–	2	5	–	1	1	–
Brain Disease	–	3	4	8	1	2	–	1	4	3	2	1	4
Pericarditis	1	1	–	–	–	–	–	–	1	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	2	20	10	7	4	9	5	3	6	3	2	–	4
Laryngitis	–	1	–	–	1	1	2	–	–	–	–	–	–
Bronchitis	7	17	9	6	11	2	5	10	19	8	4	10	11
Pleurisy	–	3	5	–	–	–	–	2	1	1	–	1	–
Pneumonia	2	4	6	1	6	–	2	5	4	5	4	7	7
Asthma	7	1	1	–	–	1	–	3	2	–	3	2	2
Lung Disease	–	–	1	2	–	–	4	1	1	2	1	–	1
Teething	8	8	2	1	5	1	5	2	4	2	5	3	1
Quinsey	–	–	–	–	–	–	2	–	–	–	–	–	–
Gastritis	–	–	–	1	–	1	–	2	–	–	1	1	–
Enteritis	4	1	1	2	1	1	–	–	7	1	2	–	5
Peritonitis	–	1	–	–	–	–	1	–	1	1	–	–	–
Ascites	–	–	–	–	1	–	1	–	–	–	2	–	–
Ulceration of Intestines	–	–	2	3	–	–	1	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	1	–	–
Ileus	–	1	1	–	1	–	1	1	1	1	–	1	2
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	–	–	–	1	–	–	–
Stomach Disease	3	1	5	2	3	5	6	3	1	3	8	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	1	–	–	1	1	–
Jaundice	–	1	–	–	–	1	1	–	2	–	–	–	–
Liver Disease	1	4	1	3	5	1	1	3	1	2	4	–	3
Spleen Disease	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	1	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	–	–	1	1	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–
Childbirth	2	5	–	–	–	1	1	1	–	7	3	2	2
Organs of Generation	–	1	1	–	–	–	1	1	1	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	1	1	–	–	–	–
Joint Disease	–	1	1	–	–	–	–	–	–	–	–	–	1
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	1	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	1	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	1	1	–	–	1	–
Intemperance	–	–	–	–	–	–	–	–	–	1	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	–	–	–	1	–	1	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	1
Burns and Scalds	1	1	–	2	1	–	–	3	1	1	–	2	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	1	–	–	–	–	–
Drowning	–	–	–	–	–	1	–	–	–	–	–	–	–
Fracture and Contusion	2	1	1	1	1	–	–	1	1	1	–	–	1
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	1	–	–	–	–	1	–	–	–	–
Not Specified	5	6	2	7	10	3	10	26	2	12	7	20	10

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	61906	6052	1980	4159	5877	2758	1752	1265	2954	1525	2070	2342	2123
Specified Causes	58011	4705	1605	3777	5531	2605	1661	1201	2812	1457	2002	2259	2042
I. Zymotic Class	14046	644	538	1376	2383	1410	936	722	1419	489	453	428	346
II. Diseases of Uncertain Seat	2418	38	7	14	38	30	29	33	62	35	57	39	60
III. Tubercular Class	10326	144	256	716	1071	475	299	189	664	451	885	1124	902
IV. Brain and Nervous System	4789	343	125	206	200	104	70	55	165	106	111	104	129
V. Organs of Circulation	2117	13	5	6	9	5	6	8	36	42	66	76	89
VI. Respiratory Organs	6256	322	280	573	709	313	173	92	198	79	90	151	142
VII. Organs of Digestion	5007	416	208	725	893	146	55	33	102	75	105	104	98
VIII. Urinary Organs	621	5	–	6	3	–	3	5	16	17	28	19	25
IX. Organs of Generation	472	–	–	–	–	–	–	–	–	3	22	58	78
X. Organs of Locomotion	247	1	–	2	1	1	2	2	17	25	27	10	14
XI. Skin, etc.	54	12	2	5	6	2	–	–	1	1	–	1	1
XII. Malformation	154	128	7	13	3	–	1	–	1	–	1	–	–
XIII. Premature Debility	2787	2535	149	103	–	–	–	–	–	–	–	–	–
XIV. Atrophy	502	–	–	5	136	57	23	13	28	15	12	6	9
XV. Age	6009	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	138	18	10	6	2	–	1	–	1	3	2	2	3
XVII. Violent Deaths	2068	86	18	21	77	62	63	49	102	116	143	137	146
I. Small Pox	845	66	54	144	191	94	61	47	58	16	13	36	25
Measles	1028	19	29	158	380	185	102	62	78	4	6	1	1
Scarlatina	2235	12	27	144	343	378	312	253	526	107	54	26	18
Diphtheria	76	3	1	9	11	6	5	5	11	8	5	–	2
Hooping Cough	1539	93	107	352	482	227	119	78	77	2	–	1	–
Croup	1072	66	36	83	278	220	154	119	105	6	1	1	–
Thrush	36	22	4	5	5	–	–	–	–	–	–	–	–
Diarrhœa	2071	224	185	284	399	105	27	24	52	11	11	23	18
Dysentery	929	12	22	63	76	28	23	7	29	15	24	17	28
Cholera	170	9	7	18	34	6	4	4	14	6	1	5	4
Influenza	285	14	14	10	13	6	4	4	4	4	1	5	3
Purpura	50	1	3	6	3	2	2	2	1	3	7	2	1
Ague	3	–	–	–	–	–	–	–	–	–	–	1	–
Worms	35	–	1	1	5	3	7	2	16	–	–	–	–
Infantile Fever	76	8	11	13	24	9	3	5	3	–	–	–	–
Typhus	3087	9	15	60	125	136	109	107	426	293	310	267	195
Metria	145	–	–	–	–	–	–	–	–	–	5	32	35
Rheumatic Fever	58	–	–	–	1	–	1	–	10	5	8	4	1
Erysipelas	204	48	11	12	6	4	2	3	5	8	6	3	8
Syphilis	90	37	11	13	5	–	–	–	–	–	1	4	7
Noma	11	1	–	–	2	1	1	–	4	1	–	–	–
Hydrophobia	1	–	–	1	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	94	15	1	1	1	–	–	3	4	–	8	2	5
Dropsy	1088	2	3	8	19	24	27	26	45	25	29	23	30
Abscess	76	5	1	1	3	1	–	2	5	1	8	5	7
Ulcer	37	4	–	1	–	–	–	1	–	2	1	1	–
Fistula	7	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	150	10	2	2	11	4	2	–	5	2	6	5	–
Cancer	960	2	–	1	4	–	–	1	3	5	5	3	18
Gout	6	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	431	9	5	14	31	24	13	10	48	45	46	46	27
Tabes Mesenterica	706	45	38	87	237	74	48	22	58	30	20	16	6
Phthisis	7184	26	57	135	263	168	105	60	318	317	801	1056	869
Hydrocephalus	2005	64	156	480	540	209	133	97	240	59	18	6	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1921	1774	1820	1819	1929	2135	2499	2621	3051	2934	2448	1296	506	147	36	113
Specified Causes	1860	1712	1754	1730	1812	1998	2355	2620	3050	2934	2448	1295	506	147	36	97
Zymotic Class	268	231	228	239	256	258	258	272	291	289	178	89	25	10	1	9
Uncertain Seat	74	84	140	158	199	203	265	246	232	186	131	41	10	5	–	2
Tubercular Class	716	545	471	367	315	263	200	143	66	37	10	4	–	–	–	13
Brain, etc.	128	168	204	190	206	292	325	411	425	361	250	81	17	6	–	7
Heart, etc.	118	115	122	146	154	204	239	220	197	130	84	17	5	2	–	3
Respiratory Organs	136	144	211	240	262	329	429	414	364	339	168	72	14	7	1	4
Digestive Organs	138	146	149	176	213	222	255	249	230	149	78	30	5	2	–	5
Urinary Organs	40	20	25	34	31	34	49	48	83	65	40	18	4	3	–	–
Generative Organs	86	90	51	24	16	13	7	13	6	4	–	–	–	–	–	1
Locomotive Organs	4	11	4	12	15	13	13	23	19	16	10	3	1	–	–	1
Skin	–	–	–	–	1	3	2	3	5	4	1	2	–	1	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	13	16	20	19	37	64	29	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	190	497	1054	1307	1464	921	422	111	34	9
Sudden Deaths	6	8	8	7	9	13	9	12	11	2	5	–	–	–	–	–
Violent Deaths	133	134	121	118	98	87	85	69	67	45	29	17	3	–	–	42
Small Pox	10	9	7	5	3	6	–	–	–	–	–	–	–	–	–	–
Measles	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	15	4	5	2	2	1	3	–	–	1	–	–	–	–	–	2
Diphtheria	1	–	–	–	3	1	2	2	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Croup	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	22	32	35	47	63	62	83	93	111	78	35	11	5	1	3
Dysentery	19	25	43	45	53	54	67	76	72	62	34	26	7	2	–	–
Cholera	4	2	9	8	4	8	9	1	8	3	2	–	–	–	–	–
Influenza	–	2	2	6	10	13	14	19	45	44	31	12	5	–	–	–
Purpura	1	1	1	3	2	2	2	3	–	–	2	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	140	117	108	115	125	96	88	81	65	58	26	10	1	2	–	3
Metria	35	31	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	5	3	4	–	2	2	2	3	2	–	1	–	–	–	–
Erysipelas	4	11	7	14	7	10	8	5	4	7	4	5	1	1	–	–
Syphilis	5	1	4	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	6	6	9	5	7	4	10	4	1	2	–	–	–	–	–	–
Dropsy	29	28	37	48	87	66	106	103	122	103	67	22	5	2	–	2
Abscess	3	2	4	6	3	1	5	3	2	5	2	1	–	–	–	–
Ulcer	–	1	1	2	2	1	4	6	4	2	3	1	–	–	–	–
Fistula	–	–	1	1	2	–	1	–	–	–	1	–	–	–	–	–
Mortification	2	5	4	1	6	4	4	9	17	12	24	8	4	1	–	–
Cancer	34	42	84	93	92	126	135	118	86	62	34	9	1	2	–	–
Gout	–	–	–	2	–	1	–	3	–	–	–	–	–	–	–	–
Scrofula	19	16	18	18	10	10	8	9	2	1	2	–	–	–	–	–
Tabes Mesenterica	6	3	3	3	2	2	3	2	1	–	–	–	–	–	–	–
Phthisis	691	526	450	346	303	251	187	132	63	36	8	4	–	–	–	12
Hydrocephalus	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	325	8	15	28	34	19	15	10	40	25	28	25	18
Apoplexy	1054	7	10	27	15	7	8	6	14	9	17	11	24
Paralysis	1447	–	–	–	1	2	3	–	7	7	8	12	17
Delirium Tremens	86	–	–	–	–	–	–	–	–	–	–	1	15
Chorea	5	1	1	–	–	–	–	–	1	–	–	1	–
Epilepsy	218	3	–	3	1	7	2	4	9	14	16	18	16
Tetanus	62	13	–	1	1	2	1	1	8	7	3	1	3
Insanity	59	–	–	–	–	–	–	–	1	1	1	5	4
Convulsions	703	291	82	113	104	53	24	15	20	1	–	–	–
Brain Disease	830	20	17	34	44	14	17	19	65	42	38	30	32
V. Pericarditis	77	2	–	2	2	1	2	2	11	5	11	2	4
Aneurism	70	–	–	–	–	–	–	–	–	–	1	1	5
Heart Disease	1970	11	5	4	7	4	4	6	25	37	54	73	80
VI. Laryngitis	178	7	9	14	28	18	15	13	16	4	–	6	5
Bronchitis	2867	169	144	330	351	148	73	37	71	24	26	33	38
Pleurisy	319	19	5	3	10	7	8	6	14	5	7	8	13
Pneumonia	1890	116	110	215	292	125	74	32	77	33	43	76	56
Asthma	645	1	1	3	3	3	–	–	3	1	1	5	10
Lung Disease	357	10	11	8	25	12	3	4	17	12	13	23	20
VII. Teething	1341	4	54	537	682	59	5	–	–	–	–	–	–
Quinsey	65	5	5	8	8	5	3	3	5	2	1	4	2
Gastritis	162	11	5	6	9	7	3	2	5	2	2	5	6
Enteritis	962	223	94	99	110	39	16	19	38	19	29	18	15
Peritonitis	227	16	7	8	8	4	1	1	8	12	16	17	17
Ascites	98	2	–	2	1	–	3	–	5	2	8	1	–
Ulceration of Intestines	156	2	–	4	9	2	3	–	6	4	3	9	9
Hernia	86	6	–	–	1	–	–	1	–	1	1	1	–
Ileus	287	26	8	7	5	–	2	1	7	5	6	11	7
Intussusception	35	1	5	2	–	–	–	–	–	1	1	1	1
Stricture of Intestines	20	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	733	50	25	42	51	16	14	5	15	12	11	16	17
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	125	1	–	4	2	3	–	–	3	3	2	4	6
Jaundice	190	57	2	3	4	5	1	1	3	2	–	2	3
Liver Disease	504	12	3	3	3	5	4	–	6	9	23	15	12
Spleen Disease	15	–	–	–	–	1	–	–	1	1	2	–	2
VIII. Nephritis	33	1	–	–	–	–	1	1	3	1	–	2	2
Nephria	109	–	–	1	–	–	–	1	3	4	8	10	6
Ischuria	45	1	–	1	1	–	–	–	–	1	1	–	1
Diabetes	53	–	–	–	–	–	–	–	–	4	9	4	8
Stone	65	1	–	–	–	–	–	1	–	–	–	–	–
Cystitis	50	–	–	1	–	–	–	–	–	–	1	1	2
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	262	2	–	3	2	–	2	2	10	7	9	2	6
IX. Paramenia	26	–	–	–	–	–	–	–	–	3	8	1	3
Ovarian Dropsy	61	–	–	–	–	–	–	–	–	–	3	–	8
Childbirth	304	–	–	–	–	–	–	–	–	–	11	50	59
Organs of Generation	81	–	–	–	–	–	–	–	–	–	–	7	8
X. Arthritis	20	–	–	1	–	–	2	–	2	3	4	–	1
Rheumatism	111	–	–	–	–	–	–	–	3	3	3	2	2
Joint and Bone Disease	116	1	–	1	1	1	–	2	12	19	20	8	11
XI. Carbuncle	18	2	1	–	1	1	–	–	–	–	–	–	–
Phlegmon	8	2	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	28	8	1	5	5	1	–	–	–	1	–	1	1
XII. Cyanosis	62	54	–	6	2	–	–	–	–	–	–	–	–
Spina Bifida	33	27	4	2	–	–	–	–	–	–	–	–	–
Other Malformations	59	47	3	5	1	–	1	–	1	–	1	–	–
XVII. Intemperance	85	–	–	–	–	–	–	–	–	1	–	3	4
Privation	8	1	–	–	–	1	1	–	–	–	1	–	2
Want of Breast Milk	36	26	9	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	31	1	2	–	1	–	–	1	–	1	–	1	3
Poison	52	5	–	1	1	1	1	2	1	1	3	1	6
Burns and Scalds	288	4	2	9	46	33	42	23	31	7	7	5	10
Hanging, etc.	45	–	–	–	–	–	–	–	–	–	–	6	2
Suffocation	69	25	5	5	2	3	1	–	2	1	3	1	1
Drowning	541	–	–	–	16	16	4	12	26	35	62	58	50
Fracture and Contusion	705	3	–	3	9	8	14	8	34	56	54	49	57
Wounds	87	1	–	–	–	–	–	–	2	6	7	6	7
Other Violent Causes	121	20	–	2	2	–	–	3	6	8	6	7	4
Not Specified	3895	1347	375	382	346	153	91	64	142	68	68	83	81

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	13	11	9	5	8	1	2	5	3	2	1	–	–	–	–	–
Apoplexy	24	46	44	64	63	102	116	117	132	106	62	19	2	–	–	2
Paralysis	19	32	51	48	66	97	145	224	240	220	169	57	13	6	–	3
Delirium Tremens	8	15	20	9	7	4	2	3	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	22	22	11	14	12	22	5	7	4	3	2	1	–	–	–	–
Tetanus	2	–	4	5	–	2	2	2	3	–	1	–	–	–	–	–
Insanity	3	9	5	6	7	2	4	4	3	2	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	37	33	60	39	42	62	49	49	38	28	14	3	2	–	–	2
Pericarditis	7	4	5	2	2	2	1	5	3	–	2	–	–	–	–	–
Aneurism	3	7	7	5	10	4	7	7	3	6	3	–	–	1	–	–
Heart Disease	108	104	110	139	142	198	231	208	191	124	79	17	5	1	–	3
Laryngitis	6	5	6	1	4	8	3	2	6	2	–	–	–	–	–	–
Bronchitis	33	36	76	91	96	143	182	205	192	195	100	54	12	6	1	1
Pleurisy	14	13	12	19	18	20	22	21	36	25	10	3	–	–	–	1
Pneumonia	56	61	59	58	54	60	85	72	53	45	26	10	1	1	–	–
Asthma	15	10	36	49	68	74	110	88	65	67	25	5	–	–	–	2
Lung Disease	12	19	22	22	22	24	27	26	12	5	7	–	1	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	2	–	1	2	2	1	2	2	–	1	–	–	1	–	–
Gastritis	10	5	7	11	7	9	14	16	11	3	5	–	1	–	–	–
Enteritis	17	29	21	16	20	25	24	25	26	20	13	5	–	–	–	2
Peritonitis	15	8	14	11	13	10	14	6	9	8	2	2	–	–	–	–
Ascites	4	7	7	7	10	6	11	8	7	1	4	1	1	–	–	–
Ulceration of Intestines	6	12	9	7	14	11	11	14	11	5	4	–	–	–	–	1
Hernia	2	3	3	3	7	5	13	12	9	10	5	3	–	–	–	–
Ileus	8	8	10	13	20	16	21	33	36	19	10	5	3	–	–	–
Intussusception	–	1	1	3	2	2	2	3	4	4	–	1	–	–	–	–
Stricture of Intestines	–	1	1	4	2	1	5	1	2	1	1	–	–	–	–	–
Stomach Disease	26	27	34	33	47	51	64	66	48	42	11	7	–	1	–	2
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hepatitis	11	9	14	10	12	10	8	4	10	6	1	2	–	–	–	–
Jaundice	4	3	1	7	9	14	14	16	15	14	9	1	–	–	–	–
Liver Disease	35	30	27	48	48	58	50	43	40	15	12	3	–	–	–	–
Spleen Disease	–	1	–	2	–	2	2	–	–	1	–	–	–	–	–	–
Nephritis	1	1	–	5	1	1	1	2	4	5	1	–	–	–	–	–
Nephria	12	9	9	6	7	9	6	2	6	7	2	1	–	–	–	–
Ischuria	1	–	1	1	2	3	4	7	4	6	7	2	–	1	–	–
Diabetes	5	3	2	6	5	2	1	3	1	–	–	–	–	–	–	–
Stone	4	–	–	–	1	3	6	8	16	12	9	3	1	–	–	–
Cystitis	4	–	3	–	1	3	4	2	14	10	2	1	–	1	–	–
Stricture of Urethra	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Kidney Disease	13	7	8	16	14	13	26	23	38	25	19	11	3	1	–	–
Paramenia	4	1	4	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	7	7	10	5	6	2	5	2	3	–	–	–	–	–	–
Childbirth	73	68	34	7	–	–	*1	–	–	–	–	–	–	–	–	1
Organs of Generation	6	14	6	7	9	7	4	8	4	1	–	–	–	–	–	–
Arthritis	1	–	–	1	1	1	–	2	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	6	10	8	10	19	17	15	8	3	1	–	–	1
Joint Disease	3	11	4	5	4	4	3	2	2	1	1	–	–	–	–	–
Carbuncle	–	–	–	–	1	1	1	1	2	2	1	2	–	1	–	1
Phlegmon	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	12	7	5	14	16	10	5	3	5	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	2	1	2	1	5	3	1	1	2	–	–	–	–	–	–
Poison	2	5	6	4	6	3	2	–	1	–	–	–	–	–	–	–
Burns and Scalds	3	3	6	6	7	4	1	9	14	9	6	–	–	–	–	1
Hanging, etc.	2	6	3	4	5	5	3	5	3	1	–	–	–	–	–	–
Suffocation	5	2	2	2	2	–	1	–	2	1	1	–	–	–	–	2
Drowning	34	37	44	31	25	18	22	11	6	3	3	–	1	–	–	27
Fracture and Contusion	48	55	42	45	24	32	37	31	28	24	17	17	2	–	–	8
Wounds	10	10	3	5	7	5	6	2	5	3	1	–	–	–	–	1
Other Violent Causes	14	7	9	5	5	4	5	6	2	2	1	–	–	–	–	3
Not Specified	61	62	66	89	117	137	144	1	1	–	–	1	–	–	–	16

* "An extra-uterine pregnancy for 35 years;" age 63.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	30937	3507	1124	2172	3092	1364	925	643	1495	770	1077	1216	1049
SPECIFIED CAUSES	28885	2744	917	1964	2908	1290	865	608	1435	739	1044	1170	1006
I. Zymotic Class	6846	379	296	682	1256	682	481	340	689	216	211	210	138
II. Diseases of Uncertain Seat	923	20	5	7	22	15	12	19	35	14	30	14	24
III. Tubercular Class	5184	90	150	382	590	252	156	109	340	206	412	583	438
IV. Brain and Nervous System	2544	190	72	105	103	60	41	33	91	67	62	51	81
V. Organs of Circulation	1108	11	2	3	4	2	5	6	21	16	34	35	36
VI. Respiratory Organs	3278	200	162	308	381	139	93	47	95	42	54	90	82
VII. Organs of Digestion	2605	263	123	398	437	72	28	21	54	46	69	54	51
VIII. Urinary Organs	455	3	–	3	2	–	2	4	12	8	16	8	15
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	134	1	–	1	–	1	1	1	13	15	18	8	11
XI. Skin, etc.	26	7	1	1	5	–	–	–	1	–	–	–	–
XII. Malformation	86	74	4	6	1	–	–	–	1	–	–	–	–
XIII. Premature Debility	1590	1453	87	50	–	–	–	–	–	–	–	–	–
XIV. Atrophy	222	–	–	3	65	30	12	8	14	9	5	1	4
XV. Age	2304	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	69	5	5	3	–	–	1	–	1	1	2	1	1
XVII. Violent Deaths	1509	48	10	12	42	37	33	20	68	99	131	115	125
I. Small Pox	440	35	29	72	103	44	34	20	29	6	4	23	14
Measles	509	9	12	84	203	87	43	28	35	3	2	1	1
Scarlatina	1133	9	15	71	193	184	176	125	256	47	26	9	3
Diphtheria	35	1	–	3	4	2	2	1	7	4	4	–	1
Hooping Cough	692	42	65	156	208	100	56	34	29	1	–	–	–
Croup	556	35	22	40	155	104	78	60	52	5	1	1	–
Thrush	24	16	3	1	4	–	–	–	–	–	–	–	–
Diarrhœa	1070	155	100	153	215	59	16	15	36	5	7	9	7
Dysentery	398	7	7	28	51	15	9	5	20	9	11	7	8
Cholera	107	6	5	13	23	4	1	2	10	4	–	3	4
Influenza	110	6	8	5	9	3	1	1	2	2	1	2	1
Purpura	28	–	2	4	2	1	1	–	–	1	5	2	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	19	–	–	1	3	1	4	1	9	–	–	–	–
Infantile Fever	51	6	7	9	14	7	3	2	3	–	–	–	–
Typhus	1483	7	8	25	63	68	56	45	191	123	143	147	88
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	24	–	–	–	–	–	–	–	6	2	4	2	1
Erysipelas	116	27	7	8	4	3	1	1	3	3	3	2	5
Syphilis	45	17	6	8	2	–	–	–	–	–	–	2	5
Noma	4	1	–	–	–	–	–	–	1	1	–	–	–
Hydrophobia	1	–	–	1	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	48	6	1	1	1	–	–	2	–	–	5	–	2
Dropsy	439	2	2	4	11	12	11	15	28	10	14	8	8
Abscess	41	3	1	–	2	–	–	1	2	–	7	3	4
Ulcer	16	3	–	–	–	–	–	–	–	1	–	–	–
Fistula	5	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	61	4	1	1	5	2	1	–	3	–	3	1	–
Cancer	308	2	–	1	3	–	–	1	2	3	1	2	10
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	248	4	2	7	15	12	6	7	28	31	27	30	15
Tabes Mesenterica	384	29	13	44	128	51	30	10	32	18	9	7	3
Phthisis	3435	13	30	64	142	78	58	33	160	127	366	543	420
Hydrocephalus	1117	44	105	267	305	111	62	59	120	30	10	3	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	900	851	872	969	979	1058	1176	1227	1365	1280	996	533	176	43	10	68
SPECIFIED CAUSES	870	825	846	932	926	1000	1107	1226	1364	1280	996	532	176	43	10	62
Zymotic Class	122	92	113	127	124	122	113	113	119	114	63	30	7	1	–	6
Uncertain Seat	27	21	45	60	74	75	94	92	78	74	49	12	1	2	–	2
Tubercular Class	320	246	199	177	160	134	101	77	33	17	3	2	–	–	–	7
Brain, etc.	74	98	122	114	109	144	162	205	210	189	125	28	4	3	–	1
Heart, etc.	55	61	58	79	89	112	125	120	105	66	51	9	3	–	–	–
Respiratory Organs	67	73	109	147	142	182	205	209	180	156	73	32	3	4	–	3
Digestive Organs	57	90	68	92	108	110	118	114	106	71	34	15	3	1	–	2
Urinary Organs	21	13	19	21	25	20	39	36	71	57	35	18	4	3	–	–
Generative Organs	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	8	2	5	7	6	5	10	9	4	4	1	–	–	–	1
Skin	–	–	–	–	1	1	2	1	2	3	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	7	8	9	13	20	12	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	70	197	411	509	545	379	151	29	10	3
Sudden Deaths	5	5	5	5	4	6	5	7	4	1	2	–	–	–	–	–
Violent Deaths	118	111	98	96	68	68	56	45	36	19	11	6	–	–	–	37
Small Pox	6	7	4	2	2	6	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	9	2	2	1	1	1	–	–	–	1	–	–	–	–	–	2
Diphtheria	–	–	–	–	1	–	2	2	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Croup	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	15	5	15	22	19	29	30	32	38	45	27	11	4	–	–	1
Dysentery	9	14	23	8	28	25	23	24	26	25	8	6	2	–	–	–
Cholera	3	–	5	6	2	3	6	–	5	1	1	–	–	–	–	–
Influenza	–	1	–	3	4	3	6	7	14	11	12	7	1	–	–	–
Purpura	1	1	–	3	1	1	1	1	–	–	1	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	72	55	55	69	62	46	38	44	32	27	13	3	–	1	–	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	2	1	–	1	2	–	1	–	–	–	–	–	–	–
Erysipelas	3	5	4	11	4	6	4	3	2	3	1	3	–	–	–	–
Syphilis	1	–	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	4	6	3	3	1	5	3	1	1	–	–	–	–	–	–
Dropsy	13	11	13	22	32	24	42	41	43	41	24	5	1	–	–	2
Abscess	1	–	3	2	2	1	2	1	2	3	1	–	–	–	–	–
Ulcer	–	1	1	–	1	–	3	4	1	–	1	–	–	–	–	–
Fistula	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–	–
Mortification	1	1	3	–	3	2	2	4	7	4	9	3	–	1	–	–
Cancer	9	4	18	30	32	46	40	37	24	25	13	4	–	1	–	–
Gout	–	–	–	2	–	1	–	2	–	–	–	–	–	–	–	–
Scrofula	15	10	11	10	6	6	2	2	1	–	1	–	–	–	–	–
Tabes Mesenterica	3	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Phthisis	302	235	187	166	153	127	98	74	32	17	2	2	–	–	–	6
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	172	5	5	12	13	10	7	7	23	15	18	10	12
Apoplexy	529	6	4	16	5	3	4	3	7	5	8	7	11
Paralysis	710	–	–	–	1	–	2	–	4	2	4	9	10
Delirium Tremens	71	–	–	–	–	–	–	–	–	–	–	1	13
Chorea	4	1	1	–	–	–	–	–	–	–	–	1	–
Epilepsy	116	2	–	2	–	7	1	3	4	8	8	6	9
Tetanus	37	5	–	1	1	1	1	–	4	6	2	1	3
Insanity	30	–	–	–	–	–	–	–	–	1	1	2	2
Convulsions	396	160	53	57	59	29	15	10	12	1	–	–	–
Brain Disease	479	11	9	17	24	10	11	10	37	29	21	14	21
V. Pericarditis	38	2	–	1	1	–	2	1	4	3	3	1	2
Aneurism	40	–	–	–	–	–	–	–	–	–	1	–	3
Heart Disease	1030	9	2	2	3	2	3	5	17	13	30	34	31
VI. Laryngitis	94	4	5	6	18	6	8	8	6	1	–	2	3
Bronchitis	1388	111	83	185	172	70	34	17	33	12	11	15	13
Pleurisy	175	12	3	1	8	2	4	2	4	2	7	6	8
Pneumonia	1099	65	65	107	173	58	45	18	40	21	29	55	36
Asthma	332	1	–	1	2	2	–	–	2	1	1	1	6
Lung Disease	190	7	6	8	8	1	2	2	10	5	6	11	16
VII. Teething	706	2	31	303	342	25	3	–	–	–	–	–	–
Quinsey	32	3	2	4	3	3	–	3	2	1	–	2	1
Gastritis	87	6	4	4	2	6	3	1	1	–	1	1	4
Enteritis	524	142	60	52	50	18	8	9	24	11	20	10	6
Peritonitis	108	14	6	2	3	2	1	1	3	5	7	5	10
Ascites	39	1	–	2	–	–	2	–	3	1	4	1	–
Ulceration of Intestines	95	1	–	2	5	1	2	–	3	3	2	6	2
Hernia	48	6	–	–	1	–	–	1	–	1	1	1	–
Ileus	156	18	3	3	2	–	2	–	4	4	4	7	4
Intussusception	21	1	2	2	–	–	–	–	–	1	1	1	–
Stricture of Intestines	11	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	362	29	12	19	23	10	6	5	6	8	7	9	11
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	69	–	–	2	1	2	–	–	2	1	2	2	3
Jaundice	96	33	–	3	3	3	–	1	2	2	–	–	1
Liver Disease	243	7	3	–	2	2	1	–	3	7	18	9	7
Spleen Disease	8	–	–	–	–	–	–	–	1	1	2	–	1
VIII. Nephritis	24	–	–	–	–	–	–	1	1	1	–	2	2
Nephria	62	–	–	–	–	–	–	–	3	3	3	4	4
Ischuria	37	1	–	1	1	–	–	–	–	–	1	–	1
Diabetes	30	–	–	–	–	–	–	–	–	1	6	1	2
Stone	60	1	–	–	–	–	–	1	–	–	–	–	–
Cystitis	41	–	–	1	–	–	–	–	–	–	1	–	1
Stricture of Urethra	4	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	197	1	–	1	1	–	2	2	8	3	5	1	5
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	12	–	–	–	–	–	1	–	2	2	4	–	–
Rheumatism	47	–	–	–	–	–	–	–	2	1	3	2	2
Joint and Bone Disease	75	1	–	1	–	1	–	1	9	12	11	6	9
XI. Carbuncle	10	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	12	5	1	1	4	–	–	–	–	–	–	–	–
XII. Cyanosis	38	34	–	4	–	–	–	–	–	–	–	–	–
Spina Bifida	17	15	1	1	–	–	–	–	–	–	–	–	–
Other Malformations	31	25	3	1	1	–	–	–	1	–	–	–	–
XVII. Intemperance	56	–	–	–	–	–	–	–	–	1	–	2	2
Privation	3	–	–	–	–	1	–	–	–	–	1	–	1
Want of Breast Milk	20	15	4	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	19	–	1	–	–	–	–	–	–	1	–	1	3
Poison	26	4	–	1	–	1	1	–	1	1	2	–	1
Burns and Scalds	126	–	1	6	21	19	17	8	12	4	3	5	6
Hanging, etc.	30	–	–	–	–	–	–	–	–	–	–	4	2
Suffocation	43	14	4	2	2	1	1	–	2	–	3	1	–
Drowning	462	–	–	–	11	11	3	5	22	29	59	47	46
Fracture and Contusion	567	3	–	1	7	4	11	4	24	50	51	46	54
Wounds	68	–	–	–	–	–	–	–	2	5	6	4	7
Other Violent Causes	89	12	–	1	1	–	–	3	5	8	6	5	3
Not Specified	2052	763	207	208	184	74	60	35	60	31	33	46	43

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	6	5	3	6	–	–	3	2	2	1	–	–	–	–	–
Apoplexy	11	24	23	38	30	49	55	66	64	55	28	6	1	–	–	–
Paralysis	13	14	33	31	30	40	71	104	116	115	84	21	3	3	–	–
Delirium Tremens	5	10	15	9	7	4	2	3	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	14	5	6	6	16	2	3	3	1	2	–	–	–	–	–
Tetanus	1	–	2	3	–	1	2	1	1	–	1	–	–	–	–	–
Insanity	3	4	2	5	2	1	1	2	2	2	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	26	26	37	19	27	33	29	23	20	14	9	1	–	–	–	1
Pericarditis	3	3	2	–	2	2	–	3	2	–	1	–	–	–	–	–
Aneurism	2	4	6	3	4	2	4	3	2	4	2	–	–	–	–	–
Heart Disease	50	54	50	76	83	108	121	114	101	62	48	9	3	–	–	–
Laryngitis	4	3	4	–	2	5	3	2	3	1	–	–	–	–	–	–
Bronchitis	7	17	37	49	42	76	68	92	83	89	42	24	2	4	–	–
Pleurisy	9	6	8	8	9	13	8	15	17	16	5	1	–	–	–	1
Pneumonia	37	33	38	40	33	39	60	37	30	25	11	4	–	–	–	–
Asthma	5	5	14	34	39	38	50	49	40	24	12	3	–	–	–	2
Lung Disease	5	9	8	16	17	11	16	14	7	1	3	–	1	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	2	1	1	2	–	1	–	–	–	–	–
Gastritis	5	1	3	8	6	4	11	8	4	1	3	–	–	–	–	–
Enteritis	10	15	6	10	11	13	8	13	12	8	4	3	–	–	–	1
Peritonitis	2	5	4	8	6	5	5	3	2	7	1	1	–	–	–	–
Ascites	1	4	3	–	5	1	4	2	1	–	2	1	1	–	–	–
Ulceration of Intestines	3	10	8	2	7	6	7	13	7	2	2	–	–	–	–	1
Hernia	2	2	1	1	2	4	4	6	4	6	3	2	–	–	–	–
Ileus	4	3	4	9	12	10	9	16	22	8	4	2	2	–	–	–
Intussusception	–	–	1	2	1	1	2	2	1	2	–	1	–	–	–	–
Stricture of Intestines	–	–	1	4	2	–	3	–	–	–	–	–	–	–	–	–
Stomach Disease	10	16	16	15	24	26	29	33	21	20	4	2	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	7	6	6	6	7	4	2	6	4	–	1	–	–	–	–
Jaundice	1	3	1	4	5	7	7	5	6	5	4	–	–	–	–	–
Liver Disease	14	23	14	23	21	24	22	10	18	7	6	2	–	–	–	–
Spleen Disease	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Nephritis	–	1	–	3	1	1	1	1	3	5	1	–	–	–	–	–
Nephria	5	5	7	3	5	4	4	–	4	6	1	1	–	–	–	–
Ischuria	1	–	1	1	2	1	3	5	4	4	7	2	–	1	–	–
Diabetes	3	2	1	4	5	1	1	2	1	–	–	–	–	–	–	–
Stone	4	–	–	–	1	3	6	6	15	11	8	3	1	–	–	–
Cystitis	2	–	2	–	1	2	4	1	12	10	2	1	–	1	–	–
Stricture of Urethra	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Kidney Disease	6	5	6	10	10	8	19	20	32	21	16	11	3	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	3	6	3	4	6	7	3	3	1	–	–	–	1
Joint Disease	2	8	2	2	–	3	1	2	2	1	1	–	–	–	–	–
Carbuncle	–	–	–	–	1	1	1	–	2	2	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	8	4	2	10	10	7	3	3	4	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	1	1	1	4	2	1	–	–	–	–	–	–	–	–
Poison	1	3	4	3	–	2	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	3	3	4	4	1	2	4	1	–	–	–	–	–	–
Hanging, etc.	2	5	2	3	4	3	1	3	–	1	–	–	–	–	–	–
Suffocation	5	2	1	1	1	–	1	–	1	–	–	–	–	–	–	1
Drowning	31	35	40	27	19	15	17	9	5	2	3	–	–	–	–	26
Fracture and Contusion	46	52	36	41	19	27	25	21	15	11	6	6	–	–	–	7
Wounds	9	5	3	3	5	4	4	2	5	2	1	–	–	–	–	1
Other Violent Causes	12	4	6	4	5	2	1	4	2	2	1	–	–	–	–	2
Not Specified	30	26	26	37	53	58	69	1	1	–	–	1	–	–	–	6

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	30969	2545	856	1987	2785	1394	827	622	1459	755	993	1126	1074
SPECIFIED CAUSES	29126	1961	688	1813	2623	1315	796	593	1377	718	958	1089	1036
I. Zymotic Class	7200	265	242	694	1127	728	455	382	730	273	242	218	208
II. Diseases of Uncertain Seat	1495	18	2	7	16	15	17	14	27	21	27	25	36
III. Tubercular Class	5142	54	106	334	481	223	143	80	324	245	473	541	464
IV. Brain and Nervous System	2245	153	53	101	97	44	29	22	74	39	49	53	48
V. Organs of Circulation	1009	2	3	3	5	3	1	2	15	26	32	41	53
VI. Respiratory Organs	2978	122	118	265	328	174	80	45	103	37	36	61	60
VII. Organs of Digestion	2402	153	85	327	456	74	27	12	48	29	36	50	47
VIII. Urinary Organs	166	2	–	3	1	–	1	1	4	9	12	11	10
IX. Organs of Generation	470	–	–	–	–	–	–	–	–	3	22	58	78
X. Organs of Locomotion	113	–	–	1	1	–	1	1	4	10	9	2	3
XI. Skin, etc.	28	5	1	4	1	2	–	–	–	1	–	1	1
XII. Malformation	68	54	3	7	2	–	1	–	–	–	1	–	–
XIII. Premature Debility	1197	1082	62	53	–	–	–	–	–	–	–	–	–
XIV. Atrophy	280	–	–	2	71	27	11	5	14	6	7	5	5
XV. Age	3705	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	69	13	5	3	2	–	–	–	–	2	–	1	2
XVII. Violent Deaths	559	38	8	9	35	25	30	29	34	17	12	22	21
I. Small Pox	405	31	25	72	88	50	27	27	29	10	9	13	11
Measles	519	10	17	74	177	98	59	34	43	1	4	–	–
Scarlatina	1102	3	12	73	150	194	136	128	270	60	28	17	15
Diphtheria	41	2	1	6	7	4	3	4	4	4	1	–	1
Hooping Cough	847	51	42	196	274	127	63	44	48	1	–	1	–
Croup	516	31	14	43	123	116	76	59	53	1	–	–	–
Thrush	12	6	1	4	1	–	–	–	–	–	–	–	–
Diarrhœa	1001	69	85	131	184	46	11	9	16	6	4	14	11
Dysentery	531	5	15	35	25	13	14	2	9	6	13	10	20
Cholera	63	3	2	5	11	2	3	2	4	2	1	2	–
Influenza	175	8	6	5	4	3	3	3	2	2	–	3	2
Purpura	22	1	1	2	1	1	1	2	1	2	2	–	1
Ague	2	–	–	–	–	–	–	–	–	–	–	1	–
Worms	16	–	1	–	2	2	3	1	7	–	–	–	–
Infantile Fever	25	2	4	4	10	2	–	3	–	–	–	–	–
Typhus	1604	2	7	35	62	68	53	62	235	170	167	120	107
Metria	145	–	–	–	–	–	–	–	–	–	5	32	35
Rheumatic Fever	34	–	–	–	1	–	1	–	4	3	4	2	–
Erysipelas	88	21	4	4	2	1	1	2	2	5	3	1	3
Syphilis	45	20	5	5	3	–	–	–	–	–	1	2	2
Noma	7	–	–	–	2	1	1	–	3	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	46	9	–	–	–	–	–	1	4	–	3	2	3
Dropsy	649	–	1	4	8	12	16	11	17	15	15	15	22
Abscess	35	2	–	1	1	1	–	1	3	1	1	2	3
Ulcer	21	1	–	1	–	–	–	1	–	1	1	1	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	89	6	1	1	6	2	1	–	2	2	3	4	–
Cancer	652	–	–	–	1	–	–	–	1	2	4	1	8
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	183	5	3	7	16	12	7	3	20	14	19	16	12
Tabes Mesenterica	322	16	25	43	109	23	18	12	26	12	11	9	3
Phthisis	3749	13	27	71	121	90	47	27	158	190	435	513	449
Hydrocephalus	888	20	51	213	235	98	71	38	120	29	8	3	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1021	923	948	850	950	1077	1323	1394	1686	1654	1452	763	330	104	26	45
SPECIFIED CAUSES	990	887	908	798	886	998	1248	1394	1686	1654	1452	763	330	104	26	35
Zymotic Class	146	139	115	112	132	136	145	159	172	175	115	59	18	9	1	3
Uncertain Seat	47	63	95	98	125	128	171	154	154	112	82	29	9	3	–	–
Tubercular Class	396	299	272	190	155	129	99	66	33	20	7	2	–	–	–	6
Brain, etc.	54	70	82	76	97	148	163	206	215	172	125	53	13	3	–	6
Heart, etc.	63	54	64	67	65	92	114	100	92	64	33	8	2	2	–	3
Respiratory Organs	69	71	102	93	120	147	224	205	184	183	95	40	11	3	1	1
Digestive Organs	81	56	81	84	105	112	137	135	124	78	44	15	2	1	–	3
Urinary Organs	19	7	6	13	6	14	10	12	12	8	5	–	–	–	–	–
Generative Organs	86	90	51	24	14	13	7	13	6	4	–	–	–	–	–	1
Locomotive Organs	2	3	2	7	8	7	8	13	10	12	6	2	1	–	–	–
Skin	–	–	–	–	–	2	–	2	3	1	–	2	–	1	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	11	9	12	10	24	44	17	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	120	300	643	798	919	542	271	82	24	6
Sudden Deaths	1	3	3	2	5	7	4	5	7	1	3	–	–	–	–	–
Violent Deaths	15	23	23	22	30	19	29	24	31	26	18	11	3	–	–	5
Small Pox	4	2	3	3	1	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	2	3	1	1	–	3	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	17	17	13	28	34	32	51	55	66	51	24	7	5	1	2
Dysentery	10	11	20	37	25	29	44	52	46	37	26	20	5	2	–	–
Cholera	1	2	4	2	2	5	3	1	3	2	1	–	–	–	–	–
Influenza	–	1	2	3	6	10	8	12	31	33	19	5	4	–	–	–
Purpura	–	–	1	–	1	1	1	2	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	68	62	53	46	63	50	50	37	33	31	13	7	1	1	–	1
Metria	35	31	6	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	4	1	3	–	1	–	2	2	2	–	1	–	–	–	–
Erysipelas	1	6	3	3	3	4	4	2	2	4	3	2	1	1	–	–
Syphilis	4	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	2	3	2	4	3	5	1	–	1	–	–	–	–	–	–
Dropsy	16	17	24	26	55	42	64	62	79	62	43	17	4	2	–	–
Abscess	2	2	1	4	1	–	3	2	–	2	1	1	–	–	–	–
Ulcer	–	–	–	2	1	1	1	2	3	2	2	1	–	–	–	–
Fistula	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	1	4	1	1	3	2	2	5	10	8	15	5	4	–	–	–
Cancer	25	38	66	63	60	80	95	81	62	37	21	5	1	1	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	4	6	7	8	4	4	6	7	1	1	1	–	–	–	–	–
Tabes Mesenterica	3	2	2	2	1	1	2	1	1	–	–	–	–	–	–	–
Phthisis	389	291	263	180	150	124	89	58	31	19	6	2	–	–	–	6
Hydrocephalus	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	153	3	10	16	21	9	8	3	17	10	10	15	6
Apoplexy	525	1	6	11	10	4	4	3	7	4	9	4	13
Paralysis	737	–	–	–	–	2	1	–	3	5	4	3	7
Delirium Tremens	15	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	102	1	–	1	1	–	1	1	5	6	8	12	7
Tetanus	25	8	–	–	–	1	–	1	4	1	1	–	–
Insanity	29	–	–	–	–	–	–	–	1	–	–	3	2
Convulsions	307	131	29	56	45	24	9	5	8	–	–	–	–
Brain Disease	351	9	8	17	20	4	6	9	28	13	17	16	11
V. Pericarditis	39	–	–	1	1	1	–	1	7	2	8	1	2
Aneurism	30	–	–	–	–	–	–	–	–	–	–	1	2
Heart Disease	940	2	3	2	4	2	1	1	8	24	24	39	49
VI. Laryngitis	84	3	4	8	10	12	7	5	10	3	–	4	2
Bronchitis	1479	58	61	145	179	78	39	20	38	12	15	18	25
Pleurisy	144	7	2	2	2	5	4	4	10	3	–	2	5
Pneumonia	791	51	45	108	119	67	29	14	37	12	14	21	20
Asthma	313	–	1	2	1	1	–	–	1	–	–	4	4
Lung Disease	167	3	5	–	17	11	1	2	7	7	7	12	4
VII. Teething	635	2	23	234	340	34	2	–	–	–	–	–	–
Quinsey	33	2	3	4	5	2	3	–	3	1	1	2	1
Gastritis	75	5	1	2	7	1	–	1	4	2	1	4	2
Enteritis	438	81	34	47	60	21	8	10	14	8	9	8	9
Peritonitis	119	2	1	6	5	2	–	–	5	7	9	12	7
Ascites	59	1	–	–	1	–	1	–	2	1	4	–	–
Ulceration of Intestines	61	1	–	2	4	1	1	–	3	1	1	3	7
Hernia	38	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	131	8	5	4	3	–	–	1	3	1	2	4	3
Intussusception	14	–	3	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	9	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	371	21	13	23	28	6	8	–	9	4	4	7	6
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	56	1	–	2	1	1	–	–	1	2	–	2	3
Jaundice	94	24	2	–	1	2	1	–	1	–	–	2	2
Liver Disease	261	5	–	3	1	3	3	–	3	2	5	6	5
Spleen Disease	7	–	–	–	–	1	–	–	–	–	–	–	1
VIII. Nephritis	9	1	–	–	–	–	1	–	2	–	–	–	–
Nephria	47	–	–	1	–	–	–	1	–	1	5	6	2
Ischuria	8	–	–	–	–	–	–	–	–	1	–	–	–
Diabetes	23	–	–	–	–	–	–	–	–	3	3	3	6
Stone	5	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	9	–	–	–	–	–	–	–	–	–	–	1	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	65	1	–	2	1	–	–	–	2	4	4	1	1
IX. Paramenia	26	–	–	–	–	–	–	–	–	3	8	1	3
Ovarian Dropsy	61	–	–	–	–	–	–	–	–	–	3	–	8
Childbirth	304	–	–	–	–	–	–	–	–	–	11	50	59
Organs of Generation	79	–	–	–	–	–	–	–	–	–	–	7	8
X. Arthritis	8	–	–	1	–	–	1	–	–	1	–	–	1
Rheumatism	64	–	–	–	–	–	–	–	1	2	–	–	–
Joint and Bone Disease	41	–	–	–	1	–	–	1	3	7	9	2	2
XI. Carbuncle	8	1	1	–	–	1	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	16	3	–	4	1	1	–	–	–	1	–	1	1
XII. Cyanosis	24	20	–	2	2	–	–	–	–	–	–	–	–
Spina Bifida	16	12	3	1	–	–	–	–	–	–	–	–	–
Other Malformations	28	22	–	4	–	–	1	–	–	–	1	–	–
XVII. Intemperance	29	–	–	–	–	–	–	–	–	–	–	1	2
Privation	5	1	–	–	–	–	1	–	–	–	–	–	1
Want of Breast Milk	16	11	5	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	12	1	1	–	1	–	–	1	–	–	–	–	–
Poison	26	1	–	–	1	–	–	2	–	–	1	1	5
Burns and Scalds	162	4	1	3	25	14	25	15	19	3	4	–	4
Hanging, etc.	15	–	–	–	–	–	–	–	–	–	–	2	–
Suffocation	26	11	1	3	–	2	–	–	–	1	–	–	1
Drowning	79	–	–	–	5	5	1	7	4	6	3	11	4
Fracture and Contusion	138	–	–	2	2	4	3	4	10	6	3	3	3
Wounds	19	1	–	–	–	–	–	–	–	1	1	2	–
Other Violent Causes	32	8	–	1	1	–	–	–	1	–	–	2	1
Not Specified	1843	584	168	174	162	79	31	29	82	37	35	37	38

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	5	4	2	2	1	2	2	1	–	–	–	–	–	–	–
Apoplexy	13	22	21	26	33	53	61	51	68	51	34	13	1	–	–	2
Paralysis	6	18	18	17	36	57	74	120	124	105	85	36	10	3	–	3
Delirium Tremens	3	5	5	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	14	8	6	8	6	6	3	4	1	2	–	1	–	–	–	–
Tetanus	1	–	2	2	–	1	–	1	2	–	–	–	–	–	–	–
Insanity	–	5	3	1	5	1	3	2	1	–	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	11	7	23	20	15	29	20	26	18	14	5	2	2	–	–	1
Pericarditis	4	1	3	2	–	–	1	2	1	–	1	–	–	–	–	–
Aneurism	1	3	1	2	6	2	3	4	1	2	1	–	–	1	–	–
Heart Disease	58	50	60	63	59	90	110	94	90	62	31	8	2	1	–	3
Laryngitis	2	2	2	1	2	3	–	–	3	1	–	–	–	–	–	–
Bronchitis	26	19	39	42	54	67	114	113	109	106	58	30	10	2	1	1
Pleurisy	5	7	4	11	9	7	14	6	19	9	5	2	–	–	–	–
Pneumonia	19	28	21	18	21	21	25	35	23	20	15	6	1	1	–	–
Asthma	10	5	22	15	29	36	60	39	25	43	13	2	–	–	–	–
Lung Disease	7	10	14	6	5	13	11	12	5	4	4	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	1	2	–	–	1	–	–	–	–	–	1	–	–
Gastritis	5	4	4	3	1	5	3	8	7	2	2	–	1	–	–	–
Enteritis	7	14	15	6	9	12	16	12	14	12	9	2	–	–	–	1
Peritonitis	13	3	10	3	7	5	9	3	7	1	1	1	–	–	–	–
Ascites	3	3	4	7	5	5	7	6	6	1	2	–	–	–	–	–
Ulceration of Intestines	3	2	1	5	7	5	4	1	4	3	2	–	–	–	–	–
Hernia	–	1	2	2	5	1	9	6	5	4	2	1	–	–	–	–
Ileus	4	5	6	4	8	6	12	17	14	11	6	3	1	–	–	–
Intussusception	–	1	–	1	1	1	–	1	3	2	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	1	2	1	2	1	1	–	–	–	–	–
Stomach Disease	16	11	18	18	23	25	35	33	27	22	7	5	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hepatitis	6	2	8	4	6	3	4	2	4	2	1	1	–	–	–	–
Jaundice	3	–	–	3	4	7	7	11	9	9	5	1	–	–	–	–
Liver Disease	21	7	13	25	27	34	28	33	22	8	6	1	–	–	–	–
Spleen Disease	–	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Nephria	7	4	2	3	2	5	2	2	2	1	1	–	–	–	–	–
Ischuria	–	–	–	–	–	2	1	2	–	2	–	–	–	–	–	–
Diabetes	2	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–
Cystitis	2	–	1	–	–	1	–	1	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	7	2	2	6	4	5	7	3	6	4	3	–	–	–	–	–
Paramenia	4	1	4	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	7	7	10	5	6	2	5	2	3	–	–	–	–	–	–
Childbirth	73	68	34	7	–	–	*1	–	–	–	–	–	–	–	–	1
Organs of Generation	6	14	6	7	7	7	4	8	4	1	–	–	–	–	–	–
Arthritis	1	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	3	4	5	6	13	10	12	5	2	1	–	–	–
Joint Disease	1	3	2	3	4	1	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	1
Phlegmon	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	3	3	4	6	3	2	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	1	–	1	–	1	1	–	1	2	–	–	–	–	–	–
Poison	1	2	2	1	6	1	1	–	1	–	–	–	–	–	–	–
Burns and Scalds	1	3	3	3	3	–	–	7	10	8	6	–	–	–	–	1
Hanging, etc.	–	1	1	1	1	2	2	2	3	–	–	–	–	–	–	–
Suffocation	–	–	1	1	1	–	–	–	1	1	1	–	–	–	–	1
Drowning	3	2	4	4	6	3	5	2	1	1	–	–	1	–	–	1
Fracture and Contusion	2	3	6	4	5	5	12	10	13	13	11	11	2	–	–	1
Wounds	1	5	–	2	2	1	2	–	–	1	–	–	–	–	–	–
Other Violent Causes	2	3	3	1	–	2	4	2	–	–	–	–	–	–	–	1
Not Specified	31	36	40	52	64	79	75	–	–	–	–	–	–	–	–	10

* "An extra-uterine pregnancy for 35 years;" age 63.

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2306	245	50	93	104	63	28	20	72	35	79	86	90
Specified Causes	1941	134	24	59	74	50	17	16	57	26	72	79	80
I. Zymotic Class	296	18	9	26	30	26	10	6	20	8	13	15	9
II. Diseases of Uncertain Seat	108	–	–	–	–	1	–	–	–	–	2	1	3
III. Tubercular Class	309	–	3	6	15	5	2	6	16	7	26	36	38
IV. Brain and Nervous System	130	12	2	3	1	1	–	1	2	2	5	5	4
V. Organs of Circulation	52	–	–	–	–	–	–	–	1	1	2	2	–
VI. Respiratory Organs	170	21	5	7	14	4	1	–	10	3	4	4	6
VII. Organs of Digestion	121	7	3	13	10	–	–	2	3	2	2	2	2
VIII. Urinary Organs	26	–	–	–	1	–	–	–	–	–	1	–	–
IX. Organs of Generation	28	–	–	–	–	–	–	–	–	–	–	–	9
X. Organs of Locomotion	20	–	–	–	–	–	–	–	–	–	2	–	2
XI. Skin, etc.	5	1	–	1	–	1	–	–	–	–	–	–	–
XII. Malformation	7	4	1	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	66	66	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	2	2	–	–	–	–	1	–	–
XV. Age	473	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	3	–	1	–	–	–	–	–	1	–	1	–
XVII. Violent Deaths	113	2	1	–	1	10	4	1	5	2	14	13	7
I. Small Pox	23	3	–	–	1	1	–	2	–	–	1	7	4
Measles	8	–	–	–	3	4	–	–	–	1	–	–	–
Scarlatina	12	–	–	1	2	2	–	–	4	–	1	–	1
Diphtheria	2	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	42	3	1	9	12	10	2	2	3	–	–	–	–
Croup	27	6	2	4	3	5	3	–	4	–	–	–	–
Thrush	2	–	–	2	–	–	–	–	–	–	–	–	–
Diarrhœa	49	4	2	4	6	1	–	–	1	–	–	3	1
Dysentery	24	–	–	2	1	1	1	–	–	2	2	–	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	30	1	3	2	1	2	3	–	1	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	2	–	–	1	–	–	–	1	–	–	–	–	–
Typhus	58	–	–	1	1	–	1	1	5	5	7	5	2
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	7	1	1	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	56	–	–	–	–	1	–	–	–	–	2	–	3
Abscess	2	–	–	–	–	–	–	–	–	–	–	1	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	40	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	–	–	1	–	–	1	1	–	–	3	2
Tabes Mesenterica	12	–	1	–	6	2	–	–	1	–	–	1	–
Phthisis	260	–	–	–	4	–	2	3	10	7	26	32	36
Hydrocephalus	21	–	2	6	4	3	–	2	4	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	67	55	52	80	82	75	126	117	139	186	171	94	54	20	8	15
Specified Causes	60	51	47	71	68	62	94	117	139	186	171	94	54	20	8	11
Zymotic Class	6	4	7	7	11	8	5	14	9	18	11	3	1	–	1	1
Uncertain Seat	4	3	4	7	10	8	16	10	16	12	7	1	2	1	–	–
Tubercular Class	24	20	9	16	14	14	20	13	7	7	1	–	–	–	–	4
Brain, etc.	3	7	4	8	7	6	10	3	15	12	11	3	–	2	–	1
Heart, etc.	–	1	4	3	6	5	4	7	2	7	5	1	1	–	–	–
Respiratory Organs	8	2	3	8	2	8	14	14	10	13	5	2	–	1	1	–
Digestive Organs	1	2	3	7	10	8	15	11	10	2	3	2	–	1	–	–
Urinary Organs	4	–	1	1	1	2	2	3	3	6	–	1	–	–	–	–
Generative Organs	5	6	5	2	–	–	–	–	–	–	–	–	–	–	–	1
Locomotive Organs	–	–	–	–	1	–	1	3	5	5	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	34	58	98	126	81	50	15	6	2
Sudden Deaths	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Violent Deaths	5	5	7	12	5	2	3	3	3	5	1	–	–	–	–	2
Small Pox	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	2	2	–	1	5	1	6	6	1	–	–	1	1
Dysentery	–	–	1	1	1	2	2	2	1	3	1	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	2	2	7	3	1	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	2	3	3	7	3	2	4	2	1	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	1	2	7	4	5	3	8	9	6	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–
Cancer	1	1	2	4	2	4	10	6	5	2	1	1	–	1	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	3	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	23	17	7	15	14	14	19	12	7	7	1	–	–	–	–	4
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	–	–	–	–	–	1	1	3	1	–
Apoplexy	20	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	61	–	–	–	–	–	–	–	–	1	1	2	2
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	–	–	–	–	–	–	1	–	–	–	2	–
Tetanus	4	4	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	13	8	1	2	1	1	–	–	–	–	–	–	–
Brain Disease	12	–	–	1	–	–	–	–	1	–	–	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	51	–	–	–	–	–	–	–	1	1	2	2	–
VI. Laryngitis	4	–	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	57	6	3	3	7	–	–	–	4	–	3	1	3
Pleurisy	30	14	–	–	3	1	–	–	2	1	1	–	–
Pneumonia	43	1	2	3	3	3	1	–	4	2	–	3	2
Asthma	32	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	14	1	–	7	6	–	–	–	–	–	–	–	–
Quinsey	3	–	–	–	1	–	–	1	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	22	3	3	3	2	–	–	–	2	–	–	–	1
Peritonitis	4	–	–	–	–	–	–	–	–	1	1	1	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	17	2	–	–	–	–	–	1	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	20	1	–	2	1	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	10	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	14	–	–	–	–	–	–	–	1	–	1	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	10	–	–	–	1	–	–	–	–	–	1	–	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	23	–	–	–	–	–	–	–	–	–	–	–	7
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	18	–	–	–	–	–	–	–	–	–	–	–	2
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	2	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	1	–	1	–	1	–	–	–	–	–	–	–
XII. Cyanosis	1	–	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	2	1	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	1	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	18	–	1	–	1	7	3	1	2	1	–	–	1
Hanging, etc.	4	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	69	–	–	–	–	3	–	–	1	1	12	11	6
Fracture and Contusion	16	–	–	–	–	–	1	–	–	–	1	1	–
Wounds	3	–	–	–	–	–	–	–	2	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	365	111	26	34	30	13	11	4	15	9	7	7	10

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	1	–	–	4	1	5	1	2	–	–	–	–	1
Paralysis	1	3	2	4	2	3	5	2	10	10	8	3	–	2	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	2	2	2	–	–	–	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	4	3	5	5	4	7	2	7	5	1	1	–	–	–
Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	4	1	1	2	3	4	6	2	1	–	1	1	–
Pleurisy	1	1	–	2	–	–	1	2	1	–	–	–	–	–	–	–
Pneumonia	3	1	1	2	1	2	3	4	–	2	–	–	–	–	–	–
Asthma	2	–	–	–	–	5	8	3	5	4	3	1	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	1	–	–	4	–	1	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Ileus	–	–	–	–	3	1	1	3	4	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	2	1	2	1	3	1	–	1	1	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	2	–	1	4	1	1	–	–	–	–	–	–
Liver Disease	–	–	2	1	2	2	2	–	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	2	4	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	1	–	1	1	–	–	2	–	1	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	6	3	2	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	3	5	5	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	5	7	9	3	1	2	2	–	1	1	–	–	–	–	2
Fracture and Contusion	2	–	–	2	2	1	–	1	3	2	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	4	5	9	14	13	32	–	–	–	–	–	–	–	–	4

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1141	145	29	51	58	33	17	11	41	16	48	59	50
SPECIFIED CAUSES	943	76	15	31	40	28	8	8	33	12	42	54	47
I. Zymotic Class	151	7	4	15	17	12	5	3	13	3	5	11	7
II. Diseases of Uncertain Seat	40	–	–	–	–	1	–	–	–	–	2	–	2
III. Tubercular Class	150	–	1	2	9	4	2	2	8	3	12	21	21
IV. Brain and Nervous System	60	5	2	1	1	1	–	1	1	1	3	4	3
V. Organs of Circulation	22	–	–	–	–	–	–	–	–	1	–	1	–
VI. Respiratory Organs	80	12	4	3	8	2	–	–	5	2	2	2	4
VII. Organs of Digestion	70	5	2	10	3	–	–	1	3	–	1	2	2
VIII. Urinary Organs	21	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	–	–	–	–	–	–	–	–	1	–	2
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	42	42	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	1	–	–	–	–	1	–	–
XV. Age	197	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	1	–
XVII. Violent Deaths	92	1	1	–	1	7	1	1	3	2	14	12	6
I. Small Pox	16	1	–	–	1	1	–	1	–	–	–	5	4
Measles	4	–	–	–	3	–	–	–	–	1	–	–	–
Scarlatina	6	–	–	–	2	1	–	–	3	–	–	–	–
Diphtheria	2	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	22	1	–	7	4	6	1	1	2	–	–	–	–
Croup	14	2	–	2	2	2	2	–	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	2	1	2	3	–	–	–	1	–	–	1	1
Dysentery	9	–	–	1	1	1	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	15	–	3	1	1	1	1	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Fever	1	–	–	1	–	–	–	–	–	–	–	–	–
Typhus	29	–	–	1	–	–	1	1	1	2	4	5	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	26	–	–	–	–	1	–	–	–	–	2	–	2
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	–	1	–	–	–	1	–
Tabes Mesenterica	8	–	–	–	4	2	–	–	1	–	–	–	–
Phthisis	124	–	–	–	1	–	2	–	5	3	12	20	21
Hydrocephalus	12	–	1	2	4	2	–	1	2	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	24	24	26	39	37	42	45	58	66	84	64	40	19	7	1	7
SPECIFIED CAUSES	23	23	22	36	33	34	34	58	66	84	64	40	19	7	1	5
Zymotic Class	–	1	3	4	5	6	1	9	6	8	5	1	–	–	–	–
Uncertain Seat	–	1	–	2	4	6	5	3	5	6	1	1	–	1	–	–
Tubercular Class	8	11	6	5	7	6	7	8	3	2	–	–	–	–	–	2
Brain, etc.	1	2	2	4	1	5	2	2	4	7	4	1	–	2	–	–
Heart, etc.	–	1	1	1	3	2	1	4	1	3	3	–	–	–	–	–
Respiratory Organs	5	1	2	3	1	3	5	6	5	3	–	1	–	1	–	–
Digestive Organs	1	1	1	7	7	3	8	5	5	–	1	1	–	1	–	–
Urinary Organs	3	–	–	–	1	2	2	2	3	6	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	15	30	45	49	34	19	2	1	1
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	5	5	7	10	4	1	2	2	1	3	1	–	–	–	–	2
Small Pox	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	1	–	–	3	–	4	3	–	–	–	–	–
Dysentery	–	–	1	–	1	2	–	–	1	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Influenza	–	–	–	1	–	–	–	2	1	1	2	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	–	2	3	1	1	3	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	3	3	3	2	3	4	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	–	–	–	–	1	3	2	–	1	1	–	1	–	1	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	7	11	4	4	7	6	7	7	3	2	–	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	–	–	–	–	–	1	2	1	–
Apoplexy	5	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	26	–	–	–	–	–	–	–	–	–	1	1	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	1	–	–	–	2	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	8	4	1	1	1	1	–	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	1	–	–	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	22	–	–	–	–	–	–	–	–	1	–	1	–
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	22	4	2	1	4	–	–	–	2	–	1	–	1
Pleurisy	15	8	–	–	2	–	–	–	1	–	1	–	–
Pneumonia	29	–	2	2	2	2	–	–	2	2	–	2	2
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	7	–	–	4	3	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	16	3	2	3	–	–	–	–	2	–	–	–	1
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	–	2	–	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	1	–	1	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	7	–	–	–	–	–	–	–	–	–	–	–	2
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	1	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	1	–	1	4	1	1	–	1	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	68	–	–	–	–	3	–	–	1	1	12	11	6
Fracture and Contusion	9	–	–	–	–	–	–	–	–	–	1	1	–
Wounds	3	–	–	–	–	–	–	–	2	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	198	69	14	20	18	5	9	3	8	4	6	5	3

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	–	–	1	2	1	–	–	–	–	–	–
Paralysis	–	–	2	1	1	2	2	1	2	5	4	1	–	2	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	1	–	2	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	1	3	2	1	4	1	3	3	–	–	–	–	–
Laryngitis	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	1	–	–	–	1	2	1	–	1	–	1	–	–
Pleurisy	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	2	–	1	2	1	–	3	3	–	1	–	–	–	–	–	–
Asthma	–	–	–	–	–	3	2	1	3	1	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Ileus	–	–	–	–	1	1	1	2	1	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	2	1	1	–	1	–	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	1	1	2	–	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	2	4	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	1	1	–	–	2	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	3	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	5	7	9	2	1	2	2	–	1	1	–	–	–	–	2
Fracture and Contusion	2	–	–	1	2	–	–	–	1	1	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	1	4	3	4	8	11	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1165	100	21	42	46	30	11	9	31	19	31	27	40
SPECIFIED CAUSES	998	58	9	28	34	22	9	8	24	14	30	25	33
I. Zymotic Class	145	11	5	11	13	14	5	3	7	5	8	4	2
II. Diseases of Uncertain Seat	68	–	–	–	–	–	–	–	–	–	–	1	1
III. Tubercular Class	159	–	2	4	6	1	–	4	8	4	14	15	17
IV. Brain and Nervous System	70	7	–	2	–	–	–	–	1	1	2	1	1
V. Organs of Circulation	30	–	–	–	–	–	–	–	1	–	2	1	–
VI. Respiratory Organs	90	9	1	4	6	2	1	–	5	1	2	2	2
VII. Organs of Digestion	51	2	1	3	7	–	–	1	–	2	1	–	–
VIII. Urinary Organs	5	–	–	–	1	–	–	–	–	–	–	–	–
IX. Organs of Generation	28	–	–	–	–	–	–	–	–	–	–	–	9
X. Organs of Locomotion	12	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	3	–	–	1	–	1	–	–	–	–	–	–	–
XII. Malformation	4	2	–	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	24	24	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	1	–	–	–	–	–	–	–
XV. Age	276	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	2	–	1	–	–	–	–	–	1	–	–	–
XVII. Violent Deaths	21	1	–	–	–	3	3	–	2	–	–	1	1
I. Small Pox	7	2	–	–	–	–	–	1	–	–	1	2	–
Measles	4	–	–	–	–	4	–	–	–	–	–	–	–
Scarlatina	6	–	–	1	–	1	–	–	1	–	1	–	1
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	20	2	1	2	8	4	1	1	1	–	–	–	–
Croup	13	4	2	2	1	3	1	–	–	–	–	–	–
Thrush	2	–	–	2	–	–	–	–	–	–	–	–	–
Diarrhœa	25	2	1	2	3	1	–	–	–	–	–	2	–
Dysentery	15	–	–	1	–	–	1	–	–	2	2	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	15	1	–	1	–	1	2	–	1	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	29	–	–	–	1	–	–	–	4	3	3	–	1
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	1	–	–	–	–	–	–	–	1	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	30	–	–	–	–	–	–	–	–	–	–	–	1
Abscess	1	–	–	–	–	–	–	–	–	–	–	1	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	–	1	–	–	–	1	–	–	2	2
Tabes Mesenterica	4	–	1	–	2	–	–	–	–	–	–	1	–
Phthisis	136	–	–	–	3	–	–	3	5	4	14	12	15
Hydrocephalus	9	–	1	4	–	1	–	1	2	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	43	31	26	41	45	33	81	59	73	102	107	54	35	13	7	8
SPECIFIED CAUSES	37	28	25	35	35	28	60	59	73	102	107	54	35	13	7	6
Zymotic Class	6	3	4	3	6	2	4	5	3	10	6	2	1	–	1	1
Uncertain Seat	4	2	4	5	6	2	11	7	11	6	6	–	2	–	–	–
Tubercular Class	16	9	3	11	7	8	13	5	4	5	1	–	–	–	–	2
Brain, etc.	2	5	2	4	6	1	8	1	11	5	7	2	–	–	–	1
Heart, etc.	–	–	3	2	3	3	3	3	1	4	2	1	1	–	–	–
Respiratory Organs	3	1	1	5	1	5	9	8	5	10	5	1	–	–	1	–
Digestive Organs	–	1	2	–	3	5	7	6	5	2	2	1	–	–	–	–
Urinary Organs	1	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Generative Organs	5	6	5	2	–	–	–	–	–	–	–	–	–	–	–	1
Locomotive Organs	–	–	–	–	1	–	1	2	2	4	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	19	28	53	77	47	31	13	5	1
Sudden Deaths	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Violent Deaths	–	–	–	2	1	1	1	1	2	2	–	–	–	–	–	–
Small Pox	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	–	1	2	1	2	3	1	–	–	1	1
Dysentery	–	–	–	1	–	–	2	2	–	2	1	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	6	1	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	1	3	1	4	2	1	1	1	–	–	–	–	–	–	–
Metria	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	1	1	4	1	2	1	5	5	5	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–
Cancer	1	1	2	4	1	1	8	6	4	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	6	3	11	7	8	12	5	4	5	1	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	–	–	–	–	1	–	1	–	–
Apoplexy	15	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	35	–	–	–	–	–	–	–	–	1	–	1	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	3	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	4	–	1	–	–	–	–	–	–	–	–	–
Brain Disease	5	–	–	1	–	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	29	–	–	–	–	–	–	–	1	–	2	1	–
VI. Laryngitis	2	–	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	35	2	1	2	3	–	–	–	2	–	2	1	2
Pleurisy	15	6	–	–	1	1	–	–	1	1	–	–	–
Pneumonia	14	1	–	1	1	1	1	–	2	–	–	1	–
Asthma	21	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	7	1	–	3	3	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	–	1	–	2	–	–	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	1	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	1	–	–	–	–	–	1	–	1	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	1	–	–	–	–	–	–	–	–
IX. Paramenia	3	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	23	–	–	–	–	–	–	–	–	–	–	–	7
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	11	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	1	–	1	–	–	–	–	–	–	–
XII. Cyanosis	1	–	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	1	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	–	3	2	–	2	–	–	–	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	7	–	–	–	–	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	167	42	12	14	12	8	2	1	7	5	1	2	7

CAUSES of DEATH in the INSULAR DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	–	–	–	4	–	3	–	2	–	–	–	–	1
Paralysis	1	3	–	3	1	1	3	1	8	5	4	2	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	1	2	–	–	–	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	3	2	2	3	3	3	1	4	2	1	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	3	1	1	2	2	2	5	2	–	–	–	1	–
Pleurisy	–	–	–	2	–	–	1	1	1	–	–	–	–	–	–	–
Pneumonia	1	1	–	–	–	2	–	1	–	1	–	–	–	–	–	–
Asthma	2	–	–	–	–	2	6	2	2	3	3	1	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	–	1	3	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	1	1	2	1	–	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	3	1	1	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	2	1	–	–	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	4	6	3	2	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	1	2	2	4	1	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	–	1	–	1	2	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	1	6	10	5	21	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	36890	2806	825	1613	2287	1080	752	536	1451	849	1096	1190	1002
Specified Causes	27995	2019	608	1405	2079	996	697	494	1354	806	1044	1121	945
I. Zymotic Class	6314	262	197	489	912	559	403	305	695	297	264	210	176
II. Diseases of Uncertain Seat	1313	19	4	6	17	10	13	11	28	14	29	19	24
III. Tubercular Class	4604	61	102	273	420	163	103	70	297	219	434	580	416
IV. Brain and Nervous System	2325	130	45	84	74	49	33	28	83	58	67	51	52
V. Organs of Circulation	1058	10	5	5	4	3	5	4	23	21	34	28	38
VI. Respiratory Organs	2746	153	102	212	227	103	65	32	89	41	41	68	58
VII. Organs of Digestion	2477	197	95	273	318	60	26	12	58	47	52	59	45
VIII. Urinary Organs	331	4	–	4	–	–	1	–	6	7	12	4	14
IX. Organs of Generation	216	–	–	–	–	–	–	–	–	2	11	26	32
X. Organs of Locomotion	133	1	–	–	1	1	–	–	5	17	12	5	7
XI. Skin, etc.	30	4	1	2	1	1	–	–	1	1	–	1	1
XII. Malformation	84	72	2	7	1	–	1	–	1	–	–	–	–
XIII. Premature Debility	1134	1057	41	36	–	–	–	–	–	–	–	–	–
XIV. Atrophy	216	–	–	3	52	18	7	4	11	8	7	1	5
XV. Age	3811	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	70	9	5	3	–	–	1	–	1	1	–	–	1
XVII. Violent Deaths	1133	40	9	8	52	29	39	28	56	73	81	69	76
I. Small Pox	183	16	11	21	43	14	9	7	16	6	2	6	13
Measles	328	9	12	46	109	57	35	21	28	3	4	1	–
Scarlatina	1094	8	17	63	154	170	150	121	263	69	39	12	10
Diphtheria	51	2	1	6	6	4	4	3	6	7	5	–	–
Hooping Cough	497	47	36	118	144	61	37	18	34	1	–	–	–
Croup	580	33	12	42	138	123	83	73	69	4	–	1	–
Thrush	16	10	2	2	2	–	–	–	–	–	–	–	–
Diarrhœa	802	76	53	93	161	39	12	7	17	4	3	6	5
Dysentery	475	3	14	24	32	9	17	2	15	8	15	8	12
Cholera	92	2	1	10	20	1	3	3	8	3	–	2	3
Influenza	190	10	9	7	9	1	–	–	1	3	1	5	2
Purpura	26	1	1	5	2	–	–	2	–	1	3	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	26	–	1	1	4	2	5	1	12	–	–	–	–
Infantile Fever	40	4	6	11	8	5	2	2	2	–	–	–	–
Typhus	1666	6	10	32	74	72	44	44	214	182	181	146	107
Metria	78	–	–	–	–	–	–	–	–	–	5	17	19
Rheumatic Fever	37	–	–	–	1	–	–	–	6	1	5	1	1
Erysipelas	100	26	6	5	3	–	2	1	4	4	1	–	3
Syphilis	26	9	5	2	–	–	–	–	–	–	–	3	1
Noma	5	–	–	–	2	1	–	–	–	1	–	–	–
Hydrophobia	1	–	–	1	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	42	6	–	1	–	–	–	1	2	–	5	1	1
Dropsy	567	1	3	3	8	8	12	8	18	8	16	10	11
Abscess	39	3	–	–	1	–	–	–	2	–	2	3	5
Ulcer	20	2	–	–	–	–	–	1	–	1	1	1	–
Fistula	4	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	82	5	1	1	6	1	1	–	4	2	2	2	–
Cancer	556	2	–	1	2	–	–	1	2	3	3	2	7
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	244	7	3	5	11	10	8	4	20	25	24	32	18
Tabes Mesenterica	293	15	13	34	101	22	18	10	26	15	8	13	3
Phthisis	3240	13	21	48	78	46	34	21	144	148	387	533	395
Hydrocephalus	827	26	65	186	230	85	43	35	107	31	15	2	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	852	821	816	823	921	1098	1286	1474	1907	1863	1590	901	342	98	24	87
Specified Causes	810	777	773	772	841	998	1184	1473	1906	1863	1590	900	342	98	24	76
Zymotic Class	132	119	111	104	115	131	125	143	188	178	109	56	16	10	–	8
Uncertain Seat	29	38	66	77	88	97	154	156	152	133	90	27	7	4	–	1
Tubercular Class	299	236	214	178	146	143	84	82	42	24	7	4	–	–	–	7
Brain, etc.	58	67	80	71	89	140	156	205	246	221	163	57	11	2	–	5
Heart, etc.	45	41	49	61	64	89	125	132	117	84	53	11	3	2	–	2
Respiratory Organs	44	60	74	97	118	142	194	217	229	205	100	56	12	3	–	4
Digestive Organs	75	79	80	91	114	132	148	163	157	100	63	22	5	1	–	5
Urinary Organs	16	6	8	12	12	18	16	29	62	50	30	14	3	3	–	–
Generative Organs	37	46	17	12	8	9	5	4	4	3	–	–	–	–	–	–
Locomotive Organs	3	6	3	7	8	7	9	14	7	10	5	3	1	–	–	1
Skin	–	–	–	–	–	3	1	1	4	3	1	2	–	1	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	7	7	5	6	23	29	23	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	92	277	653	823	944	636	283	72	24	7
Sudden Deaths	3	3	1	4	5	8	4	10	6	1	4	–	–	–	–	–
Violent Deaths	62	69	65	52	51	50	48	40	39	28	21	12	1	–	–	35
Small Pox	3	5	3	3	2	3	–	–	–	–	–	–	–	–	–	–
Measles	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	7	1	1	1	2	–	3	–	–	1	–	–	–	–	–	2
Diphtheria	1	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Croup	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	11	9	9	8	19	21	27	38	52	58	43	19	5	5	–	2
Dysentery	11	15	21	18	24	31	30	40	43	38	19	18	6	2	–	–
Cholera	4	2	6	4	1	5	4	1	5	2	2	–	–	–	–	–
Influenza	–	2	1	–	5	9	9	12	38	30	24	9	3	–	–	–
Purpura	1	–	1	2	1	1	1	2	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	71	59	54	56	54	55	42	43	46	44	17	7	1	2	–	3
Metria	15	18	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	3	2	4	–	1	1	2	3	2	–	1	–	–	–	–
Erysipelas	2	5	4	8	4	2	6	4	–	3	3	2	1	1	–	–
Syphilis	1	–	4	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	4	2	2	3	–	5	3	1	1	–	–	–	–	–	–
Dropsy	8	9	20	24	35	28	63	60	78	71	44	15	3	2	–	1
Abscess	1	2	1	3	3	–	4	1	2	3	2	1	–	–	–	–
Ulcer	–	1	1	–	–	–	3	3	1	2	3	–	–	–	–	–
Fistula	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	1	3	1	1	2	2	1	6	9	9	14	4	3	1	–	–
Cancer	15	19	40	45	45	66	78	82	61	47	26	7	1	1	–	–
Gout	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Scrofula	9	7	10	16	9	9	6	7	2	1	1	–	–	–	–	–
Tabes Mesenterica	3	2	1	2	1	2	2	2	–	–	–	–	–	–	–	–
Phthisis	287	227	203	160	136	132	75	73	40	23	6	4	–	–	–	6
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	156	7	4	8	14	9	4	5	24	17	16	14	7
Apoplexy	525	3	6	14	7	5	4	3	8	4	9	6	12
Paralysis	805	–	–	–	1	–	3	–	5	6	6	3	7
Delirium Tremens	36	–	–	–	–	–	–	–	–	–	–	–	3
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	109	2	–	1	–	5	1	3	5	8	10	10	8
Tetanus	39	7	–	1	–	2	1	1	8	5	1	1	2
Insanity	29	–	–	–	–	–	–	–	–	1	1	2	1
Convulsions	250	100	27	47	33	19	11	6	6	1	–	–	–
Brain Disease	375	11	8	13	19	9	9	10	26	16	24	15	12
V. Pericarditis	47	2	–	1	–	1	2	2	8	3	6	–	1
Aneurism	26	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	985	8	5	4	4	2	3	2	15	18	28	28	37
VI. Laryngitis	86	4	4	5	11	6	10	6	11	3	–	1	3
Bronchitis	1230	88	56	129	117	47	30	10	29	15	7	13	9
Pleurisy	168	2	4	1	2	3	3	4	4	1	3	2	7
Pneumonia	793	53	31	72	86	42	22	11	40	14	23	38	24
Asthma	300	1	–	–	2	1	–	–	2	–	–	2	3
Lung Disease	169	5	7	5	9	4	–	1	3	8	8	12	12
VII. Teething	449	–	19	192	219	17	2	–	–	–	–	–	–
Quinsey	27	1	2	3	2	2	2	–	5	–	1	3	–
Gastritis	103	5	3	4	2	5	1	1	3	1	1	4	3
Enteritis	481	105	40	42	54	16	5	7	19	12	15	9	7
Peritonitis	130	11	6	4	6	3	–	–	5	7	8	8	7
Ascites	65	1	–	–	–	–	2	–	5	1	4	1	–
Ulceration of Intestines	105	–	–	2	6	1	3	–	4	4	–	7	8
Hernia	49	4	–	–	–	–	–	–	–	1	1	–	–
Ileus	167	10	6	5	2	–	2	–	4	3	3	3	3
Intussusception	23	–	3	–	–	–	–	–	–	–	1	1	–
Stricture of Intestines	8	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	413	25	12	19	24	8	7	3	7	9	5	13	7
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	76	–	–	–	1	2	–	–	2	2	2	2	3
Jaundice	103	26	2	1	1	2	–	1	2	1	–	2	2
Liver Disease	266	9	2	1	1	3	2	–	1	5	10	6	4
Spleen Disease	11	–	–	–	–	1	–	–	1	1	1	–	1
VIII. Nephritis	19	1	–	–	–	–	1	–	1	1	–	–	–
Nephria	40	–	–	–	–	–	–	–	2	1	4	3	2
Ischuria	27	–	–	–	–	–	–	–	–	–	1	–	1
Diabetes	28	–	–	–	–	–	–	–	–	2	5	1	6
Stone	45	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	30	–	–	1	–	–	–	–	–	–	–	–	2
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	140	2	–	3	–	–	–	–	3	3	2	–	3
IX. Paramenia	12	–	–	–	–	–	–	–	–	2	4	1	–
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	1	–	3
Childbirth	132	–	–	–	–	–	–	–	–	–	6	21	25
Organs of Generation	39	–	–	–	–	–	–	–	–	–	–	4	4
X. Arthritis	12	–	–	–	–	–	–	–	1	2	2	–	1
Rheumatism	61	–	–	–	–	–	–	–	1	3	3	1	–
Joint and Bone Disease	60	1	–	–	1	1	–	–	3	12	7	4	6
XI. Carbuncle	11	–	1	–	–	1	–	–	–	–	–	–	–
Phlegmon	8	2	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	11	2	–	2	1	–	–	–	–	1	–	1	1
XII. Cyanosis	32	29	–	3	–	–	–	–	–	–	–	–	–
Spina Bifida	18	16	–	2	–	–	–	–	–	–	–	–	–
Other Malformations	34	27	2	2	1	–	1	–	1	–	–	–	–
XVII. Intemperance	35	–	–	–	–	–	–	–	–	1	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	17	14	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	21	1	2	–	–	–	–	–	–	1	–	1	2
Poison	21	–	–	–	1	–	1	1	–	1	–	1	3
Burns and Scalds	165	2	1	3	29	16	26	13	18	3	3	1	3
Hanging, etc.	21	–	–	–	–	–	–	–	–	–	–	2	2
Suffocation	41	9	4	3	2	2	1	–	2	1	2	–	1
Drowning	307	–	–	–	13	11	4	9	16	23	35	30	28
Fracture and Contusion	387	3	–	1	6	–	7	3	16	34	32	27	33
Wounds	51	–	–	–	–	–	–	–	–	5	5	4	3
Other Violent Causes	66	11	–	–	1	–	–	2	4	4	4	3	1
Not Specified	2395	787	217	208	208	84	55	42	97	43	52	69	57

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	7	5	2	2	2	–	–	3	3	2	1	–	–	–	–	–
Apoplexy	10	21	19	20	24	47	56	53	71	68	38	15	1	–	–	1
Paralysis	5	12	16	20	33	52	73	117	142	136	114	39	10	2	–	3
Delirium Tremens	3	3	11	4	4	3	2	1	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	12	5	4	8	9	1	2	3	1	1	–	–	–	–	–
Tetanus	1	–	1	2	–	–	–	2	3	–	1	–	–	–	–	–
Insanity	2	6	1	1	3	2	2	2	2	1	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	20	8	25	18	15	27	22	25	20	13	7	2	–	–	–	1
Pericarditis	3	2	4	1	1	1	1	3	3	–	2	–	–	–	–	–
Aneurism	1	2	–	1	3	2	4	5	2	3	2	–	–	1	–	–
Heart Disease	41	37	45	59	60	86	120	124	112	81	49	11	3	1	–	2
Laryngitis	1	2	4	–	2	4	2	–	6	1	–	–	–	–	–	–
Bronchitis	11	13	13	31	41	44	73	114	114	113	58	41	10	3	–	1
Pleurisy	3	3	6	7	10	14	17	12	27	22	7	3	–	–	–	1
Pneumonia	21	25	28	27	28	29	51	36	38	25	19	9	1	–	–	–
Asthma	5	5	13	23	28	36	37	45	36	42	14	3	–	–	–	2
Lung Disease	3	12	10	9	9	15	14	10	8	2	2	–	1	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	1	1	1	–	1	–	–	1	–	–
Gastritis	8	3	5	10	5	8	8	10	7	1	4	–	1	–	–	–
Enteritis	9	14	13	7	15	16	10	15	23	12	11	3	–	–	–	2
Peritonitis	10	3	6	8	7	4	9	4	6	5	2	1	–	–	–	–
Ascites	2	5	3	4	3	5	10	6	6	1	4	1	1	–	–	–
Ulceration of Intestines	5	8	6	5	8	8	7	10	6	2	4	–	–	–	–	1
Hernia	1	2	–	2	2	3	6	9	5	7	4	2	–	–	–	–
Ileus	6	5	6	6	8	10	10	20	25	15	8	4	3	–	–	–
Intussusception	–	–	–	3	1	1	2	3	4	3	–	1	–	–	–	–
Stricture of Intestines	–	–	1	–	–	1	3	–	1	1	1	–	–	–	–	–
Stomach Disease	10	15	15	14	27	30	42	40	36	30	8	5	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hepatitis	7	6	10	8	5	6	3	4	7	3	1	2	–	–	–	–
Jaundice	2	2	–	4	3	11	8	6	8	11	7	1	–	–	–	–
Liver Disease	15	15	15	19	30	27	26	35	22	8	8	2	–	–	–	–
Spleen Disease	–	1	–	1	–	1	2	–	–	1	–	–	–	–	–	–
Nephritis	–	1	–	2	–	1	1	–	4	5	1	–	–	–	–	–
Nephria	4	3	1	2	2	4	–	1	2	6	2	1	–	–	–	–
Ischuria	–	–	1	–	2	1	3	3	3	4	5	2	–	1	–	–
Diabetes	4	–	1	2	2	1	1	2	1	–	–	–	–	–	–	–
Stone	1	–	–	–	–	2	2	7	11	8	9	3	1	–	–	–
Cystitis	2	–	2	–	1	1	–	1	10	7	1	1	–	1	–	–
Stricture of Urethra	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	5	2	2	6	5	8	8	15	31	20	12	7	2	1	–	–
Paramenia	2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	6	1	5	4	4	1	1	2	2	–	–	–	–	–	–
Childbirth	30	33	13	3	–	–	*1	–	–	–	–	–	–	–	–	–
Organs of Generation	2	7	2	4	2	5	3	3	2	1	–	–	–	–	–	–
Arthritis	1	–	–	1	1	1	–	1	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	3	5	5	6	11	5	9	4	3	1	–	–	1
Joint Disease	2	6	3	3	2	1	3	2	2	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	1	1	1	1	2	–	1	–	1
Phlegmon	–	–	–	–	–	1	1	–	1	2	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	3	3	5	8	3	3	1	4	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	1	1	–	1	2	3	1	1	1	–	–	–	–	–	–
Poison	1	3	1	3	3	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	3	3	3	3	1	6	10	7	5	–	–	–	–	1
Hanging, etc.	1	3	1	1	3	1	2	3	2	–	–	–	–	–	–	–
Suffocation	3	1	–	2	2	–	1	–	2	1	1	–	–	–	–	1
Drowning	16	19	22	11	13	11	9	6	4	2	1	–	–	–	–	24
Fracture and Contusion	23	26	27	22	11	22	21	16	10	14	13	12	1	–	–	7
Wounds	5	6	2	2	3	4	4	1	4	2	1	–	–	–	–	–
Other Violent Causes	4	4	5	3	4	2	3	6	2	1	–	–	–	–	–	2
Not Specified	42	44	43	51	80	100	102	1	1	–	–	1	–	–	–	11

* "An extra-uterine pregnancy for 35 years;" age 63.

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15195	1636	468	827	1220	532	386	275	730	431	589	635	524
SPECIFIED CAUSES	13935	1202	345	708	1118	487	351	250	691	412	563	599	491
I. Zymotic Class	3057	157	106	234	506	261	204	149	330	136	136	94	75
II. Diseases of Uncertain Seat	527	12	2	4	9	7	6	7	16	7	14	7	12
III. Tubercular Class	2313	38	57	137	235	83	46	40	150	95	203	321	216
IV. Brain and Nervous System	1213	74	23	46	38	31	16	16	46	33	36	24	30
V. Organs of Circulation	550	9	2	2	1	–	4	2	14	4	22	15	16
VI. Respiratory Organs	1488	92	69	107	128	52	34	16	48	22	26	43	32
VII. Organs of Digestion	1279	126	56	149	151	27	16	6	31	33	35	28	24
VIII. Urinary Organs	252	2	–	2	–	–	–	–	3	5	7	3	8
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	69	1	–	–	–	1	–	–	3	9	8	4	5
XI. Skin, etc.	12	3	–	1	1	–	–	–	1	–	–	–	–
XII. Malformation	48	41	2	3	1	–	–	–	1	–	–	–	–
XIII. Premature Debility	658	619	21	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	88	–	–	1	20	10	3	3	7	4	2	–	2
XV. Age	1512	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	38	3	2	1	–	–	1	–	1	1	–	–	–
XVII. Violent Deaths	831	25	5	3	28	15	21	11	40	63	74	60	71
I. Small Pox	103	11	6	13	23	5	4	3	9	5	2	3	6
Measles	163	3	6	27	64	26	13	8	10	2	2	1	–
Scarlatina	565	6	10	26	96	87	89	61	118	33	23	4	3
Diphtheria	24	1	–	1	2	1	2	1	5	4	4	–	–
Hooping Cough	220	21	22	46	69	20	17	10	14	–	–	–	–
Croup	297	18	8	18	79	57	40	37	34	3	–	1	–
Thrush	11	3	1	–	2	–	–	–	–	–	–	–	–
Diarrhœa	413	56	27	51	88	21	8	2	11	1	3	4	4
Dysentery	203	3	5	8	21	6	7	1	10	6	7	3	4
Cholera	53	1	1	8	11	1	1	2	6	3	–	1	3
Influenza	78	5	4	4	7	1	–	–	1	1	1	2	1
Purpura	15	–	1	4	1	–	–	–	–	–	3	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	14	–	–	1	2	1	2	1	7	–	–	–	–
Infantile Fever	26	2	4	7	3	4	2	2	2	–	–	–	–
Typhus	786	6	5	14	36	31	18	20	97	74	88	72	50
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	12	–	–	–	–	–	–	–	3	–	2	–	1
Erysipelas	58	13	3	4	2	–	1	1	3	3	1	–	2
Syphilis	13	3	3	1	–	–	–	–	–	–	–	2	1
Noma	2	–	–	–	–	–	–	–	–	1	–	–	–
Hydrophobia	1	–	–	1	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	24	3	–	1	–	–	–	1	–	–	3	–	–
Dropsy	228	1	2	1	5	5	6	5	12	4	6	3	4
Abscess	17	1	–	–	–	–	–	–	–	–	2	2	3
Ulcer	11	2	–	–	–	–	–	–	–	1	–	–	–
Fistula	4	–	–	–	–	1	–	–	–	–	–	–	–
Mortification	33	3	–	1	2	1	–	–	3	–	2	1	–
Cancer	207	2	–	1	2	–	–	1	1	2	1	1	5
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	147	3	1	2	6	6	4	4	10	17	16	22	12
Tabes Mesenterica	161	12	4	18	60	12	11	4	16	9	4	5	1
Phthisis	1566	5	9	18	38	28	16	11	75	54	174	293	203
Hydrocephalus	439	18	43	99	131	37	15	21	49	15	9	1	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	412	391	375	436	441	562	639	714	859	833	684	385	121	27	8	55
SPECIFIED CAUSES	387	371	358	416	403	522	582	713	858	833	684	384	121	27	8	51
Zymotic Class	62	44	48	56	51	63	57	57	82	74	42	20	6	1	–	6
Uncertain Seat	12	10	20	34	31	39	64	59	53	54	38	7	1	1	–	1
Tubercular Class	134	112	86	90	65	76	45	43	19	12	3	2	–	–	–	5
Brain, etc.	34	34	43	38	46	75	76	105	122	121	85	18	3	–	–	–
Heart, etc.	19	21	20	33	35	46	65	76	59	44	33	6	2	–	–	–
Respiratory Organs	21	33	41	60	64	90	105	114	113	94	52	25	3	1	–	3
Digestive Organs	36	48	40	48	50	64	67	77	72	52	28	10	3	–	–	2
Urinary Organs	7	4	6	7	8	11	13	22	54	44	26	14	3	3	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	5	2	2	4	3	4	6	3	3	3	1	–	–	–	1
Skin	–	–	–	–	–	1	1	–	1	2	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	2	3	9	10	9	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	42	120	254	323	365	277	100	21	8	2
Sudden Deaths	2	3	–	3	2	4	3	7	3	1	1	–	–	–	–	–
Violent Deaths	57	56	50	42	38	40	31	27	23	9	7	4	–	–	–	31
Small Pox	2	5	1	–	2	3	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	–	1	1	1	–	–	–	–	1	–	–	–	–	–	2
Diphtheria	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Croup	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	2	4	6	11	11	11	12	25	22	16	6	3	–	–	1
Dysentery	6	9	8	3	9	14	12	15	18	16	6	4	2	–	–	–
Cholera	3	–	3	2	–	1	2	–	2	1	1	–	–	–	–	–
Influenza	–	1	–	–	2	3	5	4	11	9	9	6	1	–	–	–
Purpura	1	–	–	2	–	1	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	23	25	34	23	28	21	23	24	23	8	3	–	1	–	2
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–
Erysipelas	1	3	2	7	2	1	3	2	–	2	1	1	–	–	–	–
Syphilis	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	3	2	2	1	–	–	4	2	1	1	–	–	–	–	–	–
Dropsy	4	3	7	13	12	10	26	23	27	27	16	4	1	–	–	1
Abscess	1	–	–	–	2	–	2	–	2	1	1	–	–	–	–	–
Ulcer	–	1	1	–	–	–	2	2	1	–	1	–	–	–	–	–
Fistula	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–
Mortification	–	1	–	–	1	1	1	2	3	4	6	–	–	1	–	–
Cancer	4	3	9	18	16	27	29	29	19	21	13	3	–	–	–	–
Gout	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Scrofula	9	5	6	8	5	6	2	1	1	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–
Phthisis	124	107	80	82	59	69	42	41	18	12	2	2	–	–	–	4
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	81	4	1	4	5	5	2	3	14	9	10	4	4
Apoplexy	274	2	3	10	2	3	1	2	4	2	6	4	3
Paralysis	386	–	–	–	1	–	2	–	3	2	3	3	5
Delirium Tremens	30	–	–	–	–	–	–	–	–	–	–	–	3
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	60	2	–	1	–	5	1	2	3	4	4	3	4
Tetanus	21	3	–	1	–	1	1	–	4	4	–	1	2
Insanity	15	–	–	–	–	–	–	–	–	1	1	1	–
Convulsions	139	57	15	24	18	10	5	5	4	1	–	–	–
Brain Disease	207	6	4	6	12	7	4	4	14	10	12	8	9
V. Pericarditis	24	2	–	–	–	–	2	1	3	1	2	–	–
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	513	7	2	2	1	–	2	1	11	3	20	15	16
VI. Laryngitis	45	2	2	2	7	3	6	3	4	–	–	1	2
Bronchitis	602	52	38	64	67	28	13	5	17	8	2	4	4
Pleurisy	90	2	3	1	2	1	1	1	1	–	3	1	3
Pneumonia	472	31	21	35	46	19	14	6	22	11	17	30	12
Asthma	176	1	–	–	2	1	–	–	2	–	–	1	2
Lung Disease	103	4	5	5	4	–	–	1	2	3	4	6	9
VII. Teething	224	–	8	106	104	4	2	–	–	–	–	–	–
Quinsey	12	–	2	2	–	1	–	–	2	–	–	1	–
Gastritis	59	3	3	3	1	4	1	1	–	–	–	1	1
Enteritis	255	62	26	21	27	6	3	1	12	8	8	5	4
Peritonitis	58	10	5	1	2	1	–	–	1	4	4	1	5
Ascites	27	–	–	–	–	–	2	–	3	1	3	1	–
Ulceration of Intestines	69	–	–	2	3	1	2	–	3	3	–	5	2
Hernia	25	4	–	–	–	–	–	–	–	1	1	–	–
Ileus	95	7	2	3	2	–	2	–	3	3	2	2	2
Intussusception	13	–	2	–	–	–	–	–	–	–	1	1	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	213	16	6	10	11	5	4	3	4	6	4	8	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	46	–	–	–	1	2	–	–	1	1	2	1	2
Jaundice	50	18	–	1	–	2	–	1	1	1	–	–	–
Liver Disease	124	6	2	–	–	1	–	–	–	4	9	2	3
Spleen Disease	6	–	–	–	–	–	–	–	1	1	1	–	–
VIII. Nephritis	14	–	–	–	–	–	–	–	–	1	–	–	–
Nephria	25	–	–	–	–	–	–	–	2	1	1	3	2
Ischuria	24	–	–	–	–	–	–	–	–	–	1	–	1
Diabetes	16	–	–	–	–	–	–	–	–	–	3	–	2
Stone	41	1	–	–	–	–	–	–	–	–	–	–	–
Cystitis	25	–	–	1	–	–	–	–	–	–	–	–	1
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	105	1	–	1	–	–	–	–	1	3	2	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	7	–	–	–	–	–	–	–	1	2	2	–	–
Rheumatism	26	–	–	–	–	–	–	–	1	1	3	1	–
Joint and Bone Disease	36	1	–	–	–	1	–	–	1	6	3	3	5
XI. Carbuncle	4	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	1	–	–	–	–
Skin Disease	4	2	–	1	1	–	–	–	–	–	–	–	–
XII. Cyanosis	20	18	–	2	–	–	–	–	–	–	–	–	–
Spina Bifida	11	10	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	17	13	2	–	1	–	–	–	1	–	–	–	–
XVII. Intemperance	26	–	–	–	–	–	–	–	–	1	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	8	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	14	–	1	–	–	–	–	–	–	1	–	1	2
Poison	10	–	–	–	–	–	1	–	–	1	–	–	1
Burns and Scalds	63	–	–	1	13	9	9	3	8	1	2	1	3
Hanging, etc.	14	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	26	7	3	1	2	–	1	–	2	–	2	–	–
Drowning	258	–	–	–	8	6	3	4	12	19	32	26	27
Fracture and Contusion	323	3	–	–	5	–	7	2	14	32	30	27	32
Wounds	40	–	–	–	–	–	–	–	–	4	4	2	3
Other Violent Causes	47	7	–	–	–	–	–	2	4	4	4	2	1
Not Specified	1260	434	123	119	102	45	35	25	39	19	26	36	33

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	3	2	1	2	–	–	1	2	2	1	–	–	–	–	–
Apoplexy	5	8	8	10	12	25	29	34	33	39	22	6	1	–	–	–
Paralysis	5	6	9	11	14	24	33	55	71	71	55	11	2	–	–	–
Delirium Tremens	2	2	7	4	4	3	2	1	2	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	7	2	1	4	7	1	1	2	1	1	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	1	1	–	1	–	–	–	–	–
Insanity	2	3	1	1	1	1	–	1	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	14	5	14	9	9	15	11	11	10	7	5	1	–	–	–	–
Pericarditis	2	2	2	–	1	1	–	2	2	–	1	–	–	–	–	–
Aneurism	–	1	–	–	1	1	3	2	1	2	2	–	–	–	–	–
Heart Disease	17	18	18	33	33	44	62	72	56	42	30	6	2	–	–	–
Laryngitis	1	1	2	–	1	3	2	–	3	–	–	–	–	–	–	–
Bronchitis	–	7	7	16	16	28	29	48	50	50	28	18	2	1	–	–
Pleurisy	1	1	2	4	3	9	6	11	13	14	5	1	–	–	–	1
Pneumonia	15	14	19	17	20	17	35	18	22	17	10	4	–	–	–	–
Asthma	2	3	9	17	16	24	24	28	18	13	9	2	–	–	–	2
Lung Disease	2	7	2	6	8	9	9	9	7	–	–	–	1	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	1	–	1	–	1	–	–	–	–	–
Gastritis	4	–	3	7	5	4	8	5	3	–	2	–	–	–	–	–
Enteritis	8	8	5	4	7	7	2	10	10	6	3	1	–	–	–	1
Peritonitis	1	2	1	5	3	2	2	2	1	4	1	–	–	–	–	–
Ascites	1	3	2	–	–	1	3	2	1	–	2	1	1	–	–	–
Ulceration of Intestines	2	6	6	2	5	4	6	10	3	1	2	–	–	–	–	1
Hernia	1	1	–	–	1	2	–	5	1	4	2	2	–	–	–	–
Ileus	4	1	3	5	5	5	3	10	18	7	3	1	2	–	–	–
Intussusception	–	–	–	2	–	–	2	2	1	1	–	1	–	–	–	–
Stricture of Intestines	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Stomach Disease	3	8	7	4	12	15	22	20	16	18	4	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	6	4	4	3	3	2	2	5	2	–	1	–	–	–	–
Jaundice	–	2	–	3	1	5	4	1	3	4	3	–	–	–	–	–
Liver Disease	8	11	8	12	8	15	8	8	9	4	5	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Nephritis	–	1	–	1	–	1	1	–	3	5	1	–	–	–	–	–
Nephria	1	2	1	1	–	2	–	–	1	6	1	1	–	–	–	–
Ischuria	–	–	1	–	2	–	2	3	3	3	5	2	–	1	–	–
Diabetes	2	–	1	2	2	–	1	2	1	–	–	–	–	–	–	–
Stone	1	–	–	–	–	2	2	5	11	7	8	3	1	–	–	–
Cystitis	2	–	1	–	1	1	–	–	8	7	1	1	–	1	–	–
Stricture of Urethra	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	3	3	5	6	12	27	16	10	7	2	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	3	2	3	3	1	2	3	1	–	–	–	1
Joint Disease	1	5	2	1	–	1	1	2	2	1	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	2	1	4	6	2	2	1	3	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	1	1	–	1	1	2	1	–	–	–	–	–	–	–	–
Poison	1	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	2	1	3	1	1	3	1	–	–	–	–	–	–
Hanging, etc.	1	3	–	1	3	1	1	1	–	–	–	–	–	–	–	–
Suffocation	3	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Drowning	15	18	20	9	10	9	7	5	3	1	1	–	–	–	–	23
Fracture and Contusion	22	25	23	20	9	18	14	13	7	5	5	4	–	–	–	6
Wounds	5	3	2	1	3	4	2	1	4	1	1	–	–	–	–	–
Other Violent Causes	3	1	2	2	4	1	1	4	2	1	–	–	–	–	–	2
Not Specified	25	20	17	20	38	40	57	1	1	–	–	1	–	–	–	4

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15195	1170	357	786	1067	548	366	261	721	418	507	555	478
SPECIFIED CAUSES	14060	817	263	697	961	509	346	244	663	394	481	522	454
I. Zymotic Class	3257	105	91	255	406	298	199	156	365	161	128	116	101
II. Diseases of Uncertain Seat	786	7	2	2	8	3	7	4	12	7	15	12	12
III. Tubercular Class	2291	23	45	136	185	80	57	30	147	124	231	259	200
IV. Brain and Nervous System	1112	56	22	38	36	18	17	12	37	25	31	27	22
V. Organs of Circulation	508	1	3	3	3	3	1	2	9	17	12	13	22
VI. Respiratory Organs	1258	61	33	105	99	51	31	16	41	19	15	25	26
VII. Organs of Digestion	1198	71	39	124	167	33	10	6	27	14	17	31	21
VIII. Urinary Organs	79	2	–	2	–	–	1	–	3	2	5	1	6
IX. Organs of Generation	216	–	–	–	–	–	–	–	–	2	11	26	32
X. Organs of Locomotion	64	–	–	–	1	–	–	–	2	8	4	1	2
XI. Skin, etc.	18	1	1	1	–	1	–	–	–	1	–	1	1
XII. Malformation	36	31	–	4	–	–	1	–	–	–	–	–	–
XIII. Premature Debility	476	438	20	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	128	–	–	2	32	8	4	1	4	4	5	1	3
XV. Age	2299	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	32	6	3	2	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	302	15	4	5	24	14	18	17	16	10	7	9	5
I. Small Pox	80	5	5	8	20	9	5	4	7	1	–	3	7
Measles	165	6	6	19	45	31	22	13	18	1	2	–	–
Scarlatina	529	2	7	37	58	83	61	60	145	36	16	8	7
Diphtheria	27	1	1	5	4	3	2	2	1	3	1	–	–
Hooping Cough	277	26	14	72	75	41	20	8	20	1	–	–	–
Croup	283	15	4	24	59	66	43	36	35	1	–	–	–
Thrush	5	2	1	2	–	–	–	–	–	–	–	–	–
Diarrhœa	389	20	26	42	73	18	4	5	6	3	–	2	1
Dysentery	272	–	9	16	11	3	10	1	5	2	8	5	8
Cholera	39	1	–	2	9	–	2	1	2	–	–	1	–
Influenza	112	5	5	3	2	–	–	–	–	2	–	3	1
Purpura	11	1	–	1	1	–	–	2	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	12	–	1	–	2	1	3	–	5	–	–	–	–
Infantile Fever	14	2	2	4	5	1	–	–	–	–	–	–	–
Typhus	880	–	5	18	38	41	26	24	117	108	93	74	57
Metria	78	–	–	–	–	–	–	–	–	–	5	17	19
Rheumatic Fever	25	–	–	–	1	–	–	–	3	1	3	1	–
Erysipelas	42	13	3	1	1	–	1	–	1	1	–	–	1
Syphilis	13	6	2	1	–	–	–	–	–	–	–	1	–
Noma	3	–	–	–	2	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	18	3	–	–	–	–	–	–	2	–	2	1	1
Dropsy	339	–	1	2	3	3	6	3	6	4	10	7	7
Abscess	22	2	–	–	1	–	–	–	2	–	–	1	2
Ulcer	9	–	–	–	–	–	–	1	–	–	1	1	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	49	2	1	–	4	–	1	–	1	2	–	1	–
Cancer	349	–	–	–	–	–	–	–	1	1	2	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	97	4	2	3	5	4	4	–	10	8	8	10	6
Tabes Mesenterica	132	3	9	16	41	10	7	6	10	6	4	8	2
Phthisis	1674	8	12	30	40	18	18	10	69	94	213	240	192
Hydrocephalus	388	8	22	87	99	48	28	14	58	16	6	1	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	440	430	441	387	480	536	647	760	1048	1030	906	516	221	71	16	32
SPECIFIED CAUSES	423	406	415	356	438	476	602	760	1048	1030	906	516	221	71	16	25
Zymotic Class	70	75	63	48	64	68	68	86	106	104	67	36	10	9	–	2
Uncertain Seat	17	28	46	43	57	58	90	97	99	79	52	20	6	3	–	–
Tubercular Class	165	124	128	88	81	67	39	39	23	12	4	2	–	–	–	2
Brain, etc.	24	33	37	33	43	65	80	100	124	100	78	39	8	2	–	5
Heart, etc.	26	20	29	28	29	43	60	56	58	40	20	5	1	2	–	2
Respiratory Organs	23	27	33	37	54	52	89	103	116	111	48	31	9	2	–	1
Digestive Organs	39	31	40	43	64	68	81	86	85	48	35	12	2	1	–	3
Urinary Organs	9	2	2	5	4	7	3	7	8	6	4	–	–	–	–	–
Generative Organs	37	46	17	12	8	9	5	4	4	3	–	–	–	–	–	–
Locomotive Organs	2	1	1	5	4	4	5	8	4	7	2	2	1	–	–	–
Skin	–	–	–	–	–	2	–	1	3	1	–	2	–	1	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	5	6	3	3	14	19	14	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	50	157	399	500	579	359	183	51	16	5
Sudden Deaths	1	–	1	1	3	4	1	3	3	–	3	–	–	–	–	–
Violent Deaths	5	13	15	10	13	10	17	13	16	19	14	8	1	–	–	4
Small Pox	1	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	1	–	–	1	–	3	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	7	5	2	8	10	16	26	27	36	27	13	2	5	–	1
Dysentery	5	6	13	15	15	17	18	25	25	22	13	14	4	2	–	–
Cholera	1	2	3	2	1	4	2	1	3	1	1	–	–	–	–	–
Influenza	–	1	1	–	3	6	4	8	27	21	15	3	2	–	–	–
Purpura	–	–	1	–	1	–	1	2	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	36	29	22	31	27	21	20	22	21	9	4	1	1	–	1
Metria	15	18	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	2	1	3	–	1	–	2	2	2	–	1	–	–	–	–
Erysipelas	1	2	2	1	2	1	3	2	–	1	2	1	1	1	–	–
Syphilis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	–	1	3	–	1	1	–	–	–	–	–	–	–	–
Dropsy	4	6	13	11	23	18	37	37	51	44	28	11	2	2	–	–
Abscess	–	2	1	3	1	–	2	1	–	2	1	1	–	–	–	–
Ulcer	–	–	–	–	–	–	1	1	–	2	2	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	2	1	1	1	1	–	4	6	5	8	4	3	–	–	–
Cancer	11	16	31	27	29	39	49	53	42	26	13	4	1	1	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	2	4	8	4	3	4	6	1	1	–	–	–	–	–	–
Tabes Mesenterica	2	2	1	2	–	1	1	1	–	–	–	–	–	–	–	–
Phthisis	163	120	123	78	77	63	33	32	22	11	4	2	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	75	3	3	4	9	4	2	2	10	8	6	10	3
Apoplexy	251	1	3	4	5	2	3	1	4	2	3	2	9
Paralysis	419	–	–	–	–	–	1	–	2	4	3	–	2
Delirium Tremens	6	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	49	–	–	–	–	–	–	1	2	4	6	7	4
Tetanus	18	4	–	–	–	1	–	1	4	1	1	–	–
Insanity	14	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	111	43	12	23	15	9	6	1	2	–	–	–	–
Brain Disease	168	5	4	7	7	2	5	6	12	6	12	7	3
V. Pericarditis	23	–	–	1	–	1	–	1	5	2	4	–	1
Aneurism	13	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	472	1	3	2	3	2	1	1	4	15	8	13	21
VI. Laryngitis	41	2	2	3	4	3	4	3	7	3	–	–	1
Bronchitis	628	36	18	65	50	19	17	5	12	7	5	9	5
Pleurisy	78	–	1	–	–	2	2	3	3	1	–	1	4
Pneumonia	321	22	10	37	40	23	8	5	18	3	6	8	12
Asthma	124	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	66	1	2	–	5	4	–	–	1	5	4	6	3
VII. Teething	225	–	11	86	115	13	–	–	–	–	–	–	–
Quinsey	15	1	–	1	2	1	2	–	3	–	1	2	–
Gastritis	44	2	–	1	1	1	–	–	3	1	1	3	2
Enteritis	226	43	14	21	27	10	2	6	7	4	7	4	3
Peritonitis	72	1	1	3	4	2	–	–	4	3	4	7	2
Ascites	38	1	–	–	–	–	–	–	2	–	1	–	–
Ulceration of Intestines	36	–	–	–	3	–	1	–	1	1	–	2	6
Hernia	24	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	72	3	4	2	–	–	–	–	1	–	1	1	1
Intussusception	10	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	200	9	6	9	13	3	3	–	3	3	1	5	2
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	30	–	–	–	–	–	–	–	1	1	–	1	1
Jaundice	53	8	2	–	1	–	–	–	1	–	–	2	2
Liver Disease	142	3	–	1	1	2	2	–	1	1	1	4	1
Spleen Disease	5	–	–	–	–	1	–	–	–	–	–	–	1
VIII. Nephritis	5	1	–	–	–	–	1	–	1	–	–	–	–
Nephria	15	–	–	–	–	–	–	–	–	–	3	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	12	–	–	–	–	–	–	–	–	2	2	1	4
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	35	1	–	2	–	–	–	–	2	–	–	–	1
IX. Paramenia	12	–	–	–	–	–	–	–	–	2	4	1	–
Ovarian Dropsy	33	–	–	–	–	–	–	–	–	–	1	–	3
Childbirth	132	–	–	–	–	–	–	–	–	–	6	21	25
Organs of Generation	39	–	–	–	–	–	–	–	–	–	–	4	4
X. Arthritis	5	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatism	35	–	–	–	–	–	–	–	–	2	–	–	–
Joint and Bone Disease	24	–	–	–	1	–	–	–	2	6	4	1	1
XI. Carbuncle	7	–	1	–	–	1	–	–	–	–	–	–	–
Phlegmon	4	1	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	7	–	–	1	–	–	–	–	–	1	–	1	1
XII. Cyanosis	12	11	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	7	6	–	1	–	–	–	–	–	–	–	–	–
Other Malformations	17	14	–	2	–	–	1	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	7	6	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	1	–	–	–	–	–	–	–	–	–	–
Poison	11	–	–	–	1	–	–	1	–	–	–	1	2
Burns and Scalds	102	2	1	2	16	7	17	10	10	2	1	–	–
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	15	2	1	2	–	2	–	–	–	1	–	–	1
Drowning	49	–	–	–	5	5	1	5	4	4	3	4	1
Fracture and Contusion	64	–	–	1	1	–	–	1	2	2	2	–	1
Wounds	11	–	–	–	–	–	–	–	–	1	1	2	–
Other Violent Causes	19	4	–	–	1	–	–	–	–	–	–	1	–
Not Specified	1135	353	94	89	106	39	20	17	58	24	26	33	24

CAUSES of DEATH in the MAINLAND DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	2	–	1	–	–	–	2	1	–	–	–	–	–	–	–
Apoplexy	5	13	11	10	12	22	27	19	38	29	16	9	–	–	–	1
Paralysis	–	6	7	9	19	28	40	62	71	65	59	28	8	2	–	3
Delirium Tremens	1	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	5	3	3	4	2	–	1	1	–	–	–	–	–	–	–
Tetanus	1	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–
Insanity	–	3	–	–	2	1	2	1	1	–	1	1	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	3	11	9	6	12	11	14	10	6	2	1	–	–	–	1
Pericarditis	1	–	2	1	–	–	1	1	1	–	1	–	–	–	–	–
Aneurism	1	1	–	1	2	1	1	3	1	1	–	–	–	1	–	–
Heart Disease	24	19	27	26	27	42	58	52	56	39	19	5	1	1	–	2
Laryngitis	–	1	2	–	1	1	–	–	3	1	–	–	–	–	–	–
Bronchitis	11	6	6	15	25	16	44	66	64	63	30	23	8	2	–	1
Pleurisy	2	2	4	3	7	5	11	1	14	8	2	2	–	–	–	–
Pneumonia	6	11	9	10	8	12	16	18	16	8	9	5	1	–	–	–
Asthma	3	2	4	6	12	12	13	17	18	29	5	1	–	–	–	–
Lung Disease	1	5	8	3	1	6	5	1	1	2	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Gastritis	4	3	2	3	–	4	–	5	4	1	2	–	1	–	–	–
Enteritis	1	6	8	3	8	9	8	5	13	6	8	2	–	–	–	1
Peritonitis	9	1	5	3	4	2	7	2	5	1	1	1	–	–	–	–
Ascites	1	2	1	4	3	4	7	4	5	1	2	–	–	–	–	–
Ulceration of Intestines	3	2	–	3	3	4	1	–	3	1	2	–	–	–	–	–
Hernia	–	1	–	2	1	1	6	4	4	3	2	–	–	–	–	–
Ileus	2	4	3	1	3	5	7	10	7	8	5	3	1	–	–	–
Intussusception	–	–	–	1	1	1	–	1	3	2	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	–	1	1	1	–	–	–	–	–
Stomach Disease	7	7	8	10	15	15	20	20	20	12	4	3	–	–	–	2
Pancreas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	6	4	2	3	1	2	2	1	1	1	–	–	–	–
Jaundice	2	–	–	1	2	6	4	5	5	7	4	1	–	–	–	–
Liver Disease	7	4	7	7	22	12	18	27	13	4	3	1	–	–	–	–
Spleen Disease	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	3	1	–	1	2	2	–	1	1	–	1	–	–	–	–	–
Ischuria	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Diabetes	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	1	1	3	2	3	2	3	4	4	2	–	–	–	–	–
Paramenia	2	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	6	1	5	4	4	1	1	2	2	–	–	–	–	–	–
Childbirth	30	33	13	3	–	–	*1	–	–	–	–	–	–	–	–	–
Organs of Generation	2	7	2	4	2	5	3	3	2	1	–	–	–	–	–	–
Arthritis	1	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Rheumatism	–	–	–	2	2	3	3	8	4	7	1	2	1	–	–	–
Joint Disease	1	1	1	2	2	–	2	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	–	–	–	2	–	1	–	1
Phlegmon	–	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	2	1	2	1	1	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–
Poison	–	1	–	1	3	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	3	3	1	2	–	–	5	7	6	5	–	–	–	–	1
Hanging, etc.	–	–	1	–	–	–	1	2	2	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	–	–	–	1	1	1	–	–	–	–	1
Drowning	1	1	2	2	3	2	2	1	1	1	–	–	–	–	–	1
Fracture and Contusion	1	1	4	2	2	4	7	3	3	9	8	8	1	–	–	1
Wounds	–	3	–	1	–	–	2	–	–	1	–	–	–	–	–	–
Other Violent Causes	1	3	3	1	–	1	2	2	–	–	–	–	–	–	–	–
Not Specified	17	24	26	31	42	60	45	–	–	–	–	–	–	–	–	7

* "An extra-uterine pregnancy for 35 years;" age 63.

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	29210	3001	1105	2453	3486	1615	972	709	1431	641	895	1066	1031
Specified Causes	28075	2552	973	2313	3378	1559	947	691	1401	625	886	1059	1017
I. Zymotic Class	7436	364	332	861	1441	825	523	411	704	184	176	203	161
II. Diseases of Uncertain Seat	997	19	3	8	21	19	16	22	34	21	26	19	33
III. Tubercular Class	5413	83	151	437	636	307	194	113	351	225	425	508	448
IV. Brain and Nervous System	2334	201	78	119	125	54	37	26	80	46	39	48	73
V. Organs of Circulation	1007	3	–	1	5	2	1	4	12	20	30	46	51
VI. Respiratory Organs	3340	148	173	354	468	206	107	60	99	35	45	79	78
VII. Organs of Digestion	2409	212	110	439	565	86	29	19	41	26	51	43	51
VIII. Urinary Organs	264	1	–	2	2	–	2	5	10	10	15	15	11
IX. Organs of Generation	228	–	–	–	–	–	–	–	–	1	11	32	37
X. Organs of Locomotion	94	–	–	2	–	–	2	2	12	8	13	5	5
XI. Skin, etc.	19	7	1	2	5	–	–	–	–	–	–	–	–
XII. Malformation	63	52	4	4	2	–	–	–	–	–	1	–	–
XIII. Premature Debility	1587	1412	108	67	–	–	–	–	–	–	–	–	–
XIV. Atrophy	278	–	–	2	82	37	16	9	17	7	4	5	4
XV. Age	1725	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	59	6	5	2	2	–	–	–	–	1	2	1	2
XVII. Violent Deaths	822	44	8	13	24	23	20	20	41	41	48	55	63
I. Small Pox	639	47	43	123	147	79	52	38	42	10	10	23	8
Measles	692	10	17	112	268	124	67	41	50	–	2	–	1
Scarlatina	1129	4	10	80	187	206	162	132	259	38	14	14	7
Diphtheria	23	1	–	3	5	2	1	2	5	1	–	–	2
Hooping Cough	1000	43	70	225	326	156	80	58	40	1	–	1	–
Croup	465	27	22	37	137	92	68	46	32	2	1	–	–
Thrush	18	12	2	1	3	–	–	–	–	–	–	–	–
Diarrhœa	1220	144	130	187	232	65	15	17	34	7	8	14	12
Dysentery	430	9	8	37	43	18	5	5	14	5	7	9	16
Cholera	76	7	6	8	14	5	1	1	6	3	1	3	1
Influenza	65	3	2	1	3	3	1	4	2	1	–	–	1
Purpura	23	–	2	1	1	2	2	–	1	2	3	1	1
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	–	–	–	1	1	2	1	3	–	–	–	–
Infantile Fever	34	4	5	1	16	4	1	2	1	–	–	–	–
Typhus	1363	3	5	27	50	64	64	62	207	106	122	116	86
Metria	63	–	–	–	–	–	–	–	–	–	–	15	16
Rheumatic Fever	20	–	–	–	–	–	1	–	3	4	3	3	–
Erysipelas	97	21	4	7	3	4	–	2	1	4	4	3	5
Syphilis	63	28	6	11	5	–	–	–	–	–	1	1	5
Noma	6	1	–	–	–	–	1	–	4	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	49	9	1	–	1	–	–	2	2	–	3	1	4
Dropsy	465	1	–	5	11	15	15	18	27	17	11	13	16
Abscess	35	2	1	1	2	1	–	2	3	1	6	1	2
Ulcer	15	2	–	1	–	–	–	–	–	1	–	–	–
Fistula	3	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	64	5	1	1	5	3	1	–	1	–	4	3	–
Cancer	364	–	–	–	2	–	–	–	1	2	2	1	11
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	171	2	2	9	19	14	5	5	27	20	22	11	7
Tabes Mesenterica	401	30	24	53	130	50	30	12	31	15	12	2	3
Phthisis	3684	13	36	87	181	122	69	36	164	162	388	491	438
Hydrocephalus	1157	38	89	288	306	121	90	60	129	28	3	4	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	1002	898	952	916	926	962	1087	1030	1005	885	687	301	110	29	4	11
Specified Causes	990	884	934	887	903	938	1077	1030	1005	885	687	301	110	29	4	10
Zymotic Class	130	108	110	128	130	119	128	115	94	93	58	30	8	–	–	–
Uncertain Seat	41	43	70	74	101	98	95	80	64	41	34	13	1	–	–	1
Tubercular Class	393	289	248	173	155	106	96	48	17	6	2	–	–	–	–	2
Brain, etc.	67	94	120	111	110	146	159	203	164	128	76	21	6	2	–	1
Heart, etc.	73	73	69	82	84	110	110	81	78	39	26	5	1	–	–	1
Respiratory Organs	84	82	134	135	142	179	221	183	125	121	63	14	2	3	–	–
Digestive Organs	62	65	66	78	89	82	92	75	63	47	12	6	–	–	–	–
Urinary Organs	20	14	16	21	18	14	31	16	18	9	10	3	1	–	–	–
Generative Organs	44	38	29	10	8	4	2	9	2	1	–	–	–	–	–	–
Locomotive Organs	1	5	1	5	6	6	3	6	7	1	4	–	–	–	–	–
Skin	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	9	15	13	13	34	5	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	95	186	343	386	394	204	89	24	4	–
Sudden Deaths	3	4	7	3	4	5	5	2	4	–	1	–	–	–	–	–
Violent Deaths	66	60	49	54	42	35	34	26	25	12	7	5	2	–	–	5
Small Pox	7	4	3	2	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	8	3	3	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	16	13	22	25	26	42	34	40	40	47	29	15	6	–	–	–
Dysentery	8	10	21	26	28	21	35	34	28	21	14	7	1	–	–	–
Cholera	–	–	3	4	3	3	5	–	1	1	–	–	–	–	–	–
Influenza	–	–	1	5	5	4	5	5	5	7	4	2	1	–	–	–
Purpura	–	1	–	1	1	1	1	1	–	–	1	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	66	56	51	56	64	38	44	34	17	13	9	3	–	–	–	–
Metria	17	12	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	5	3	6	3	7	2	1	3	4	–	3	–	–	–	–
Syphilis	4	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	6	3	3	4	5	1	–	1	–	–	–	–	–	–
Dropsy	19	17	13	22	45	34	38	40	36	23	17	7	1	–	–	1
Abscess	2	–	3	3	–	1	1	2	–	1	–	–	–	–	–	–
Ulcer	–	–	–	2	2	1	1	3	1	–	–	1	–	–	–	–
Fistula	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Mortification	1	2	3	–	4	2	2	2	7	3	10	4	–	–	–	–
Cancer	18	22	42	44	45	56	47	30	20	13	7	1	–	–	–	–
Gout	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Scrofula	9	6	6	2	1	1	1	1	–	–	1	–	–	–	–	–
Tabes Mesenterica	3	1	2	–	1	–	1	–	1	–	–	–	–	–	–	–
Phthisis	381	282	240	171	153	105	93	47	16	6	1	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	160	1	11	20	20	10	11	5	15	7	9	10	11
Apoplexy	509	4	4	13	8	2	4	3	6	5	7	5	12
Paralysis	581	–	–	–	–	2	–	–	2	–	1	7	8
Delirium Tremens	49	–	–	–	–	–	–	–	–	–	–	1	12
Chorea	3	1	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	102	1	–	2	1	2	1	–	4	6	6	6	8
Tetanus	19	2	–	–	1	–	–	–	–	2	2	–	1
Insanity	28	–	–	–	–	–	–	–	1	–	–	3	2
Convulsions	440	183	54	64	70	33	13	9	14	–	–	–	–
Brain Disease	443	9	9	20	25	5	8	9	38	26	14	15	19
V. Pericarditis	30	–	–	1	2	–	–	–	3	2	5	2	3
Aneurism	43	–	–	–	–	–	–	–	–	–	1	1	5
Heart Disease	934	3	–	–	3	2	1	4	9	18	24	43	43
VI. Laryngitis	88	3	5	8	16	12	5	7	5	1	–	5	2
Bronchitis	1580	75	85	198	227	101	43	27	38	9	16	19	26
Pleurisy	121	3	1	2	5	3	5	2	8	3	3	6	6
Pneumonia	1054	62	77	140	203	80	51	21	33	17	20	35	30
Asthma	313	–	1	3	1	2	–	–	1	1	1	3	6
Lung Disease	184	5	4	3	16	8	3	3	14	4	5	11	8
VII. Teething	878	3	35	338	457	42	3	–	–	–	–	–	–
Quinsey	35	4	3	5	5	3	1	2	–	2	–	1	2
Gastritis	55	6	2	2	7	2	2	1	2	1	1	1	3
Enteritis	459	115	51	54	54	23	11	12	17	7	14	9	7
Peritonitis	93	5	1	4	2	1	1	1	3	4	7	8	10
Ascites	30	1	–	2	1	–	1	–	–	1	4	–	–
Ulceration of Intestines	50	2	–	2	3	1	–	–	2	–	3	2	1
Hernia	34	2	–	–	1	–	–	1	–	–	–	1	–
Ileus	103	14	2	2	3	–	–	–	3	1	3	8	4
Intussusception	12	1	2	2	–	–	–	–	–	1	–	–	1
Stricture of Intestines	10	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	300	24	13	21	26	8	7	2	8	3	6	3	9
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	45	1	–	4	1	1	–	–	1	1	–	2	3
Jaundice	77	31	–	1	3	3	1	–	1	1	–	–	1
Liver Disease	224	3	1	2	2	2	2	–	4	4	12	8	8
Spleen Disease	4	–	–	–	–	–	–	–	–	–	1	–	1
VIII. Nephritis	14	–	–	–	–	–	–	1	2	–	–	2	2
Nephria	68	–	–	1	–	–	–	1	1	3	4	7	4
Ischuria	17	1	–	1	1	–	–	–	–	1	–	–	–
Diabetes	22	–	–	–	–	–	–	–	–	2	4	3	2
Stone	13	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	1	1	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	112	–	–	–	1	–	2	2	7	4	6	2	3
IX. Paramenia	11	–	–	–	–	–	–	–	–	1	4	–	2
Ovarian Dropsy	27	–	–	–	–	–	–	–	–	–	2	–	5
Childbirth	149	–	–	–	–	–	–	–	–	–	5	29	27
Organs of Generation	41	–	–	–	–	–	–	–	–	–	–	3	3
X. Arthritis	8	–	–	1	–	–	2	–	1	1	2	–	–
Rheumatism	32	–	–	–	–	–	–	–	2	–	–	1	–
Joint and Bone Disease	54	–	–	1	–	–	–	2	9	7	11	4	5
XI. Carbuncle	7	2	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	12	5	1	2	4	–	–	–	–	–	–	–	–
XII. Cyanosis	29	25	–	2	2	–	–	–	–	–	–	–	–
Spina Bifida	13	9	4	–	–	–	–	–	–	–	–	–	–
Other Malformations	21	18	–	2	–	–	–	–	–	–	1	–	–
XVII. Intemperance	50	–	–	–	–	–	–	–	–	–	–	3	4
Privation	6	1	–	–	–	1	1	–	–	–	–	–	2
Want of Breast Milk	19	12	7	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	10	–	–	–	1	–	–	1	–	–	–	–	1
Poison	31	5	–	1	–	1	–	1	1	–	3	–	3
Burns and Scalds	105	2	–	6	16	10	13	9	11	3	4	4	6
Hanging, etc.	20	–	–	–	–	–	–	–	–	–	–	3	–
Suffocation	26	14	1	2	–	1	–	–	–	–	1	1	–
Drowning	165	–	–	–	3	2	–	3	9	11	15	17	16
Fracture and Contusion	302	–	–	2	3	8	6	5	18	22	21	21	24
Wounds	33	1	–	–	–	–	–	–	–	1	2	2	4
Other Violent Causes	55	9	–	2	1	–	–	1	2	4	2	4	3
Not Specified	1135	449	132	140	108	56	25	18	30	16	9	7	14

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	5	6	7	3	5	1	1	2	–	–	–	–	–	–	–	–
Apoplexy	14	23	23	43	39	55	56	63	56	37	22	4	1	–	–	–
Paralysis	13	17	33	24	31	42	67	105	88	74	47	15	3	2	–	–
Delirium Tremens	5	11	9	5	3	1	–	2	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	10	6	9	3	12	4	5	1	2	1	1	–	–	–	–
Tetanus	1	–	3	3	–	2	2	–	–	–	–	–	–	–	–	–
Insanity	1	3	4	5	3	–	2	2	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	17	24	35	19	25	33	27	24	18	14	6	1	2	–	–	1
Pericarditis	4	2	1	1	1	1	–	2	–	–	–	–	–	–	–	–
Aneurism	2	5	7	4	6	2	3	2	1	3	1	–	–	–	–	–
Heart Disease	67	66	61	77	77	107	107	77	77	36	25	5	1	–	–	1
Laryngitis	4	3	1	1	2	4	1	2	–	1	–	–	–	–	–	–
Bronchitis	22	23	62	56	54	98	107	88	74	76	40	12	2	2	–	–
Pleurisy	10	9	6	10	8	6	4	7	8	3	3	–	–	–	–	–
Pneumonia	32	35	30	29	25	29	31	32	15	18	7	1	–	1	–	–
Asthma	8	5	23	26	40	33	65	40	24	21	8	1	–	–	–	–
Lung Disease	8	7	12	13	13	9	13	14	4	2	5	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	2	–	1	2	1	–	1	–	–	–	–	–	–	–	–
Gastritis	2	2	2	1	2	–	3	6	4	2	1	–	–	–	–	–
Enteritis	8	14	8	8	5	9	10	10	2	7	2	2	–	–	–	–
Peritonitis	5	5	8	3	6	6	5	1	3	3	–	1	–	–	–	–
Ascites	2	2	4	3	5	–	1	2	1	–	–	–	–	–	–	–
Ulceration of Intestines	1	4	3	2	6	3	3	4	5	3	–	–	–	–	–	–
Hernia	1	1	3	1	5	2	6	3	3	3	–	1	–	–	–	–
Ileus	2	3	4	7	9	5	10	10	7	4	2	–	–	–	–	–
Intussusception	–	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	1	–	2	2	–	2	1	1	–	–	–	–	–	–	–
Stomach Disease	15	12	18	17	19	19	21	23	11	12	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	2	4	1	7	3	4	–	3	3	–	–	–	–	–	–
Jaundice	2	1	1	3	4	3	5	6	6	2	2	–	–	–	–	–
Liver Disease	20	15	10	28	16	29	22	8	17	7	3	1	–	–	–	–
Spleen Disease	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	3	1	–	–	2	–	–	–	–	–	–	–	–
Nephria	8	6	7	4	5	5	6	1	4	1	–	–	–	–	–	–
Ischuria	1	–	–	1	–	2	1	3	1	2	2	–	–	–	–	–
Diabetes	1	3	1	4	2	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	1	1	4	1	3	–	–	–	–	–	–	–
Cystitis	1	–	1	–	–	2	3	–	3	3	1	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	6	5	6	9	9	4	17	8	7	3	7	3	1	–	–	–
Paramenia	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	5	5	1	2	1	4	–	1	–	–	–	–	–	–
Childbirth	39	29	18	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	7	4	3	7	2	1	5	2	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	3	4	3	3	5	7	1	3	–	–	–	–	–
Joint Disease	1	5	1	2	2	3	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	8	4	2	9	8	7	2	2	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	2	–	3	–	–	–	1	–	–	–	–	–	–
Poison	1	2	5	1	3	2	1	–	1	–	–	–	–	–	–	–
Burns and Scalds	1	–	3	3	4	1	–	3	4	1	1	–	–	–	–	–
Hanging, etc.	1	3	2	2	2	4	–	2	1	–	–	–	–	–	–	–
Suffocation	2	1	2	–	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	16	13	15	11	9	6	11	3	2	–	1	–	1	–	–	1
Fracture and Contusion	23	29	15	21	11	9	16	14	15	8	4	5	1	–	–	1
Wounds	4	4	1	3	4	1	2	1	1	1	–	–	–	–	–	1
Other Violent Causes	10	3	4	2	1	2	2	–	–	1	1	–	–	–	–	1
Not Specified	12	14	18	29	23	24	10	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	14601	1726	627	1294	1814	799	522	357	724	323	440	522	475
SPECIFIED CAUSES	14007	1466	557	1225	1750	775	506	350	711	315	439	517	468
I. Zymotic Class	3638	215	186	433	733	409	272	188	346	77	70	105	56
II. Diseases of Uncertain Seat	356	8	3	3	13	7	6	12	19	7	14	7	10
III. Tubercular Class	2721	52	92	243	346	165	108	67	182	108	197	241	201
IV. Brain and Nervous System	1271	111	47	58	64	28	25	16	44	33	23	23	48
V. Organs of Circulation	536	2	–	1	3	2	1	4	7	11	12	19	20
VI. Respiratory Organs	1710	96	89	198	245	85	59	31	42	18	26	45	46
VII. Organs of Digestion	1256	132	65	239	283	45	12	14	20	13	33	24	25
VIII. Urinary Organs	182	1	–	1	2	–	2	4	9	3	8	5	7
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	57	–	–	1	–	–	1	1	10	6	9	4	4
XI. Skin, etc.	12	3	1	–	4	–	–	–	–	–	–	–	–
XII. Malformation	35	31	1	3	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	890	792	66	32	–	–	–	–	–	–	–	–	–
XIV. Atrophy	131	–	–	2	44	19	9	5	7	5	2	1	2
XV. Age	595	–	–	–	–	–	–		–	–	–	–	–
XVI. Sudden Deaths	29	1	3	2	–	–	–	–	–	–	2	–	1
XVII. Violent Deaths	586	22	4	9	13	15	11	8	25	34	43	43	48
I. Small Pox	321	23	23	59	79	38	30	16	20	1	2	15	4
Measles	342	6	6	57	136	61	30	20	25	–	–	–	1
Scarlatina	562	3	5	45	95	96	87	64	135	14	3	5	–
Diphtheria	9	–	–	2	2	1	–	–	2	–	–	–	1
Hooping Cough	450	20	43	103	135	74	38	23	13	1	–	–	–
Croup	245	15	14	20	74	45	36	23	14	2	1	–	–
Thrush	13	8	2	1	2	–	–	–	–	–	–	–	–
Diarrhœa	633	97	72	100	124	38	8	13	24	4	4	4	2
Dysentery	186	4	2	19	29	8	2	4	10	3	4	4	4
Cholera	52	5	4	5	12	3	–	–	4	1	–	2	1
Influenza	17	1	1	–	1	1	–	1	1	1	–	–	–
Purpura	12	–	1	–	1	1	1	–	–	1	1	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	2	–	1	–	–	–	–
Infantile Fever	24	4	3	1	11	3	1	–	1	–	–	–	–
Typhus	668	1	3	10	27	37	37	24	93	47	51	70	37
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	11	–	–	–	–	–	–	–	2	2	2	2	–
Erysipelas	55	13	4	4	2	3	–	–	–	–	2	2	3
Syphilis	31	14	3	7	2	–	–	–	–	–	–	–	3
Noma	2	1	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	24	3	1	–	1	–	–	1	–	–	2	–	2
Dropsy	185	1	–	3	6	6	5	10	16	6	6	5	2
Abscess	23	2	1	–	2	–	–	1	2	–	5	1	1
Ulcer	5	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	26	1	1	–	3	1	1	–	–	–	1	–	–
Cancer	91	–	–	–	1	–	–	–	1	1	–	1	5
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	95	1	1	5	9	6	2	2	18	14	11	7	3
Tabes Mesenterica	215	17	9	26	64	37	19	6	15	9	5	2	2
Phthisis	1745	8	21	46	103	50	40	22	80	70	180	230	196
Hydrocephalus	666	26	61	166	170	72	47	37	69	15	1	2	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	464	436	471	494	501	454	492	455	440	363	248	108	36	9	1	6
SPECIFIED CAUSES	460	431	466	480	490	444	491	455	440	363	248	108	36	9	1	6
Zymotic Class	60	47	62	67	68	53	55	47	31	32	16	9	1	–	–	–
Uncertain Seat	15	10	25	24	39	30	25	30	20	14	10	4	–	–	–	1
Tubercular Class	178	123	107	82	88	52	49	26	11	3	–	–	–	–	–	–
Brain, etc.	39	62	77	72	62	64	84	98	84	61	36	9	1	1	–	1
Heart, etc.	36	39	37	45	51	64	59	40	45	19	15	3	1	–	–	–
Respiratory Organs	41	39	66	84	77	89	95	89	62	59	21	6	–	2	–	–
Digestive Organs	20	41	27	37	51	43	43	32	29	19	5	4	–	–	–	–
Urinary Organs	11	9	13	14	16	7	24	12	14	7	9	3	1	–	–	–
Generative Organs	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	3	–	3	3	3	1	3	3	–	1	–	–	–	–	–
Skin	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	6	6	6	4	10	3	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	27	62	127	141	131	68	32	6	1	–
Sudden Deaths	3	2	5	2	2	2	2	–	1	–	1	–	–	–	–	–
Violent Deaths	56	50	41	44	26	27	23	16	12	7	3	2	–	–	–	4
Small Pox	4	2	2	2	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	6	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	3	10	15	7	18	19	17	13	19	8	5	1	–	–	–
Dysentery	3	5	14	5	18	9	11	9	7	8	2	2	–	–	–	–
Cholera	–	–	2	4	2	2	4	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	2	2	–	1	1	2	1	1	–	–	–	–	–
Purpura	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	35	31	30	33	36	17	16	18	7	3	5	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	2	2	4	2	4	1	1	1	1	–	2	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	4	2	3	1	1	1	–	–	–	–	–	–	–	–
Dropsy	9	7	6	8	17	11	13	16	13	10	7	1	–	–	–	1
Abscess	–	–	3	2	–	1	–	1	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	3	–	2	1	1	1	3	–	3	3	–	–	–	–
Cancer	5	1	9	12	15	16	9	8	4	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	5	5	3	2	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	171	117	103	80	87	52	49	26	11	3	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	86	1	4	8	8	5	5	4	9	5	6	5	8
Apoplexy	250	4	1	6	3	–	3	1	3	3	2	3	8
Paralysis	298	–	–	–	–	–	–	–	1	–	–	5	4
Delirium Tremens	40	–	–	–	–	–	–	–	–	–	–	1	10
Chorea	3	1	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	51	–	–	1	–	2	–	–	1	4	4	1	5
Tetanus	15	1	–	–	1	–	–	–	–	2	2	–	1
Insanity	14	–	–	–	–	–	–	–	–	–	–	1	1
Convulsions	249	99	37	32	40	18	10	5	8	–	–	–	–
Brain Disease	265	5	5	11	12	3	7	6	22	19	9	6	11
V. Pericarditis	14	–	–	1	1	–	–	–	1	2	1	1	2
Aneurism	27	–	–	–	–	–	–	–	–	–	1	–	3
Heart Disease	495	2	–	–	2	2	1	4	6	9	10	18	15
VI. Laryngitis	47	2	3	4	11	3	2	5	2	1	–	1	1
Bronchitis	764	55	43	120	101	42	21	12	14	4	8	11	8
Pleurisy	70	2	–	–	4	1	3	1	2	2	3	5	5
Pneumonia	598	34	42	70	125	37	31	12	16	8	12	23	22
Asthma	145	–	–	1	–	1	–	–	–	1	1	–	3
Lung Disease	86	3	1	3	4	1	2	1	8	2	2	5	7
VII. Teething	475	2	23	193	235	21	1	–	–	–	–	–	–
Quinsey	18	3	–	2	3	2	–	2	–	1	–	1	1
Gastritis	26	3	1	1	1	2	2	–	1	–	1	–	3
Enteritis	253	77	32	28	23	12	5	8	10	3	12	5	1
Peritonitis	48	4	1	1	1	1	1	1	2	1	3	3	5
Ascites	10	1	–	2	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	26	1	–	–	2	–	–	–	–	–	2	1	–
Hernia	21	2	–	–	1	–	–	1	–	–	–	1	–
Ileus	53	10	1	–	–	–	–	–	1	1	2	5	2
Intussusception	8	1	–	2	–	–	–	–	–	1	–	–	–
Stricture of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	138	12	6	7	12	5	2	2	2	2	3	1	5
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	20	–	–	2	–	–	–	–	1	–	–	1	1
Jaundice	42	15	–	1	3	1	–	–	1	1	–	–	1
Liver Disease	110	1	1	–	2	1	1	–	2	3	8	6	4
Spleen Disease	2	–	–	–	–	–	–	–	–	–	1	–	1
VIII. Nephritis	10	–	–	–	–	–	–	1	1	–	–	2	2
Nephria	37	–	–	–	–	–	–	–	1	2	2	1	2
Ischuria	12	1	–	1	1	–	–	–	–	–	–	–	–
Diabetes	12	–	–	–	–	–	–	–	–	1	3	1	–
Stone	12	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	13	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	84	–	–	–	1	–	2	2	7	–	2	1	3
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	5	–	–	–	–	–	1	–	1	–	2	–	–
Rheumatism	14	–	–	–	–	–	–	–	1	–	–	1	–
Joint and Bone Disease	38	–	–	1	–	–	–	1	8	6	7	3	4
XI. Carbuncle	6	1	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	2	1	–	3	–	–	–	–	–	–	–	–
XII. Cyanosis	18	16	–	2	–	–	–	–	–	–	–	–	–
Spina Bifida	5	4	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	12	11	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	30	–	–	–	–	–	–	–	–	–	–	2	2
Privation	2	–	–	–	–	1	–	–	–	–	–	–	1
Want of Breast Milk	10	7	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	–	–	–	–	–	–	1
Poison	16	4	–	1	–	1	–	–	1	–	2	–	–
Burns and Scalds	54	–	–	5	7	6	7	4	4	2	1	4	3
Hanging, etc.	15	–	–	–	–	–	–	–	–	–	–	3	–
Suffocation	16	6	1	1	–	1	–	–	–	–	1	1	–
Drowning	136	–	–	–	3	2	–	1	9	9	15	10	13
Fracture and Contusion	235	–	–	1	2	4	4	2	10	18	20	18	22
Wounds	25	–	–	–	–	–	–	–	–	1	2	2	4
Other Violent Causes	42	5	–	1	1	–	–	1	1	4	2	3	2
Not Specified	594	260	70	69	64	24	16	7	13	8	1	5	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	3	3	2	4	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	6	16	15	27	18	24	26	31	29	15	6	–	–	–	–	–
Paralysis	8	8	22	19	15	14	36	48	43	39	25	9	1	1	–	–
Delirium Tremens	3	7	8	5	3	1	–	2	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	7	3	4	2	8	1	2	1	–	1	–	–	–	–	–
Tetanus	1	–	2	2	–	1	2	–	–	–	–	–	–	–	–	–
Insanity	1	1	1	4	1	–	1	1	1	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	20	23	9	18	16	18	12	10	6	4	–	–	–	–	1
Pericarditis	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Aneurism	2	3	6	3	3	1	1	1	1	2	–	–	–	–	–	–
Heart Disease	33	35	31	42	47	62	58	38	44	17	15	3	1	–	–	–
Laryngitis	2	2	1	–	1	2	1	2	–	1	–	–	–	–	–	–
Bronchitis	7	10	30	32	26	48	39	43	31	38	14	5	–	2	–	–
Pleurisy	7	4	6	4	6	4	2	3	4	2	–	–	–	–	–	–
Pneumonia	20	19	18	21	12	22	22	16	8	7	1	–	–	–	–	–
Asthma	3	2	5	17	23	11	24	20	19	10	3	1	–	–	–	–
Lung Disease	2	2	6	10	9	2	7	5	–	1	3	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Gastritis	1	1	–	1	1	–	1	3	1	1	1	–	–	–	–	–
Enteritis	2	6	1	5	4	6	4	3	1	2	1	2	–	–	–	–
Peritonitis	1	3	3	3	3	3	3	–	1	3	–	1	–	–	–	–
Ascites	–	1	1	–	3	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	4	2	–	2	2	1	3	4	1	–	–	–	–	–	–
Hernia	1	1	1	1	1	2	4	1	2	2	–	–	–	–	–	–
Ileus	–	2	1	4	6	4	5	4	3	1	1	–	–	–	–	–
Intussusception	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	2	2	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	6	8	9	9	11	10	7	12	5	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	2	1	3	3	1	–	1	2	–	–	–	–	–	–
Jaundice	1	1	1	1	3	2	2	3	3	1	1	–	–	–	–	–
Liver Disease	6	12	5	10	11	9	13	2	8	3	1	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Nephria	4	3	6	2	5	2	4	–	3	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	1	1	1	1	1	2	–	–	–	–	–
Diabetes	1	2	–	2	2	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	1	1	4	1	2	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	1	3	–	3	3	1	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	3	4	5	7	7	2	12	8	5	3	6	3	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	3	1	1	2	3	–	–	–	–	–	–	–
Joint Disease	1	3	–	1	–	2	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	2	1	6	4	5	1	2	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–
Poison	–	1	3	1	–	1	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	3	1	3	1	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	1	2	2	2	1	2	–	2	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
Drowning	14	12	13	9	7	5	8	2	2	–	1	–	–	–	–	1
Fracture and Contusion	22	27	13	20	8	9	11	8	7	5	1	2	–	–	–	1
Wounds	3	2	1	2	2	–	2	1	1	1	–	–	–	–	–	1
Other Violent Causes	9	3	4	2	1	1	–	–	–	1	1	–	–	–	–	–
Not Specified	4	5	5	14	11	10	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	14609	1275	478	1159	1672	816	450	352	707	318	455	544	556
SPECIFIED CAUSES	14068	1086	416	1088	1628	784	441	341	690	310	447	542	549
I. Zymotic Class	3798	149	146	428	708	416	251	223	358	107	106	98	105
II. Diseases of Uncertain Seat	641	11	–	5	8	12	10	10	15	14	12	12	23
III. Tubercular Class	2692	31	59	194	290	142	86	46	169	117	228	267	247
IV. Brain and Nervous System	1063	90	31	61	61	26	12	10	36	13	16	25	25
V. Organs of Circulation	471	1	–	–	2	–	–	–	5	9	18	27	31
VI. Respiratory Organs	1630	52	84	156	223	121	48	29	57	17	19	34	32
VII. Organs of Digestion	1153	80	45	200	282	41	17	5	21	13	18	19	26
VIII. Urinary Organs	82	–	–	1	–	–	–	1	1	7	7	10	4
IX. Organs of Generation	226	–	–	–	–	–	–	–	–	1	11	32	37
X. Organs of Locomotion	37	–	–	1	–	–	1	1	2	2	4	1	1
XI. Skin, etc.	7	4	–	2	1	–	–	–	–	–	–	–	–
XII. Malformation	28	21	3	1	2	–	–	–	–	–	1	–	–
XIII. Premature Debility	697	620	42	35	–	–	–	–	–	–	–	–	–
XIV. Atrophy	147	–	–	–	38	18	7	4	10	2	2	4	2
XV. Age	1130	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	30	5	2	–	2	–	–	–	–	1	–	1	1
XVII. Violent Deaths	236	22	4	4	11	8	9	12	16	7	5	12	15
I. Small Pox	318	24	20	64	68	41	22	22	22	9	8	8	4
Measles	350	4	11	55	132	63	37	21	25	–	2	–	–
Scarlatina	567	1	5	35	92	110	75	68	124	24	11	9	7
Diphtheria	14	1	–	1	3	1	1	2	3	1	–	–	1
Hooping Cough	550	23	27	122	191	82	42	35	27	–	–	1	–
Croup	220	12	8	17	63	47	32	23	18	–	–	–	–
Thrush	5	4	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	587	47	58	87	108	27	7	4	10	3	4	10	10
Dysentery	244	5	6	18	14	10	3	1	4	2	3	5	12
Cholera	24	2	2	3	2	2	1	1	2	2	1	1	–
Influenza	48	2	1	1	2	2	1	3	1	–	–	–	1
Purpura	11	–	1	1	–	1	1	–	1	1	2	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	1	–	1	2	–	–	–	–
Infantile Fever	10	–	2	–	5	1	–	2	–	–	–	–	–
Typhus	695	2	2	17	23	27	27	38	114	59	71	46	49
Metria	63	–	–	–	–	–	–	–	–	–	–	15	16
Rheumatic Fever	9	–	–	–	–	–	1	–	1	2	1	1	–
Erysipelas	42	8	–	3	1	1	–	2	1	4	2	1	2
Syphilis	32	14	3	4	3	–	–	–	–	–	1	1	2
Noma	4	–	–	–	–	–	1	–	3	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	25	6	–	–	–	–	–	1	2	–	1	1	2
Dropsy	280	–	–	2	5	9	10	8	11	11	5	8	14
Abscess	12	–	–	1	–	1	–	1	1	1	1	–	1
Ulcer	10	1	–	1	–	–	–	–	–	1	–	–	–
Fistula	2	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	38	4	–	1	2	2	–	–	1	–	3	3	–
Cancer	273	–	–	–	1	–	–	–	–	1	2	–	6
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	76	1	1	4	10	8	3	3	9	6	11	4	4
Tabes Mesenterica	186	13	15	27	66	13	11	6	16	6	7	–	1
Phthisis	1939	5	15	41	78	72	29	14	84	92	208	261	242
Hydrocephalus	491	12	28	122	136	49	43	23	60	13	2	2	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	538	462	481	422	425	508	595	575	565	522	439	193	74	20	3	5
SPECIFIED CAUSES	530	453	468	407	413	494	586	575	565	522	439	193	74	20	3	4
Zymotic Class	70	61	48	61	62	66	73	68	63	61	42	21	7	–	–	–
Uncertain Seat	26	33	45	50	62	68	70	50	44	27	24	9	1	–	–	–
Tubercular Class	215	166	141	91	67	54	47	22	6	3	2	–	–	–	–	2
Brain, etc.	28	32	43	39	48	82	75	105	80	67	40	12	5	1	–	–
Heart, etc.	37	34	32	37	33	46	51	41	33	20	11	2	–	–	–	1
Respiratory Organs	43	43	68	51	65	90	126	94	63	62	42	8	2	1	–	–
Digestive Organs	42	24	39	41	38	39	49	43	34	28	7	2	–	–	–	–
Urinary Organs	9	5	3	7	2	7	7	4	4	2	1	–	–	–	–	–
Generative Organs	44	38	29	10	6	4	2	9	2	1	–	–	–	–	–	–
Locomotive Organs	–	2	1	2	3	3	2	3	4	1	3	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	3	9	7	9	24	2	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	68	124	216	245	263	136	57	18	3	–
Sudden Deaths	–	2	2	1	2	3	3	2	3	–	–	–	–	–	–	–
Violent Deaths	10	10	8	10	16	8	11	10	13	5	4	3	2	–	–	1
Small Pox	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	10	12	10	19	24	15	23	27	28	21	10	5	–	–	–
Dysentery	5	5	7	21	10	12	24	25	21	13	12	5	1	–	–	–
Cholera	–	–	1	–	1	1	1	–	–	1	–	–	–	–	–	–
Influenza	–	–	1	3	3	4	4	4	3	6	3	2	1	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	25	21	23	28	21	28	16	10	10	4	3	–	–	–	–
Metria	17	12	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	3	1	2	1	3	1	–	2	3	–	1	–	–	–	–
Syphilis	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	2	1	–	3	4	–	–	1	–	–	–	–	–	–
Dropsy	10	10	10	14	28	23	25	24	23	13	10	6	1	–	–	–
Abscess	2	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	2	1	1	–	1	1	–	–	1	–	–	–	–
Fistula	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	2	1	1	1	4	3	7	1	–	–	–	–
Cancer	13	21	33	32	30	40	38	22	16	10	7	1	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	4	1	3	–	–	1	1	1	–	–	1	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Phthisis	210	165	137	91	66	53	44	21	5	3	1	–	–	–	–	2
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	74	–	7	12	12	5	6	1	6	2	3	5	3
Apoplexy	259	–	3	7	5	2	1	2	3	2	5	2	4
Paralysis	283	–	–	–	–	2	–	–	1	–	1	2	4
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	51	1	–	1	1	–	1	–	3	2	2	5	3
Tetanus	4	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	14	–	–	–	–	–	–	–	1	–	–	2	1
Convulsions	191	84	17	32	30	15	3	4	6	–	–	–	–
Brain Disease	178	4	4	9	13	2	1	3	16	7	5	9	8
V. Pericarditis	16	–	–	–	1	–	–	–	2	–	4	1	1
Aneurism	16	–	–	–	–	–	–	–	–	–	–	1	2
Heart Disease	439	1	–	–	1	–	–	–	3	9	14	25	28
VI. Laryngitis	41	1	2	4	5	9	3	2	3	–	–	4	1
Bronchitis	816	20	42	78	126	59	22	15	24	5	8	8	18
Pleurisy	51	1	1	2	1	2	2	1	6	1	–	1	1
Pneumonia	456	28	35	70	78	43	20	9	17	9	8	12	8
Asthma	168	–	1	2	1	1	–	–	1	–	–	3	3
Lung Disease	98	2	3	–	12	7	1	2	6	2	3	6	1
VII. Teething	403	1	12	145	222	21	2	–	–	–	–	–	–
Quinsey	17	1	3	3	2	1	1	–	–	1	–	–	1
Gastritis	29	3	1	1	6	–	–	1	1	1	–	1	–
Enteritis	206	38	19	26	31	11	6	4	7	4	2	4	6
Peritonitis	45	1	–	3	1	–	–	–	1	3	4	5	5
Ascites	20	–	–	–	1	–	1	–	–	1	3	–	–
Ulceration of Intestines	24	1	–	2	1	1	–	–	2	–	1	1	1
Hernia	13	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	50	4	1	2	3	–	–	–	2	–	1	3	2
Intussusception	4	–	2	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	162	12	7	14	14	3	5	–	6	1	3	2	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	25	1	–	2	1	1	–	–	–	1	–	1	2
Jaundice	35	16	–	–	–	2	1	–	–	–	–	–	–
Liver Disease	114	2	–	2	–	1	1	–	2	1	4	2	4
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	31	–	–	1	–	–	–	1	–	1	2	6	2
Ischuria	5	–	–	–	–	–	–	–	–	1	–	–	–
Diabetes	10	–	–	–	–	–	–	–	–	1	1	2	2
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	–	–	–	–	–	–	–	–	4	4	1	–
IX. Paramenia	11	–	–	–	–	–	–	–	–	1	4	–	2
Ovarian Dropsy	27	–	–	–	–	–	–	–	–	–	2	–	5
Childbirth	149	–	–	–	–	–	–	–	–	–	5	29	27
Organs of Generation	39	–	–	–	–	–	–	–	–	–	–	3	3
X. Arthritis	3	–	–	1	–	–	1	–	–	1	–	–	–
Rheumatism	18	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	16	–	–	–	–	–	–	1	1	1	4	1	1
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	6	3	–	2	1	–	–	–	–	–	–	–	–
XII. Cyanosis	11	9	–	–	2	–	–	–	–	–	–	–	–
Spina Bifida	8	5	3	–	–	–	–	–	–	–	–	–	–
Other Malformations	9	7	–	1	–	–	–	–	–	–	1	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	1	2
Privation	4	1	–	–	–	–	1	–	–	–	–	–	1
Want of Breast Milk	9	5	4	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	–	1	–	–	1	–	–	–	–	–
Poison	15	1	–	–	–	–	–	1	–	–	1	–	3
Burns and Scalds	51	2	–	1	9	4	6	5	7	1	3	–	3
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	10	8	–	1	–	–	–	–	–	–	–	–	–
Drowning	29	–	–	–	–	–	–	2	–	2	–	7	3
Fracture and Contusion	67	–	–	1	1	4	2	3	8	4	1	3	2
Wounds	8	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	13	4	–	1	–	–	–	–	1	–	–	1	1
Not Specified	541	189	62	71	44	32	9	11	17	8	8	2	7

CAUSES of DEATH in the TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	3	4	1	1	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	8	7	8	16	21	31	30	32	27	22	16	4	1	–	–	–
Paralysis	5	9	11	5	16	28	31	57	45	35	22	6	2	1	–	–
Delirium Tremens	2	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	3	3	5	1	4	3	3	–	2	–	1	–	–	–	–
Tetanus	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	2	3	1	2	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	4	12	10	7	17	9	12	8	8	2	1	2	–	–	–
Pericarditis	3	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	2	1	1	3	1	2	1	–	1	1	–	–	–	–	–
Heart Disease	34	31	30	35	30	45	49	39	33	19	10	2	–	–	–	1
Laryngitis	2	1	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	15	13	32	24	28	50	68	45	43	38	26	7	2	–	–	–
Pleurisy	3	5	–	6	2	2	2	4	4	1	3	–	–	–	–	–
Pneumonia	12	16	12	8	13	7	9	16	7	11	6	1	–	1	–	–
Asthma	5	3	18	9	17	22	41	20	5	11	5	–	–	–	–	–
Lung Disease	6	5	6	3	4	7	6	9	4	1	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	2	–	1	–	2	3	3	1	–	–	–	–	–	–
Enteritis	6	8	7	3	1	3	6	7	1	5	1	–	–	–	–	–
Peritonitis	4	2	5	–	3	3	2	1	2	–	–	–	–	–	–	–
Ascites	2	1	3	3	2	–	–	2	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	2	4	1	2	1	1	2	–	–	–	–	–	–
Hernia	–	–	2	–	4	–	2	2	1	1	–	1	–	–	–	–
Ileus	2	1	3	3	3	1	5	6	4	3	1	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Stomach Disease	9	4	9	8	8	9	14	11	6	10	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	2	–	4	–	3	–	2	1	–	–	–	–	–	–
Jaundice	1	–	–	2	1	1	3	3	3	1	1	–	–	–	–	–
Liver Disease	14	3	5	18	5	20	9	6	9	4	2	–	–	–	–	–
Spleen Disease	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	4	3	1	2	–	3	2	1	1	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–	–
Diabetes	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	1	1	2	2	2	5	–	2	–	1	–	–	–	–	–
Paramenia	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	5	5	1	2	1	4	–	1	–	–	–	–	–	–
Childbirth	39	29	18	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	4	7	4	3	5	2	1	5	2	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	2	2	3	4	1	3	–	–	–	–	–
Joint Disease	–	2	1	1	2	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	4	2	1	3	4	2	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Poison	1	1	2	–	3	1	–	–	1	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	2	1	–	–	2	3	1	1	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	2	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	2	2	2	1	3	1	–	–	–	–	1	–	–	–
Fracture and Contusion	1	2	2	1	3	–	5	6	3	3	3	3	1	–	–	–
Wounds	1	2	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–	1
Not Specified	8	9	13	15	12	14	9	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	11375	1183	488	1180	1711	761	449	333	547	234	337	420	390
Specified Causes	10990	1034	449	1128	1671	735	440	325	534	229	334	420	383
I. Zymotic Class	3339	156	163	438	728	385	244	206	272	75	78	92	72
II. Diseases of Uncertain Seat	312	6	–	1	5	11	8	12	18	5	9	5	13
III. Tubercular Class	2009	24	60	184	298	133	78	40	103	77	150	183	158
IV. Brain and Nervous System	747	69	29	63	64	29	19	9	33	15	13	16	24
V. Organs of Circulation	324	1	–	–	1	–	–	1	3	8	11	18	20
VI. Respiratory Organs	1516	75	83	198	249	114	61	28	50	17	27	38	29
VII. Organs of Digestion	1017	96	52	208	275	40	17	14	21	10	23	22	21
VIII. Urinary Organs	64	–	–	–	1	–	1	3	3	2	4	3	1
IX. Organs of Generation	82	–	–	–	–	–	–	–	–	1	2	10	16
X. Organs of Locomotion	28	–	–	1	–	–	2	1	4	1	5	–	1
XI. Skin, etc.	7	1	–	1	2	–	–	–	–	–	–	–	–
XII. Malformation	16	15	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	651	572	54	25	–	–	–	–	–	–	–	–	–
XIV. Atrophy	114	–	–	–	37	13	8	2	11	3	1	2	–
XV. Age	427	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	30	4	3	1	2	–	–	–	–	–	1	1	1
XVII. Violent Deaths	307	15	5	7	9	10	2	9	16	15	10	30	27
I. Small Pox	399	26	25	82	98	54	29	30	19	5	6	12	5
Measles	359	5	6	63	145	59	39	23	18	–	1	–	–
Scarlatina	420	1	7	23	76	95	63	53	69	14	5	6	4
Diphtheria	3	–	–	–	2	–	–	–	1	–	–	–	–
Hooping Cough	495	21	34	105	154	77	44	36	23	1	–	–	–
Croup	127	5	9	8	40	24	21	11	8	1	–	–	–
Thrush	12	8	2	–	2	–	–	–	–	–	–	–	–
Diarrhœa	576	63	33	101	137	26	8	8	20	3	5	8	7
Dysentery	212	5	2	23	22	9	3	3	11	5	6	5	13
Cholera	30	1	5	3	4	2	1	1	2	1	–	–	–
Influenza	28	1	–	1	3	2	–	4	2	1	–	–	1
Purpura	9	–	1	–	–	–	1	–	–	2	2	1	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	7	–	–	–	1	1	2	1	2	–	–	–	–
Infantile Fever	17	–	2	–	11	2	1	1	–	–	–	–	–
Typhus	549	1	1	21	29	33	31	35	94	40	51	48	33
Metria	27	–	–	–	–	–	–	–	–	–	–	9	6
Rheumatic Fever	7	–	–	–	–	–	–	–	–	2	1	1	–
Erysipelas	32	9	3	4	1	1	–	–	1	–	–	1	1
Syphilis	26	10	3	4	3	–	–	–	–	–	1	1	1
Noma	3	–	–	–	–	–	1	–	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	16	3	–	–	–	–	–	1	1	–	–	–	2
Dropsy	169	–	–	–	4	8	8	11	15	5	4	4	7
Abscess	10	1	–	–	–	1	–	–	2	–	3	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	17	2	–	1	1	2	–	–	–	–	1	1	–
Cancer	96	–	–	–	–	–	–	–	–	–	1	–	4
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	57	1	2	2	8	6	1	3	12	3	7	3	3
Tabes Mesenterica	165	6	10	23	72	25	11	4	4	2	6	–	–
Phthisis	1393	3	15	47	94	65	40	20	60	66	137	178	155
Hydrocephalus	394	14	33	112	124	37	26	13	27	6	–	2	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	403	314	334	321	315	315	353	309	263	190	158	47	13	5	–	2
Specified Causes	401	307	329	312	311	312	349	309	263	190	158	47	13	5	–	2
Zymotic Class	53	33	33	48	42	52	59	47	20	16	21	5	1	–	–	–
Uncertain Seat	17	13	30	26	31	24	25	22	15	6	8	2	–	–	–	–
Tubercular Class	138	102	90	64	50	31	31	11	4	–	–	–	–	–	–	–
Brain, etc.	20	27	30	31	39	42	49	53	30	23	17	3	–	–	–	–
Heart, etc.	30	28	21	24	33	38	22	25	31	4	5	–	–	–	–	–
Respiratory Organs	41	36	63	55	55	68	87	60	36	34	12	–	–	–	–	–
Digestive Organs	39	22	20	30	26	25	26	14	10	5	–	1	–	–	–	–
Urinary Organs	7	4	5	7	4	1	8	3	4	3	–	–	–	–	–	–
Generative Organs	19	16	8	5	2	1	–	2	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	2	2	1	2	2	–	1	–	–	–	–	–
Skin	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	4	8	3	4	11	3	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	25	60	102	96	92	35	12	5	–	–
Sudden Deaths	–	2	2	2	4	3	2	1	1	–	–	–	–	–	–	–
Violent Deaths	33	18	19	16	18	14	11	9	7	2	2	1	–	–	–	2
Small Pox	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	2	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	8	7	11	11	23	13	17	11	7	7	1	1	–	–	–
Dysentery	2	4	9	12	10	12	22	14	7	3	8	2	–	–	–	–
Cholera	–	–	1	4	2	–	3	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	1	1	5	–	–	1	2	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	24	11	13	17	17	13	14	13	2	5	3	–	–	–	–	–
Metria	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	2	1	2	–	1	1	1	–	–	–	2	–	–	–	–
Syphilis	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	2	3	–	2	–	–	–	–	–	–	–	–	–	–
Dropsy	10	3	8	9	17	7	13	13	9	6	6	2	–	–	–	–
Abscess	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	2	–	–	–	1	1	1	–	2	–	–	–	–	–
Cancer	6	7	17	11	13	15	11	6	5	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	–	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	135	102	88	63	50	31	31	10	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	60	1	8	11	5	4	4	–	7	4	2	1	4
Apoplexy	164	2	2	9	4	1	1	2	2	1	2	2	7
Paralysis	140	–	–	–	–	1	–	–	–	–	1	4	1
Delirium Tremens	16	–	–	–	–	–	–	–	–	–	–	–	3
Chorea	2	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	28	–	–	1	–	–	1	–	2	3	3	2	4
Tetanus	5	–	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	193	63	15	30	43	20	10	3	9	–	–	–	–
Brain Disease	158	3	4	12	12	3	3	4	13	7	4	6	5
V. Pericarditis	10	–	–	–	–	–	–	–	–	2	3	1	–
Aneurism	12	–	–	–	–	–	–	–	–	–	–	1	1
Heart Disease	302	1	–	–	1	–	–	1	3	6	8	16	19
VI. Laryngitis	38	2	3	3	7	6	2	2	2	1	–	2	–
Bronchitis	706	33	33	102	120	59	27	11	22	4	11	10	12
Pleurisy	34	–	–	2	2	1	–	1	3	–	–	–	3
Pneumonia	538	40	43	89	116	43	31	11	14	9	14	20	9
Asthma	119	–	–	1	–	–	–	–	–	–	–	1	1
Lung Disease	81	–	4	1	4	5	1	3	9	3	2	5	4
VII. Teething	417	–	18	163	216	19	1	–	–	–	–	–	–
Quinsey	17	3	1	2	3	–	1	1	–	1	–	1	1
Gastritis	21	3	–	2	3	1	1	1	1	–	1	1	2
Enteritis	223	54	23	24	31	14	10	10	8	3	6	4	2
Peritonitis	38	4	–	–	–	–	1	1	–	3	4	6	4
Ascites	12	1	–	2	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	12	–	–	–	2	1	–	–	1	–	3	–	1
Hernia	11	1	–	–	1	–	–	–	–	–	–	–	–
Ileus	42	9	1	1	3	–	–	–	1	–	–	4	2
Intussusception	6	–	1	1	–	–	–	–	–	1	–	–	1
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	102	11	7	8	13	3	2	1	7	1	3	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	21	1	–	4	1	–	–	–	1	–	–	1	2
Jaundice	18	8	–	–	–	1	–	–	–	1	–	–	1
Liver Disease	74	1	1	1	2	1	1	–	2	–	4	3	3
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	4	–	–	–	–	–	–	1	1	–	–	1	–
Nephria	19	–	–	–	–	–	–	1	–	1	1	2	1
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	2	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	–	–	–	1	–	1	1	2	1	1	–	–
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	–	–	1
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	58	–	–	–	–	–	–	–	–	–	2	8	13
Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	2	–
X. Arthritis	5	–	–	1	–	–	2	–	–	–	1	–	–
Rheumatism	8	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	15	–	–	–	–	–	–	1	4	1	4	–	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	4	1	–	1	2	–	–	–	–	–	–	–	–
XII. Cyanosis	6	5	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	5	5	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	5	5	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	20	–	–	–	–	–	–	–	–	–	–	3	1
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	9	4	5	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	1	–	–	–	–	–
Poison	11	2	–	1	–	–	–	–	1	–	–	–	2
Burns and Scalds	48	1	–	4	6	6	2	5	7	2	1	2	3
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	–	2	–
Suffocation	8	4	–	–	–	–	–	–	–	–	1	1	–
Drowning	72	–	–	–	2	1	–	1	2	4	5	8	10
Fracture and Contusion	98	–	–	1	1	2	–	2	5	5	2	12	8
Wounds	6	1	–	–	–	–	–	–	–	1	–	1	2
Other Violent Causes	21	3	–	1	–	–	–	–	1	3	1	1	1
Not Specified	385	149	39	52	40	26	9	8	13	5	3	–	7

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	–	3	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	6	7	6	15	19	15	25	18	11	3	4	–	–	–	–	–
Paralysis	2	3	6	4	8	15	19	29	16	16	12	3	–	–	–	–
Delirium Tremens	2	4	3	2	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	2	1	1	1	3	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	11	10	5	7	9	3	5	2	4	1	–	–	–	–	–
Pericarditis	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Aneurism	–	3	1	1	2	2	–	–	–	1	–	–	–	–	–	–
Heart Disease	29	24	20	23	31	35	22	24	31	3	5	–	–	–	–	–
Laryngitis	2	1	1	1	1	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	11	14	38	23	30	37	39	26	17	19	8	–	–	–	–	–
Pleurisy	5	1	2	4	3	1	1	1	3	1	–	–	–	–	–	–
Pneumonia	17	16	8	10	4	11	12	10	1	9	1	–	–	–	–	–
Asthma	5	1	9	13	12	11	29	16	14	4	2	–	–	–	–	–
Lung Disease	1	3	5	4	5	6	6	7	1	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–
Enteritis	8	4	1	4	3	3	4	4	2	1	–	–	–	–	–	–
Peritonitis	4	–	2	2	3	2	2	–	–	–	–	–	–	–	–	–
Ascites	1	2	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	3	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	3	1	2	–	–	1	–	–	–	–
Ileus	1	2	3	2	3	3	5	–	2	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	10	5	6	5	2	4	1	4	3	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	2	–	1	2	1	1	–	–	1	–	–	–	–	–	–
Jaundice	1	1	–	–	–	2	1	2	–	–	–	–	–	–	–	–
Liver Disease	10	5	3	14	4	8	8	1	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	2	3	–	1	1	1	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Diabetes	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	1	2	5	2	–	4	2	1	1	–	–	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	13	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	2	1	1	1	–	2	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	1	1	1	2	–	1	–	–	–	–	–
Joint Disease	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	5	1	–	4	2	3	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	2	2	3	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	1	2	–	1	2	3	–	1	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	12	6	8	3	3	1	3	2	–	–	–	–	–	–	–	1
Fracture and Contusion	7	8	6	5	6	5	7	5	6	2	1	1	–	–	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Not Specified	2	7	5	9	4	3	4	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5758	674	280	624	895	379	255	155	282	115	170	200	162
SPECIFIED CAUSES	5555	583	258	598	872	370	250	152	280	114	170	200	157
I. Zymotic Class	1672	88	89	224	385	199	137	89	147	27	33	44	22
II. Diseases of Uncertain Seat	107	2	–	–	4	4	2	5	10	–	3	1	5
III. Tubercular Class	992	14	34	106	154	74	49	23	50	39	70	78	64
IV. Brain and Nervous System	419	37	14	29	36	15	14	3	20	13	9	9	16
V. Organs of Circulation	172	1	–	–	1	–	–	1	2	4	6	9	5
VI. Respiratory Organs	779	47	45	108	124	50	33	16	20	10	16	21	17
VII. Organs of Digestion	542	56	36	114	139	19	7	9	13	4	15	15	9
VIII. Urinary Organs	46	–	–	–	1	–	1	2	3	–	4	1	–
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	15	–	–	–	–	–	1	–	3	1	4	–	1
XI. Skin, etc.	5	–	–	–	2	–	–	–	–	–	–	–	–
XII. Malformation	6	5	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	371	324	36	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	48	–	–	–	21	2	4	–	5	2	–	–	–
XV. Age	153	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	15	1	2	1	–	–	–	–	–	–	1	–	1
XVII. Violent Deaths	212	8	2	4	5	7	2	4	7	14	9	22	17
I. Small Pox	204	14	11	37	56	29	19	14	8	–	1	6	3
Measles	189	2	1	35	74	33	20	10	14	–	–	–	–
Scarlatina	211	1	3	15	39	42	36	23	41	4	–	4	–
Diphtheria	3	–	–	–	2	–	–	–	1	–	–	–	–
Hooping Cough	232	9	20	49	66	39	25	14	9	1	–	–	–
Croup	74	2	6	5	24	12	13	7	4	1	–	–	–
Thrush	10	6	2	–	2	–	–	–	–	–	–	–	–
Diarrhœa	303	39	36	54	75	15	3	6	14	1	4	2	1
Dysentery	90	3	–	11	15	5	–	2	8	3	4	3	3
Cholera	25	1	4	3	3	2	–	–	2	1	–	–	–
Influenza	7	1	–	–	1	1	–	1	1	1	–	–	–
Purpura	5	–	–	–	–	–	1	–	–	1	1	1	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	1	–	2	–	1	–	–	–	–
Infantile Fever	12	–	2	–	8	1	1	–	–	–	–	–	–
Typhus	263	–	–	9	16	19	17	12	44	12	22	27	14
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	–	2	1	–	–
Erysipelas	21	4	3	3	1	1	–	–	–	–	–	1	–
Syphilis	14	6	1	3	2	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	1	–	–	–	–	–	1	–	–	–	–	2
Dropsy	61	–	–	–	3	3	2	4	9	–	–	1	1
Abscess	7	1	–	–	–	–	–	–	1	–	3	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	30	–	1	2	5	2	–	1	8	2	3	2	1
Tabes Mesenterica	81	5	2	11	29	19	7	1	3	–	3	–	–
Phthisis	658	2	9	24	51	35	26	12	30	34	64	75	63
Hydrocephalus	223	7	22	69	69	18	16	9	9	3	–	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	190	145	160	179	167	143	166	138	118	87	47	17	7	1	–	2
SPECIFIED CAUSES	190	143	158	173	163	141	166	138	118	87	47	17	7	1	–	2
Zymotic Class	28	14	20	27	17	21	25	17	6	7	4	2	–	–	–	–
Uncertain Seat	6	4	10	6	9	7	8	11	5	4	1	–	–	–	–	–
Tubercular Class	63	37	34	35	30	14	16	5	3	–	–	–	–	–	–	–
Brain, etc.	11	19	22	21	24	16	24	28	16	11	9	3	–	–	–	–
Heart, etc.	14	14	12	16	21	16	15	13	16	2	4	–	–	–	–	–
Respiratory Organs	22	21	28	34	26	36	37	27	20	17	4	–	–	–	–	–
Digestive Organs	14	13	7	15	13	15	17	4	7	1	–	–	–	–	–	–
Urinary Organs	4	2	4	5	4	1	6	2	3	3	–	–	–	–	–	–
Generative Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Skin	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	3	3	3	1	2	2	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	22	38	39	25	11	7	1	–	–
Sudden Deaths	–	1	2	1	2	1	2	–	–	–	–	–	–	–	–	–
Violent Deaths	28	14	16	10	13	11	4	8	2	2	–	1	–	–	–	2
Small Pox	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	2	4	6	2	9	8	7	3	5	2	–	–	–	–	–
Dysentery	–	3	5	4	6	5	6	1	2	1	–	–	–	–	–	–
Cholera	–	–	1	4	1	–	3	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	17	6	8	10	7	5	6	8	1	1	2	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	1	2	–	–	–	1	–	–	–	2	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	2	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	5	2	3	1	5	3	5	7	2	4	1	–	–	–	–	–
Abscess	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	2	–	–	–	1	1	1	–	–	–	–	–	–	–
Cancer	–	–	3	2	3	3	2	2	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	61	37	33	34	30	14	16	5	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	27	1	1	3	2	2	2	–	4	4	1	–	3
Apoplexy	88	2	–	2	1	–	1	1	–	1	1	–	5
Paralysis	65	–	–	–	–	–	–	–	–	–	–	3	1
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	3
Chorea	2	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	11	–	–	1	–	–	–	–	–	2	2	–	2
Tetanus	4	–	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	112	33	11	16	26	11	9	–	6	–	–	–	–
Brain Disease	95	1	2	7	7	2	2	2	10	6	4	5	2
V. Pericarditis	5	–	–	–	–	–	–	–	–	2	–	–	–
Aneurism	4	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	163	1	–	–	1	–	–	1	2	2	6	9	5
VI. Laryngitis	23	2	2	2	5	2	1	2	1	1	–	1	–
Bronchitis	331	22	16	57	47	26	11	6	8	2	6	5	5
Pleurisy	20	–	–	–	1	–	–	–	1	–	–	–	2
Pneumonia	315	23	26	48	70	21	20	7	5	5	10	13	6
Asthma	53	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	37	–	1	1	1	1	1	1	5	2	–	2	3
VII. Teething	224	–	13	90	110	10	1	–	–	–	–	–	–
Quinsey	9	2	–	1	2	–	–	1	–	–	–	1	1
Gastritis	10	1	–	1	–	1	1	–	1	–	1	–	2
Enteritis	131	36	17	14	15	6	4	6	7	1	5	3	–
Peritonitis	20	3	–	–	–	–	1	1	–	1	1	3	1
Ascites	7	1	–	2	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	5	–	–	–	2	–	–	–	–	–	2	–	–
Hernia	6	1	–	–	1	–	–	–	–	–	–	–	–
Ileus	23	6	–	–	–	–	–	–	–	–	–	3	1
Intussusception	4	–	–	1	–	–	–	–	–	1	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	48	4	5	3	7	1	–	1	2	–	1	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	–	–	2	–	–	–	–	1	–	–	1	–
Jaundice	8	2	–	–	–	–	–	–	–	1	–	–	1
Liver Disease	35	–	1	–	2	1	–	–	2	–	3	3	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	4	–	–	–	–	–	–	1	1	–	–	1	–
Nephria	11	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	2	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	19	–	–	–	1	–	1	1	2	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X Arthritis	3	–	–	–	–	–	1	–	–	–	1	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	10	–	–	–	–	–	–	–	3	1	3	–	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	2	–	–	–	–	–	–	–	–
XII. Cyanosis	3	2	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	2	2	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	12	–	–	–	–	–	–	–	–	–	–	2	–
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–
Want of Breast Milk	6	4	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	1	–	1	–	–	–	–	1	–	–	–	–
Burns and Scalds	28	–	–	3	3	4	2	4	2	2	–	2	1
Hanging, etc.	9	–	–	–	–	–	–	–	–	–	–	2	–
Suffocation	5	1	–	–	–	–	–	–	–	–	1	1	–
Drowning	57	–	–	–	2	1	–	–	2	4	5	4	7
Fracture and Contusion	68	–	–	–	–	1	–	–	2	4	2	9	6
Wounds	5	–	–	–	–	–	–	–	–	1	–	1	2
Other Violent Causes	16	2	–	–	–	–	–	–	–	3	1	1	1
Not Specified	203	91	22	26	23	9	5	3	2	1	–	–	5

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	5	4	12	10	7	12	10	7	1	3	–	–	–	–	–
Paralysis	1	2	3	2	3	4	10	13	6	9	5	3	–	–	–	–
Delirium Tremens	1	3	3	2	2	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	8	10	3	7	3	2	4	2	1	1	–	–	–	–	–
Pericarditis	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Aneurism	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	11	11	16	21	14	15	12	16	2	4	–	–	–	–	–
Laryngitis	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	7	18	12	15	18	15	12	5	9	4	–	–	–	–	–
Pleurisy	4	–	2	3	2	1	1	–	2	1	–	–	–	–	–	–
Pneumonia	9	11	4	7	2	10	9	4	1	4	–	–	–	–	–	–
Asthma	2	1	1	8	4	6	9	7	12	2	–	–	–	–	–	–
Lung Disease	–	1	2	4	3	1	3	4	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	2	1	–	4	2	3	3	1	1	–	–	–	–	–	–	–
Peritonitis	1	–	1	2	2	2	1	–	–	–	–	–	–	–	–	–
Ascites	–	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Ileus	–	1	1	1	3	2	3	–	2	–	–	–	–	–	–	–
Intussusception	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	5	3	3	–	1	1	1	2	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	1	1	1	–	–	–	1	–	–	–	–	–	–
Jaundice	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	3	3	1	3	3	3	6	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	1	3	–	1	1	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	2	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	4	2	–	2	2	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	3	1	–	2	1	2	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	2	–	3	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	1	–	1	1	2	–	1	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	10	5	7	2	3	1	1	2	–	–	–	–	–	–	–	1
Fracture and Contusion	7	6	5	4	4	5	3	4	2	2	–	1	–	–	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Not Specified	–	2	2	6	4	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	5617	509	208	556	816	382	194	178	265	119	167	220	228
SPECIFIED CAUSES	5435	451	191	530	799	365	190	173	254	115	164	220	226
I. Zymotic Class	1667	68	74	214	343	186	107	117	125	48	45	48	50
II. Diseases of Uncertain Seat	205	4	–	1	1	7	6	7	8	5	6	4	8
III. Tubercular Class	1017	10	26	78	144	59	29	17	53	38	80	105	94
IV. Brain and Nervous System	328	32	15	34	28	14	5	6	13	2	4	7	8
V. Organs of Circulation	152	–	–	–	–	–	–	–	1	4	5	9	15
VI. Respiratory Organs	737	28	38	90	125	64	28	12	30	7	11	17	12
VII. Organs of Digestion	475	40	16	94	136	21	10	5	8	6	8	7	12
VIII. Urinary Organs	18	–	–	–	–	–	–	1	–	2	–	2	1
IX. Organs of Generation	81	–	–	–	–	–	–	–	–	1	2	10	16
X. Organs of Locomotion	13	–	–	1	–	–	1	1	1	–	1	–	–
XI. Skin, etc.	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	10	10	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	280	248	18	14	–	–	–	–	–	–	–	–	–
XIV. Atrophy	66	–	–	–	16	11	4	2	6	1	1	2	–
XV. Age	274	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	15	3	1	–	2	–	–	–	–	–	–	1	–
XVII. Violent Deaths	95	7	3	3	4	3	–	5	9	1	1	8	10
I. Small Pox	195	12	14	45	42	25	10	16	11	5	5	6	2
Measles	170	3	5	28	71	26	19	13	4	–	1	–	–
Scarlatina	209	–	4	8	37	53	27	30	28	10	5	2	4
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	263	12	14	56	88	38	19	22	14	–	–	–	–
Croup	53	3	3	3	16	12	8	4	4	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	273	24	27	47	62	11	5	2	6	2	1	6	6
Dysentery	122	2	2	12	7	4	3	1	3	2	2	2	10
Cholera	5	–	1	–	1	–	1	1	–	–	–	–	–
Influenza	21	–	–	1	2	1	–	3	1	–	–	–	1
Purpura	4	–	1	–	–	–	–	–	–	1	1	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	1	–	1	1	–	–	–	–
Infantile Fever	5	–	–	–	3	1	–	1	–	–	–	–	–
Typhus	286	1	1	12	13	14	14	23	50	28	29	21	19
Metria	27	–	–	–	–	–	–	–	–	–	–	9	6
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	11	5	–	1	–	–	–	–	1	–	–	–	1
Syphilis	12	4	2	1	1	–	–	–	–	–	1	1	–
Noma	3	–	–	–	–	–	1	–	2	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	2	–	–	–	–	–	–	1	–	–	–	–
Dropsy	108	–	–	–	1	5	6	7	6	5	4	3	6
Abscess	3	–	–	–	–	1	–	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	2	–	1	–	1	–	–	–	–	1	1	–
Cancer	77	–	–	–	–	–	–	–	–	–	1	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	27	1	1	–	3	4	1	2	4	1	4	1	2
Tabes Mesenterica	84	1	8	12	43	6	4	3	1	2	3	–	–
Phthisis	735	1	6	23	43	30	14	8	30	32	73	103	92
Hydrocephalus	171	7	11	43	55	19	10	4	18	3	–	1	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	213	169	174	142	148	172	187	171	145	103	111	30	6	4	–	–
SPECIFIED CAUSES	211	164	171	139	148	171	183	171	145	103	111	30	6	4	–	–
Zymotic Class	25	19	13	21	25	31	34	30	14	9	17	3	1	–	–	–
Uncertain Seat	11	9	20	20	22	17	17	11	10	2	7	2	–	–	–	–
Tubercular Class	75	65	56	29	20	17	15	6	1	–	–	–	–	–	–	–
Brain, etc.	9	8	8	10	15	26	25	25	14	12	8	–	–	–	–	–
Heart, etc.	16	14	9	8	12	22	7	12	15	2	1	–	–	–	–	–
Respiratory Organs	19	15	35	21	29	32	50	33	16	17	8	–	–	–	–	–
Digestive Organs	25	9	13	15	13	10	9	10	3	4	–	1	–	–	–	–
Urinary Organs	3	2	1	2	–	–	2	1	1	–	–	–	–	–	–	–
Generative Organs	19	16	8	5	1	1	–	2	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	1	1	1	1	1	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	1	5	–	3	9	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	15	38	64	57	67	24	5	4	–	–
Sudden Deaths	–	1	–	1	2	2	–	1	1	–	–	–	–	–	–	–
Violent Deaths	5	4	3	6	5	3	7	1	5	–	2	–	–	–	–	–
Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	6	3	5	9	14	5	10	8	2	5	1	1	–	–	–
Dysentery	2	1	4	8	4	7	16	13	5	2	8	2	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	1	1	1	4	2	–	1	2	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	5	5	7	10	8	8	5	1	4	1	–	–	–	–	–
Metria	7	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	5	1	5	8	12	4	8	6	7	2	5	2	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Cancer	6	7	14	9	10	12	9	4	3	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	74	65	55	29	20	17	15	5	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	33	–	7	8	3	2	2	–	3	–	1	1	1
Apoplexy	76	–	2	7	3	1	–	1	2	–	1	2	2
Paralysis	75	–	–	–	–	1	–	–	–	–	1	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	17	–	–	–	–	–	1	–	2	1	1	2	2
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	81	30	4	14	17	9	1	3	3	–	–	–	–
Brain Disease	43	2	2	5	5	1	1	2	3	1	–	1	3
V. Pericarditis	5	–	–	–	–	–	–	–	–	–	3	1	–
Aneurism	8	–	–	–	–	–	–	–	–	–	–	1	1
Heart Disease	139	–	–	–	–	–	–	–	1	4	2	7	14
VI. Laryngitis	15	–	1	1	2	4	1	–	1	–	–	1	–
Bronchitis	375	11	17	45	73	33	16	5	14	2	5	5	7
Pleurisy	14	–	–	2	1	1	–	1	2	–	–	–	1
Pneumonia	223	17	17	41	46	22	11	4	9	4	4	7	3
Asthma	66	–	–	1	–	–	–	–	–	–	–	1	–
Lung Disease	44	–	3	–	3	4	–	2	4	1	2	3	1
VII. Teething	193	–	5	73	106	9	–	–	–	–	–	–	–
Quinsey	8	1	1	1	1	–	1	–	–	1	–	–	–
Gastritis	11	2	–	1	3	–	–	1	–	–	–	1	–
Enteritis	92	18	6	10	16	8	6	4	1	2	1	1	2
Peritonitis	18	1	–	–	–	–	–	–	–	2	3	3	3
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	7	–	–	–	–	1	–	–	1	–	1	–	1
Hernia	5	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	19	3	1	1	3	–	–	–	1	–	–	1	1
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	54	7	2	5	6	2	2	–	5	1	2	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	11	1	–	2	1	–	–	–	–	–	–	–	2
Jaundice	10	6	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	39	1	–	1	–	–	1	–	–	–	1	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	1	–	1	–	2	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	4	–	–	–	–	–	–	–	–	1	–	–	1
Ovarian Dropsy	7	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	58	–	–	–	–	–	–	–	–	–	2	8	13
Organs of Generation	12	–	–	–	–	–	–	–	–	–	–	2	–
X. Arthritis	2	–	–	1	–	–	1	–	–	–	–	–	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	5	–	–	–	–	–	–	1	1	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	3	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	3	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	4	4	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	8	–	–	–	–	–	–	–	–	–	–	1	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	3	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	1	–	–	–	–	–
Poison	6	1	–	–	–	–	–	–	–	–	–	–	2
Burns and Scalds	20	1	–	1	3	2	–	1	5	–	1	–	2
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	3	3	–	–	–	–	–	–	–	–	–	–	–
Drowning	15	–	–	–	–	–	–	1	–	–	–	4	3
Fracture and Contusion	30	–	–	1	1	1	–	2	3	1	–	3	2
Wounds	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	1	–	–	–	–	1	–	–	–	–
Not Specified	182	58	17	26	17	17	4	5	11	4	3	–	2

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	3	2	2	3	9	8	13	8	4	2	1	–	–	–	–	–
Paralysis	1	1	3	2	5	11	9	16	10	7	7	–	–	–	–	–
Delirium Tremens	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	–	2	–	6	1	1	–	3	–	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	2	1	–	–	–	1	–	–	–	–	–	–
Heart Disease	15	13	9	7	10	21	7	12	15	1	1	–	–	–	–	–
Laryngitis	–	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Bronchitis	6	7	20	11	15	19	24	14	12	10	4	–	–	–	–	–
Pleurisy	1	1	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Pneumonia	8	5	4	3	2	1	3	6	–	5	1	–	–	–	–	–
Asthma	3	–	8	5	8	5	20	9	2	2	2	–	–	–	–	–
Lung Disease	1	2	3	–	2	5	3	3	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–
Enteritis	6	3	1	–	1	–	1	3	1	1	–	–	–	–	–	–
Peritonitis	3	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Ascites	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	1	1	–	–	–	1	–	–	–	–
Ileus	1	1	2	1	–	1	2	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	3	2	2	3	–	3	1	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Liver Disease	7	2	2	11	1	5	2	1	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	1	1	1	–	–	2	–	1	–	–	–	–	–	–	–
Paramenia	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	13	4	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	2	2	1	–	1	–	2	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	1	1	1	1	–	1	–	–	–	–	–
Joint Disease	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	2	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	1	1	–	–	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	1	1	2	–	4	1	4	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	2	5	3	3	–	1	4	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	743	77	23	70	99	45	24	16	32	16	23	19	17
Specified Causes	655	61	16	59	83	39	20	14	29	12	21	18	16
I. Zymotic Class	153	9	6	24	37	17	14	7	13	3	4	1	–
II. Diseases of Uncertain Seat	19	–	–	–	1	–	–	–	1	–	1	1	1
III. Tubercular Class	141	2	2	8	19	13	2	4	6	5	8	9	9
IV. Brain and Nervous System	42	2	–	1	2	–	–	–	2	1	2	–	2
V. Organs of Circulation	19	–	–	–	–	1	–	–	1	–	1	–	1
VI. Respiratory Organs	62	2	4	9	11	4	2	–	1	2	1	1	1
VII. Organs of Digestion	49	5	1	11	11	1	1	2	3	–	–	–	1
VIII. Urinary Organs	6	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	50	41	3	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	1	3	–	–	–	–	–	1	–
XV. Age	73	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	19	–	–	–	1	–	1	1	2	1	2	3	1
I. Small Pox	6	1	–	1	–	1	1	1	–	1	–	–	–
Measles	20	1	–	3	6	4	4	1	1	–	–	–	–
Scarlatina	21	–	–	2	6	2	1	1	6	2	1	–	–
Diphtheria	2	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	22	–	1	5	9	5	1	1	–	–	–	–	–
Croup	12	–	–	1	4	2	2	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	41	4	5	10	6	1	–	1	1	–	–	–	–
Dysentery	7	–	–	1	2	1	–	–	–	–	–	1	–
Cholera	1	–	–	–	–	–	–	–	–	–	1	–	–
Influenza	2	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	1	–	–	1	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	3	1	4	1	4	–	2	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	10	–	–	–	1	–	–	–	1	–	–	1	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	1	–	–	–	1	–	–	–	–
Tabes Mesenterica	13	1	–	–	4	2	–	2	2	2	–	–	–
Phthisis	105	1	1	6	8	5	1	2	1	1	8	9	9
Hydrocephalus	20	–	1	2	6	6	1	–	2	2	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	29	19	32	25	20	27	26	29	23	20	13	12	4	3	–	–
Specified Causes	27	17	31	21	18	25	24	29	23	20	13	12	4	3	–	–
Zymotic Class	–	1	3	2	2	1	1	2	2	1	1	1	1	–	–	–
Uncertain Seat	–	1	–	1	–	4	4	2	–	2	–	–	–	–	–	–
Tubercular Class	12	4	12	6	7	2	4	6	1	–	–	–	–	–	–	–
Brain, etc.	4	6	5	2	1	5	2	1	–	3	–	1	–	–	–	–
Heart, etc.	3	2	–	2	2	1	3	2	–	–	–	–	–	–	–	–
Respiratory Organs	2	1	–	5	5	4	2	1	3	–	–	1	–	–	–	–
Digestive Organs	1	1	5	–	–	4	1	1	–	–	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	1	–	–	1	–	2	–	–	–	–	–
Generative Organs	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	3	3	–	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	13	16	14	10	9	3	3	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	1	2	–	1	2	1	1	1	1	1	–	–	–
Dysentery	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	1	2	2	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	4	11	6	7	2	4	6	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	1	–	–	–	1	–	1	–	–
Apoplexy	8	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	1	–	–	–	–	–	–	–	–	1
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	2	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	–	–	–	1	–	–	–	–	1	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	19	–	–	–	–	1	–	–	1	–	1	–	1
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	18	1	2	3	2	–	1	–	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	30	1	2	5	9	4	1	–	–	1	–	–	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	7	–	–	1	–	–	–	–	–	–	1	1	1
VII. Teething	18	–	–	8	10	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	2	–	1	–	1	–	1	2	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	4	2	–	–	–	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	1	2	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	1	–	–	1	2	–	–	2	–
Fracture and Contusion	6	–	–	–	–	–	–	–	–	1	2	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	88	16	7	11	16	6	4	2	3	4	2	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	1	–	4	–	–	–	–	–	–	–	–	–	–
Paralysis	2	2	2	1	–	1	1	1	–	3	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	2	–	2	2	1	3	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	1	1	1	1	1	2	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	–	–	4	1	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	2	–	2	–	–	1	–	–	–	–	–	–	–
Lung Disease	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	1	4	2	2	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	396	43	13	36	58	18	11	7	20	14	9	11	12
SPECIFIED CAUSES	338	34	9	30	45	14	7	7	17	10	9	10	11
I. Zymotic Class	66	4	4	12	18	4	5	1	8	2	1	1	–
II. Diseases of Uncertain Seat	7	–	–	–	–	–	–	–	1	–	1	1	–
III. Tubercular Class	83	1	2	4	15	8	1	3	2	4	3	6	6
IV. Brain and Nervous System	28	1	–	–	1	–	–	–	1	1	1	–	1
V. Organs of Circulation	12	–	–	–	–	1	–	–	1	–	–	–	1
VI. Respiratory Organs	33	1	2	3	7	–	1	–	1	2	–	1	1
VII. Organs of Digestion	27	4	–	9	3	–	–	2	1	–	–	–	1
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	26	23	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	–	1	–	–	–	–	–	–	–
XV. Age	31	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	14	–	–	–	1	–	–	1	2	1	2	1	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	9	1	–	2	2	1	1	1	1	–	–	–	–
Scarlatina	10	–	–	2	1	1	–	–	4	2	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	5	–	–	1	3	1	–	–	–	–	–	–	–
Croup	4	–	–	–	2	–	–	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	22	1	4	6	5	–	–	–	1	–	–	–	–
Dysentery	4	–	–	1	2	–	–	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	1	–	–	1	–	–	–	–	–	–	–	–
Typhus	9	–	–	–	2	1	4	–	1	–	1	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	1	–	–	–	1	–	–	–	–
Tabes Mesenterica	8	1	–	–	3	1	–	2	–	1	–	–	–
Phthisis	58	–	1	3	8	2	–	1	–	1	3	6	6
Hydrocephalus	14	–	1	1	3	5	1	–	1	2	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	12	12	15	18	15	12	14	13	12	7	8	3	1	2	–	–
SPECIFIED CAUSES	12	10	15	14	14	10	14	13	12	7	8	3	1	2	–	–
Zymotic Class	–	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Uncertain Seat	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Tubercular Class	4	2	4	5	5	1	2	4	1	–	–	–	–	–	–	–
Brain, etc.	3	5	4	1	1	3	2	1	–	2	–	–	–	–	–	–
Heart, etc.	2	–	–	1	2	1	1	2	–	–	–	–	–	–	–	–
Respiratory Organs	1	1	–	3	3	2	1	1	2	–	–	–	–	–	–	–
Digestive Organs	1	–	3	–	–	1	1	1	–	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	2	3	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	3	8	5	6	3	1	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	2	3	5	5	1	2	4	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	6	–	–	–	–	–	–	–	1	–	–	–	–
Paralysis	9	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	1	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	–	–	–	1	–	–	–	–	1	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	12	–	–	–	–	1	–	–	1	–	–	–	1
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	1	–	2	2	–	–	–	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	1	–	–	–
Pneumonia	15	–	2	–	5	–	1	–	–	1	–	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	1	–	–	–	–	–	–	–	1	1
VII. Teething	9	–	–	6	3	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	2	–	1	–	–	–	1	1	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	1	–	–	–	–	–
Ileus	3	2	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	1	–	–	1	2	–	–	1	–
Fracture and Contusion	5	–	–	–	–	–	–	–	–	1	2	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	58	9	4	6	13	4	4	–	3	4	–	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Paralysis	1	1	1	1	–	–	1	1	–	2	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	–	1	2	1	1	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	2	–	4	1	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	347	34	10	34	41	27	13	9	12	2	14	8	5
SPECIFIED CAUSES	317	27	7	29	38	25	13	7	12	2	12	8	5
I. Zymotic Class	87	5	2	12	19	13	9	6	5	1	3	–	–
II. Diseases of Uncertain Seat	12	–	–	–	1	–	–	–	–	–	–	–	1
III. Tubercular Class	58	1	–	4	4	5	1	1	4	1	5	3	3
IV. Brain and Nervous System	14	1	–	1	1	–	–	–	1	–	1	–	1
V. Organs of Circulation	7	–	–	–	–	–	–	–	–	–	1	–	–
VI. Respiratory Organs	29	1	2	6	4	4	1	–	–	–	1	–	–
VII. Organs of Digestion	22	1	1	2	8	1	1	–	2	–	–	–	–
VIII. Urinary Organs	3	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation	5	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	24	18	2	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	1	2	–	–	–	–	–	1	–
XV. Age	42	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	5	–	–	–	–	–	1	–	–	–	–	2	–
I. Small Pox	6	1	–	1	–	1	1	1	–	1	–	–	–
Measles	11	–	–	1	4	3	3	–	–	–	–	–	–
Scarlatina	11	–	–	–	5	1	1	1	2	–	1	–	–
Diphtheria	2	1	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	17	–	1	4	6	4	1	1	–	–	–	–	–
Croup	8	–	–	1	2	2	2	1	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	19	3	1	4	1	1	–	1	–	–	–	–	–
Dysentery	3	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	1	–	–
Influenza	2	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	–	–	–	1	–	–	1	3	–	1	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	4	–	–	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	6	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	5	–	–	–	1	1	–	–	2	1	–	–	–
Phthisis	47	1	–	3	–	3	1	1	1	–	5	3	3
Hydrocephalus	6	–	–	1	3	1	–	–	1	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	17	7	17	7	5	15	12	16	11	13	5	9	3	1	–	–
SPECIFIED CAUSES	15	7	16	7	4	15	10	16	11	13	5	9	3	1	–	–
Zymotic Class	–	–	2	1	–	1	–	2	2	1	1	1	1	–	–	–
Uncertain Seat	–	1	–	1	–	3	2	1	–	2	–	–	–	–	–	–
Tubercular Class	8	2	8	1	2	1	2	2	–	–	–	–	–	–	–	–
Brain, etc.	1	1	1	1	–	2	–	–	–	1	–	1	–	–	–	–
Heart, etc.	1	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Respiratory Organs	1	–	–	2	2	2	1	–	1	–	–	1	–	–	–	–
Digestive Organs	–	1	2	–	–	3	–	–	–	–	–	–	–	–	–	–
Urinary Organs	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Generative Organs	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	10	8	9	4	6	2	1	–	–
Sudden Deaths	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	–	–	–	2	1	1	1	1	1	–	–	–
Dysentery	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	–	–	–	1	2	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	2	8	1	2	1	2	2	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	1	–	–	–	1	–	1	–	–
Apoplexy	2	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	6	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	1	–	–	–	–	–	–	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	1	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	–	–	–	–	–	–	–	–	–	1	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	9	–	2	1	–	–	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	15	1	–	5	4	4	–	–	–	–	–	–	–
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
VII. Teething	9	–	–	2	7	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	–	–	–	–	1	–	–	1	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	1	–	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	1	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	5	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	30	7	3	5	3	2	–	2	–	–	2	–	–

CAUSES of EATH in the SUBURBAN DISTRICTS of BARONY, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Paralysis	1	1	1	–	–	1	–	–	–	1	–	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	1	1	–	1	–	1	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	–	1	–	1	–	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	543	63	22	57	67	41	21	13	32	16	15	21	22
Specified Causes	529	57	19	55	67	41	21	13	32	16	15	21	22
I. Zymotic Class	152	11	6	14	29	24	10	7	14	5	4	5	3
II. Diseases of Uncertain Seat	11	1	–	–	–	–	–	–	1	–	1	–	1
III. Tubercular Class	138	3	6	24	18	8	4	5	12	4	7	9	12
IV. Brain and Nervous System	47	4	–	2	2	3	–	1	1	2	–	3	2
V. Organs of Circulation	7	–	–	–	–	–	–	–	1	1	–	–	–
VI. Respiratory Organs	47	2	4	3	8	2	3	–	2	–	1	1	2
VII. Organs of Digestion	40	6	1	11	6	1	2	–	1	1	–	1	2
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	–	2	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	3	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	28	26	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	2	3	–	–	–	–	–	–	–
XV. Age	22	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	17	–	–	1	1	–	2	–	–	3	–	–	–
I. Small Pox	3	–	2	–	1	–	–	–	–	–	–	–	–
Measles	29	1	–	4	8	6	3	2	5	–	–	–	–
Scarlatina	24	–	–	2	6	7	3	2	2	1	–	1	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	14	2	1	3	2	3	2	–	1	–	–	–	–
Croup	15	1	1	1	1	4	–	3	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	2	2	3	7	2	–	–	1	1	–	1	–
Dysentery	16	–	–	1	4	1	1	–	–	–	–	–	–
Cholera	2	2	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	21	1	–	–	–	1	1	–	1	2	4	3	3
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	2	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	2	–	–	–	–	–	–	–	1	–	1	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	+	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	1	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	11	1	–	1	4	–	1	1	1	2	–	–	–
Phthisis	75	–	1	3	5	4	–	1	7	2	7	8	12
Hydrocephalus	50	2	5	19	8	4	3	3	4	–	–	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	18	17	15	16	16	11	13	9	13	12	9	3	1	–	–	–
Specified Causes	18	16	14	15	16	11	13	9	13	12	9	3	1	–	–	–
Zymotic Class	1	1	3	1	3	3	–	1	4	1	1	1	–	–	–	–
Uncertain Seat	1	–	–	1	–	1	1	–	2	1	–	–	–	–	–	–
Tubercular Class	9	4	2	5	2	2	2	–	–	–	–	–	–	–	–	–
Brain, etc.	4	3	4	2	4	2	6	1	–	1	–	–	–	–	–	–
Heart, etc.	–	–	–	3	–	–	–	–	–	2	–	–	–	–	–	–
Respiratory Organs	–	1	3	2	3	2	2	3	3	–	–	–	–	–	–	–
Digestive Organs	–	1	2	1	–	–	1	1	–	2	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Generative Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	3	3	5	7	2	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	4	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	2	–	–	–	–	1	1	–	–	–	–
Dysentery	–	–	1	1	2	–	–	1	4	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	4	2	5	2	2	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of e, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	1	1	–	1	–	–	–	–	1
Apoplexy	5	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	7	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	2	–
Convulsions	7	3	–	2	–	2	–	–	–	–	–	–	–
Brain Disease	16	–	–	–	1	–	–	–	1	–	–	–	1
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	–	–	–	–	–	–	–	–	1	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	29	1	3	2	7	–	2	–	1	–	–	1	2
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	15	1	1	1	1	2	1	–	1	–	1	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	12	–	1	5	6	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	12	4	–	4	–	1	1	–	–	1	–	–	1
Peritonitis	4	–	–	1	–	–	–	–	1	–	–	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	1	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	4	–	–	–	–	–	–	–	–	–	2	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	4	3	–	–	1	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	2	–	–	–
Fracture and Contusion	7	–	–	–	–	–	1	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	14	6	3	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–
Paralysis	2	2	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	2	–	4	2	3	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	–	3	–	–	–	–	–	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	1	–	1	1	3	2	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	2	1	1	1	–	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	273	33	11	30	35	22	15	6	15	8	6	9	10
SPECIFIED CAUSES	267	30	10	28	35	22	15	6	15	8	6	9	10
I. Zymotic Class	73	7	2	6	16	15	6	1	3	3	–	3	–
II. Diseases of Uncertain Seat	2	1	–	–	–	–	–	–	1	–	–	–	–
III. Tubercular Class	79	2	4	14	9	4	3	4	8	2	5	3	8
IV. Brain and Nervous System	26	1	–	2	2	–	–	1	1	1	–	2	1
V. Organs of Circulation	5	–	–	–	–	–	–	–	1	–	–	–	–
VI. Respiratory Organs	23	1	1	2	4	1	3	–	1	–	–	–	–
VII. Organs of Digestion	20	4	1	3	2	1	1	–	–	–	–	1	1
VIII. Urinary Organs	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	14	12	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	1	–	–	–	–	–	–	–
XV. Age	4	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	13	–	–	1	1	–	2	–	–	2	–	–	–
I. Small Pox	2	–	1	–	1	–	–	–	–	–	–	–	–
Measles	15	1	–	2	6	3	1	1	1	–	–	–	–
Scarlatina	11	–	–	1	2	6	2	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	7	2	–	–	2	1	1	–	1	–	–	–	–
Croup	7	1	–	1	1	4	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	2	1	2	2	–	–	–	1	1	–	1	–
Dysentery	7	–	–	–	2	–	1	–	–	–	–	–	–
Cholera	1	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	–	–	–	–	1	1	–	–	2	–	2	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	7	1	–	–	2	–	1	1	1	1	–	–	–
Phthisis	39	–	–	3	1	1	–	–	4	1	5	3	8
Hydrocephalus	22	1	4	10	6	3	2	3	3	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	11	10	9	7	8	7	7	1	4	5	3	1	–	–	–	–
SPECIFIED CAUSES	11	10	9	7	8	7	7	1	4	5	3	1	–	–	–	–
Zymotic Class	–	1	2	–	2	3	–	–	2	–	1	–	–	–	–	–
Uncertain Seat	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tubercular Class	6	2	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	3	1	4	1	1	1	3	–	–	1	–	–	–	–	–	–
Heart, etc.	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–
Respiratory Organs	–	–	2	2	1	2	1	1	1	–	–	–	–	–	–	–
Digestive Organs	–	1	1	1	–	–	1	–	–	2	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	–	1	–	1	1	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	4	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–
Dysentery	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	2	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	–	1	–	–	1	–	–	–	–	1
Apoplexy	2	–	–	–	–	–	–	–	–	–	–	1	–
Paralysis	5	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	2	–	–	2	–	–	–	–	–	–	–	–	–
Brain Disease	9	–	–	–	1	–	–	–	1	–	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	15	1	1	1	4	–	2	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	8	–	–	1	–	1	1	–	1	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	4	–	1	1	2	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	2	–	2	–	1	1	–	–	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	1	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	7	–	–	–	–	–	1	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	6	3	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	1	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	2	–	1	1	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	–	2	–	–	–	–	–	2	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	1	–	1	1	1	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	270	30	11	27	32	19	6	7	17	8	9	12	12
Specified Causes	262	27	9	27	32	19	6	7	17	8	9	12	12
I. Zymotic Class	79	4	4	8	13	9	4	6	11	2	4	2	3
II. Diseases of Uncertain Seat	9	–	–	–	–	–	–	–	–	–	1	–	1
III. Tubercular Class	59	1	2	10	9	4	1	1	4	2	2	6	4
IV. Brain and Nervous System	21	3	–	–	–	3	–	–	–	1	–	1	1
V. Organs of Circulation	2	–	–	–	–	–	–	–	–	1	–	–	–
VI. Respiratory Organs	24	1	3	1	4	1	–	–	1	–	1	1	2
VII. Organs of Digestion	20	2	–	8	4	–	1	–	1	1	–	–	1
VIII. Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	2	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	14	14	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	1	2	–	–	–	–	–	–	–
XV. Age	18	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	4	–	–	–	–	–	–	–	–	1	–	–	–
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	14	–	–	2	2	3	2	1	4	–	–	–	–
Scarlatina	13	–	–	1	4	1	1	2	2	1	–	1	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	7	–	1	3	–	2	1	–	–	–	–	–	–
Croup	8	–	1	–	–	–	–	3	4	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	10	–	1	1	5	2	–	–	–	–	–	–	–
Dysentery	9	–	–	1	2	1	–	–	–	–	–	–	–
Cholera	1	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	1	–	–	–	–	–	–	1	–	4	1	3
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	2	2	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	1	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	4	–	–	1	2	–	–	–	–	1	–	–	–
Phthisis	36	–	1	–	4	3	–	1	3	1	2	5	4
Hydrocephalus	18	1	1	9	2	1	1	–	1	–	–	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	7	7	6	9	8	4	6	8	9	7	6	2	1	–	–	–
SPECIFIED CAUSES	7	6	5	8	8	4	6	8	9	7	6	2	1	–	–	–
Zymotic Class	1	–	1	1	1	–	–	1	2	1	–	1	–	–	–	–
Uncertain Seat	1	–	–	1	–	1	1	–	2	1	–	–	–	–	–	–
Tubercular Class	3	2	2	4	–	1	1	–	–	–	–	–	–	–	–	–
Brain, etc.	1	2	–	1	3	1	3	1	–	–	–	–	–	–	–	–
Heart, etc.	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Respiratory Organs	–	1	1	–	2	–	1	2	2	–	–	–	–	–	–	–
Digestive Organs	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	3	2	5	6	1	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Dysentery	–	–	1	1	–	–	–	1	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	1	–	–	1	–	1	1	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	2	2	4	–	1	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	3	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	2	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	5	3	–	–	–	2	–	–	–	–	–	–	–
Brain Disease	7	–	–	–	–	–	–	–	–	–	–	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	14	–	2	1	3	–	–	–	1	–	–	1	2
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	7	1	1	–	1	1	–	–	–	–	1	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	8	–	–	4	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	6	2	–	2	–	–	–	–	–	1	–	–	1
Peritonitis	2	–	–	1	–	–	–	–	1	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	1	–	–	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	3	2	–	–	1	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	3	2	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of GOVAN, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Paralysis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	3	1	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	–	–	2	1	–	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	3786	353	119	211	303	149	83	60	137	66	112	160	164
Specified Causes	3659	309	106	199	292	144	82	59	132	65	110	158	163
I. Zymotic Class	623	35	29	69	102	65	45	25	56	15	15	23	13
II. Diseases of Uncertain Seat	144	4	1	–	2	–	–	2	2	4	2	4	3
III. Tubercular Class	749	26	21	47	67	31	19	12	39	20	55	81	76
IV. Brain and Nervous System	412	28	9	10	20	5	2	4	10	8	7	8	14
V. Organs of Circulation	233	1	–	–	1	–	–	–	4	2	4	9	10
VI. Respiratory Organs	477	25	18	38	47	24	12	8	8	4	4	9	15
VII. Organs of Digestion	271	22	13	20	36	10	–	2	3	1	10	8	10
VIII. Urinary Organs	70	–	–	–	1	–	–	–	1	3	4	7	5
IX. Organs of Generation	43	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	19	–	–	–	–	–	–	1	3	4	2	1	2
XI. Skin, etc.	2	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	11	8	1	1	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	179	154	13	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	35	–	–	–	12	6	1	1	2	–	1	–	1
XV. Age	263	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	12	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	116	4	–	2	2	3	3	4	4	4	5	5	9
I. Small Pox	66	8	6	5	14	6	8	3	5	1	1	3	1
Measles	25	1	1	2	12	5	–	2	2	–	–	–	–
Scarlatina	69	–	–	6	4	14	14	6	19	2	2	2	–
Diphtheria	5	–	–	–	–	1	–	–	2	1	–	–	1
Hooping Cough	134	5	6	36	44	24	10	4	4	–	–	1	–
Croup	44	4	2	5	10	8	7	5	3	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	88	10	12	10	11	1	2	1	–	1	1	1	1
Dysentery	35	–	1	1	2	1	–	1	–	–	–	1	1
Cholera	6	1	–	–	2	–	–	–	2	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	1	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	4	–	–	1	1	–	–	1	1	–	–	–	–
Typhus	110	–	1	1	1	3	4	1	17	10	9	13	5
Metria	9	–	–	–	–	–	–	–	–	–	–	2	2
Rheumatic Fever	3	–	–	–	–	–	–	–	1	–	1	–	–
Erysipelas	16	4	–	–	–	1	–	1	–	–	1	–	1
Syphilis	4	1	–	1	1	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	2	–	–	–	–	–	–	–	–	1	–	–
Dropsy	33	–	–	–	1	–	–	1	1	1	–	1	–
Abscess	10	–	1	–	–	–	–	1	–	1	1	1	1
Ulcer	4	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	8	1	–	–	–	–	–	–	–	–	–	1	–
Cancer	78	–	–	–	1	–	–	–	1	2	–	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	30	1	–	3	1	2	2	–	1	5	3	2	2
Tabes Mesenterica	84	20	8	10	13	7	5	2	9	2	2	1	1
Phthisis	493	2	4	4	11	5	1	1	12	10	49	78	73
Hydrocephalus	142	3	9	30	42	17	11	9	17	3	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	163	159	166	159	155	180	179	175	200	158	106	49	14	5	–	1
Specified Causes	159	157	162	152	150	173	179	175	200	158	106	49	14	5	–	1
Zymotic Class	13	11	12	14	12	17	9	7	12	14	7	2	1	–	–	–
Uncertain Seat	8	9	7	13	17	15	19	11	7	9	1	4	–	–	–	–
Tubercular Class	71	57	34	24	32	18	11	5	3	–	–	–	–	–	–	–
Brain, etc.	11	15	30	25	21	28	24	36	41	29	19	7	1	–	–	–
Heart, etc.	17	16	20	23	14	28	32	15	17	13	7	–	–	–	–	–
Respiratory Organs	12	13	18	25	19	33	37	47	21	17	15	6	–	2	–	–
Digestive Organs	7	13	15	12	18	17	10	13	17	10	3	1	–	–	–	–
Urinary Organs	5	7	5	3	6	6	7	1	3	1	3	2	–	–	–	–
Generative Organs	6	5	10	2	1	2	2	5	–	1	–	–	–	–	–	–
Locomotive Organs	–	2	–	2	–	–	–	–	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	3	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	20	30	65	60	50	25	10	3	–	–
Sudden Deaths	1	1	3	–	–	–	1	1	2	–	1	–	–	–	–	–
Violent Deaths	8	8	7	9	7	2	7	4	10	4	–	2	2	–	–	1
Small Pox	1	2	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	3	3	2	6	4	3	5	6	2	1	1	–	–	–
Dysentery	2	1	3	3	3	1	2	1	4	4	3	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	4	4	6	5	7	3	3	3	3	1	1	–	–	–	–
Metria	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	2	–	1	2	2	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	–	2	–	2	–	–	1	–	–	–	–	–	–
Dropsy	–	4	–	1	4	5	2	5	1	3	1	2	–	–	–	–
Abscess	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	–	–	–	2	1	–	1	–	–	–	–
Cancer	6	5	5	11	7	10	14	5	4	4	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	4	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	66	54	32	24	30	18	11	5	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	28	–	–	2	5	1	1	1	2	1	5	3	4
Apoplexy	99	1	1	–	–	–	1	–	1	2	1	1	1
Paralysis	110	–	–	–	–	–	–	–	–	–	–	–	3
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	1	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	25	1	–	–	–	1	–	–	–	–	1	2	1
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	7	–	–	–	–	–	–	–	1	–	–	–	–
Convulsions	48	22	6	7	10	2	–	1	–	–	–	–	–
Brain Disease	86	3	2	1	5	1	–	2	6	5	–	2	3
V. Pericarditis	7	–	–	–	1	–	–	–	1	–	1	–	1
Aneurism	15	–	–	–	–	–	–	–	–	–	1	–	3
Heart Disease	211	1	–	–	–	–	–	–	3	2	2	9	6
VI. Laryngitis	16	1	–	2	2	3	1	–	1	–	–	1	1
Bronchitis	225	9	11	25	23	11	4	4	3	1	–	2	5
Pleurisy	33	1	1	–	3	–	1	–	2	–	–	2	1
Pneumonia	133	9	6	9	18	8	5	4	1	2	3	3	6
Asthma	37	–	–	2	–	–	–	–	–	–	–	–	–
Lung Disease	33	5	–	–	1	2	1	–	1	1	1	1	2
VII. Teething	50	1	2	12	32	3	–	–	–	–	–	–	–
Quinsey	5	–	1	1	–	–	–	1	–	–	–	–	–
Gastritis	6	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	40	10	7	5	2	3	–	1	–	–	1	–	–
Peritonitis	18	–	1	–	–	1	–	–	1	–	1	2	3
Ascites	4	–	–	–	1	–	–	–	–	–	2	–	–
Ulceration of Intestines	9	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	5	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	13	1	–	–	–	–	–	–	1	–	–	2	1
Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	50	3	2	2	1	1	–	–	–	–	1	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	5	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	10	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	51	–	–	–	–	1	–	–	1	1	5	2	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	2
Nephria	22	–	–	–	–	–	–	–	–	–	2	3	1
Ischuria	7	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	8	–	–	–	–	–	–	–	–	1	1	1	2
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	26	–	–	–	–	–	–	–	1	2	1	2	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	21	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	16	–	–	–	–	–	–	1	3	4	1	1	2
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XII. Cyanosis	5	3	–	1	1	–	–	–	–	–	–	–	–
Spina Bifida	3	2	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	10	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	1	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	8	–	–	–	–	1	–	1	–	–	1	–	1
Burns and Scalds	11	–	–	1	1	–	1	2	–	–	–	1	1
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	4	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	54	–	–	–	1	2	1	1	4	4	2	2	5
Wounds	14	–	–	–	–	–	–	–	–	–	1	1	2
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	127	44	13	12	11	5	1	1	5	1	2	2	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	5	7	11	4	9	8	14	13	5	11	1	–	–	–	–
Paralysis	4	5	8	6	8	6	10	13	20	16	5	5	1	–	–	–
Delirium Tremens	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	2	2	1	1	4	–	1	1	2	1	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	3	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	7	5	5	8	5	8	7	6	2	1	–	–	–	–
Pericarditis	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	2	3	–	–	2	–	–	2	1	–	–	–	–	–
Heart Disease	16	15	17	19	14	28	30	15	17	11	6	–	–	–	–	–
Laryngitis	1	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Bronchitis	3	1	8	15	5	18	18	21	13	10	10	4	–	1	–	–
Pleurisy	1	5	2	1	2	3	3	3	1	1	–	–	–	–	–	–
Pneumonia	5	4	4	5	4	5	9	9	5	4	3	1	–	1	–	–
Asthma	1	1	3	2	4	6	4	8	2	1	2	1	–	–	–	–
Lung Disease	1	1	1	2	4	1	3	5	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	2	1	1	–	–	–	–	–	–
Enteritis	–	2	4	–	1	–	1	2	–	1	–	–	–	–	–	–
Peritonitis	–	1	2	–	2	1	1	–	1	–	–	1	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	1	–	1	2	1	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Ileus	1	1	–	–	1	–	–	2	2	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	4	4	2	7	5	5	2	2	5	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	2	–	–	–	1	1	–	–	–	–	–	–
Jaundice	–	–	1	1	–	–	–	–	2	1	–	–	–	–	–	–
Liver Disease	5	3	2	7	2	9	–	3	8	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	2	2	1	1	2	2	–	3	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	2	–	1	–	1	1	–	–	–	–	–
Diabetes	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	2	1	4	1	4	–	–	–	2	2	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	3	1	–	2	1	3	–	1	–	–	–	–	–	–
Childbirth	6	2	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	1	1	1	–	1	2	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Joint Disease	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	–	2	3	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Poison	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	–	–	2	–	–	–	1	–	–	–
Fracture and Contusion	4	2	4	2	2	1	4	2	6	2	–	2	1	–	–	–
Wounds	1	–	1	2	2	–	2	–	1	–	–	–	–	–	–	1
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	2	4	7	5	7	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1868	202	71	118	146	70	36	33	70	37	65	80	92
SPECIFIED CAUSES	1807	178	62	113	139	68	35	32	68	36	65	78	92
I. Zymotic Class	286	22	20	34	42	29	17	11	30	8	6	10	3
II. Diseases of Uncertain Seat	52	1	1	–	1	–	–	2	2	1	2	2	1
III. Tubercular Class	407	15	10	29	39	17	9	5	20	12	30	45	46
IV. Brain and Nervous System	215	15	7	5	7	4	1	4	5	5	5	2	9
V. Organs of Circulation	125	1	–	–	–	–	–	–	2	2	2	4	5
VI. Respiratory Organs	232	16	10	26	25	4	7	5	2	1	3	5	8
VII. Organs of Digestion	137	12	8	11	16	6	–	2	2	–	7	3	8
VIII. Urinary Organs	43	–	–	–	1	–	–	–	1	–	2	2	2
IX. Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	16	–	–	–	–	–	–	1	3	4	2	–	2
XI. Skin, etc.	2	1	–	–	1	–	–	–	–	–	–	–	–
XII. Malformation	7	6	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	98	88	5	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	5	5	–	1	–	–	1	–	1
XV. Age	80	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	7	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	84	1	–	2	2	3	1	1	1	3	5	5	7
I. Small Pox	32	3	6	3	8	2	1	2	2	–	–	3	–
Measles	10	1	1	1	4	2	–	–	1	–	–	–	–
Scarlatina	36	–	–	3	2	7	6	2	13	1	2	–	–
Diphtheria	2	–	–	–	–	1	–	–	1	–	–	–	–
Hooping Cough	57	4	6	19	15	9	2	2	–	–	–	–	–
Croup	14	2	–	1	2	4	3	2	–	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	41	6	6	4	6	1	2	1	–	1	–	–	–
Dysentery	15	–	–	1	1	1	–	1	–	–	–	–	–
Cholera	5	1	–	–	2	–	–	–	2	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	3	–	–	1	1	–	–	–	1	–	–	–	–
Typhus	56	–	1	–	1	1	3	1	9	6	3	7	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	1	–	1	–	–
Erysipelas	7	3	–	–	–	1	–	–	–	–	–	–	1
Syphilis	3	1	–	1	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	11	–	–	–	1	–	–	1	1	–	–	–	–
Abscess	6	–	1	–	–	–	–	1	–	–	1	1	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	27	–	–	–	–	–	–	–	1	1	–	1	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	1	–	2	–	2	1	–	–	4	2	2	1
Tabes Mesenterica	46	9	4	5	9	4	4	1	3	2	1	1	1
Phthisis	261	2	2	3	8	–	–	–	6	4	26	42	44
Hydrocephalus	81	3	4	19	22	11	4	4	11	2	1	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	75	81	87	83	91	80	74	73	87	57	41	12	4	2	–	1
SPECIFIED CAUSES	74	81	86	82	90	77	74	73	87	57	41	12	4	2	–	1
Zymotic Class	4	3	8	7	6	8	5	4	3	3	2	1	–	–	–	–
Uncertain Seat	3	1	4	5	12	5	3	2	–	2	1	1	–	–	–	–
Tubercular Class	33	28	18	11	20	8	7	4	1	–	–	–	–	–	–	–
Brain, etc.	5	10	16	16	11	15	12	15	24	13	7	2	–	–	–	–
Heart, etc.	10	12	11	12	9	14	13	9	10	7	2	–	–	–	–	–
Respiratory Organs	7	4	10	14	10	15	16	22	8	7	5	1	–	1	–	–
Digestive Organs	3	9	7	5	9	7	3	7	7	4	–	1	–	–	–	–
Urinary Organs	3	5	4	2	6	2	5	–	3	–	3	2	–	–	–	–
Generative Organs	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	2	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	7	21	20	20	3	4	1	–	–
Sudden Deaths	1	1	2	–	–	–	–	–	1	–	1	–	–	–	–	–
Violent Deaths	5	6	6	9	5	2	6	3	8	1	–	1	–	–	–	1
Small Pox	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	3	1	1	3	1	1	1	–	1	–	–	–	–
Dysentery	2	1	2	–	1	–	1	1	1	1	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	2	3	3	3	6	1	2	1	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	2	1	1	1	–	1	1	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Cancer	3	–	2	5	6	4	2	–	–	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	32	25	17	11	19	8	7	4	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	18	–	–	1	3	1	1	1	1	–	4	1	3
Apoplexy	43	1	–	–	–	–	–	–	1	1	–	1	–
Paralysis	60	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	1	1	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	1	–	–	–	–	1	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	23	10	5	3	3	1	–	1	–	–	–	–	–
Brain Disease	47	3	2	1	1	1	–	2	3	4	–	–	2
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	12	–	–	–	–	–	–	–	–	–	1	–	2
Heart Disease	111	1	–	–	–	–	–	–	2	2	–	4	3
VI. Laryngitis	6	–	–	1	1	–	1	–	–	–	–	–	–
Bronchitis	107	8	6	20	8	3	3	3	2	–	–	2	–
Pleurisy	18	–	–	–	3	–	–	–	–	–	–	2	1
Pneumonia	71	5	4	4	12	1	3	2	–	1	2	1	5
Asthma	16	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	14	3	–	–	1	–	–	–	–	–	1	–	2
VII. Teething	24	1	1	7	14	1	–	–	–	–	–	–	–
Quinsey	4	–	–	1	–	–	–	1	–	–	–	–	–
Gastritis	2	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	25	5	5	3	2	2	–	1	–	–	1	–	–
Peritonitis	10	–	1	–	–	1	–	–	1	–	1	–	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	3	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	4	1	–	–	–	–	–	–	1	–	–	–	1
Intussusception	1	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	22	2	1	–	–	1	–	–	–	–	1	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	28	–	–	–	–	–	–	–	–	–	4	1	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	2
Nephria	8	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	1	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	22	–	–	–	–	–	–	–	1	–	1	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	–	1	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	14	–	–	–	–	–	–	1	3	4	1	–	2
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	–	–	–	–
XII. Cyanosis	3	2	–	1	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	1	–	–	–	–	1	–	–
Burns and Scalds	7	–	–	1	1	–	1	–	–	–	–	1	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	2	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	41	–	–	–	1	2	–	1	1	3	2	2	5
Wounds	13	–	–	–	–	–	–	–	–	–	1	1	2
Other Violent Causes	2	–	–	–	–	–	–	–	–	–	1	–	–
Not Specified	61	24	9	5	7	2	1	1	2	1	–	2	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	4	2	6	3	5	3	6	8	1	1	–	–	–	–	–
Paralysis	2	3	6	6	2	3	5	5	11	10	4	2	–	–	–	–
Delirium Tremens	–	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	1	1	1	3	–	–	1	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	4	1	4	3	3	4	4	2	1	–	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	2	3	–	–	1	–	–	2	–	–	–	–	–	–
Heart Disease	9	11	9	9	9	14	12	9	10	5	2	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Bronchitis	1	–	5	9	2	8	5	10	4	3	4	–	–	1	–	–
Pleurisy	–	3	2	–	2	2	1	1	–	1	–	–	–	–	–	–
Pneumonia	5	–	3	3	1	4	5	5	4	1	–	–	–	–	–	–
Asthma	1	–	–	1	2	1	3	4	–	1	1	1	–	–	–	–
Lung Disease	–	–	–	1	3	–	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	1	–	1	–	–	2	–	1	–	–	–	–	–	–
Peritonitis	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	1	1	4	3	2	1	1	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	3	3	2	4	1	3	–	1	4	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	1	–	1	–	1	–	3	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Diabetes	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	2	1	4	1	3	–	–	–	2	2	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	1	–	2	2	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Fracture and Contusion	4	2	4	2	1	1	3	1	4	1	–	1	–	–	–	–
Wounds	–	–	1	2	2	–	2	–	1	–	–	–	–	–	–	1
Other Violent Causes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	1	1	1	3	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—Females.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1918	151	48	93	157	79	47	27	67	29	47	80	72
Specified Causes	1852	131	44	86	153	76	47	27	64	29	45	80	71
I. Zymotic Class	337	13	9	35	60	36	28	14	26	7	9	13	10
II. Diseases of Uncertain Seat	92	3	–	–	1	–	–	–	–	3	–	2	2
III. Tubercular Class	342	11	11	18	28	14	10	7	19	8	25	36	30
IV. Brain and Nervous System	197	13	2	5	13	1	1	–	5	3	2	6	5
V. Organs of Circulation	108	–	–	–	1	–	–	–	2	–	2	5	5
VI. Respiratory Organs	245	9	8	12	22	20	5	3	6	3	1	4	7
VII. Organs of Digestion	134	10	5	9	20	4	–	–	1	1	3	5	2
VIII. Urinary Organs	27	–	–	–	–	–	–	–	–	3	2	5	3
IX. Organs of Generation	42	–	–	–	–	–	–	–	–	–	1	3	5
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	4	2	1	–	1	–	–	–	–	–	–	–	–
XIII. Premature Debility	81	66	8	7	–	–	–	–	–	–	–	–	–
XIV. Atrophy	20	–	–	–	7	1	1	–	2	–	–	–	–
XV. Age	183	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	32	3	–	–	–	–	2	3	3	1	–	–	2
I. Small Pox	34	5	–	2	6	4	7	1	3	1	1	–	1
Measles	15	–	–	1	8	3	–	2	1	–	–	–	–
Scarlatina	33	–	–	3	2	7	8	4	6	1	–	2	–
Diphtheria	3	–	–	–	–	–	–	–	1	1	–	–	1
Hooping Cough	77	1	–	17	29	15	8	2	4	–	–	1	–
Croup	30	2	2	4	8	4	4	3	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	47	4	6	6	5	–	–	–	–	–	1	1	1
Dysentery	20	–	1	–	1	–	–	–	–	–	–	1	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	1	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	1	–	2	1	–	8	4	6	6	4
Metria	9	–	–	–	–	–	–	–	–	–	–	2	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	1	–	–	–	–	–	1	–	–	1	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	2	–	–	–	–	–	–	–	–	–	–	–
Dropsy	22	–	–	–	–	–	–	–	–	1	–	1	–
Abscess	4	–	–	–	–	–	–	–	–	1	–	–	1
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	–	1	–
Cancer	51	–	–	–	1	–	–	–	–	1	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	1	–	1	–	1	1	1	–	1
Tabes Mesenterica	38	11	4	5	4	3	1	1	6	–	1	–	–
Phthisis	232	–	2	1	3	5	1	1	6	6	23	36	29
Hydrocephalus	61	–	5	11	20	6	7	5	6	1	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	88	78	79	76	64	100	105	102	113	101	65	37	10	3	–	–
SPECIFIED CAUSES	85	76	76	70	60	96	105	102	113	101	65	37	10	3	–	–
Zymotic Class	9	8	4	7	6	9	4	3	9	11	5	1	1	–	–	–
Uncertain Seat	5	8	3	8	5	10	16	9	7	7	–	3	–	–	–	–
Tubercular Class	38	29	16	13	12	10	4	1	2	–	–	–	–	–	–	–
Brain, etc.	6	5	14	9	10	13	12	21	17	16	12	5	1	–	–	–
Heart, etc.	7	4	9	11	5	14	19	6	7	6	5	–	–	–	–	–
Respiratory Organs	5	9	8	11	9	18	21	25	13	10	10	5	–	1	–	–
Digestive Organs	4	4	8	7	9	10	7	6	10	6	3	–	–	–	–	–
Urinary Organs	2	2	1	1	–	4	2	1	–	1	–	–	–	–	–	–
Generative Organs	6	5	10	2	–	2	2	5	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	2	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	23	44	40	30	22	6	2	–	–
Sudden Deaths	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Violent Deaths	3	2	1	–	2	–	1	1	2	3	–	1	2	–	–	–
Small Pox	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	1	5	1	2	4	5	2	–	1	–	–	–
Dysentery	–	–	1	3	2	1	1	–	3	3	2	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	2	1	3	2	1	2	1	2	2	–	1	–	–	–	–
Metria	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	2	–	1	1	2	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Dropsy	–	3	–	1	2	4	1	4	1	2	–	2	–	–	–	–
Abscess	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Fistula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–
Cancer	3	5	3	6	1	6	12	5	4	3	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	29	15	13	11	10	4	1	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	–	–	1	2	–	–	–	1	1	1	2	1
Apoplexy	56	–	1	–	–	–	1	–	–	1	1	–	1
Paralysis	50	–	–	–	–	–	–	–	–	–	–	–	2
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	1	–	–	–	–	–	–	–	–	–	2	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	1	–	–	–	–
Convulsions	25	12	1	4	7	1	–	–	–	–	–	–	–
Brain Disease	39	–	–	–	4	–	–	–	3	1	–	2	1
V. Pericarditis	5	–	–	–	1	–	–	–	1	–	–	–	1
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	100	–	–	–	–	–	–	–	1	–	2	5	3
VI. Laryngitis	10	1	–	1	1	3	–	–	1	–	–	1	1
Bronchitis	118	1	5	5	15	8	1	1	1	1	–	–	5
Pleurisy	15	1	1	–	–	–	1	–	2	–	–	–	–
Pneumonia	62	4	2	5	6	7	2	2	1	1	1	2	1
Asthma	21	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	19	2	–	–	–	2	1	–	1	1	–	1	–
VII. Teething	26	–	1	5	18	2	–	–	–	–	–	–	–
Quinsey	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	15	5	2	2	–	1	–	–	–	–	–	–	–
Peritonitis	8	–	–	–	–	–	–	–	–	–	–	2	1
Ascites	4	–	–	–	1	–	–	–	–	–	2	–	–
Ulceration of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	–	–	–	–	–	–	–	–	–	–	2	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	28	1	1	2	1	–	–	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	4	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	23	–	–	–	–	1	–	–	1	1	1	1	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	14	–	–	–	–	–	–	–	–	–	2	3	1
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	1	–	–	2
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	2	–	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	11	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	21	–	–	–	–	–	–	–	–	–	1	2	4
Organs of Generation	8	–	–	–	–	–	–	–	–	–	–	1	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	1	–	–	1	–	–	–	–	–	–	–	–
Spina Bifida	2	1	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	1	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	1	–	–	–	–	1
Burns and Scalds	4	–	–	–	–	–	–	2	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	13	–	–	–	–	–	1	–	3	1	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	66	20	4	7	4	3	–	–	3	–	2	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	2	1	5	5	1	4	5	8	5	4	10	1	–	–	–	–
Paralysis	2	2	2	–	6	3	5	8	9	6	1	3	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	2	1	–	–	1	–	1	–	2	–	–	–	–	–	–
Tetanus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	4	1	5	2	4	3	4	1	1	–	–	–	–
Pericarditis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Heart Disease	7	4	8	10	5	14	18	6	7	6	4	–	–	–	–	–
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	3	6	3	10	13	11	9	7	6	4	–	–	–	–
Pleurisy	1	2	–	1	–	1	2	2	1	–	–	–	–	–	–	–
Pneumonia	–	4	1	2	3	1	4	4	1	3	3	1	–	1	–	–
Asthma	–	1	3	1	2	5	1	4	2	–	1	–	–	–	–	–
Lung Disease	1	1	1	1	1	1	1	4	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Enteritis	–	1	3	–	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	–	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	1	–	–	2	2	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	2	3	1	3	2	3	1	1	3	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	2	–	–	3	1	6	–	2	4	–	–	–	–	–	–	–
Spleen Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	1	1	–	2	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Diabetes	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	3	1	–	2	1	3	–	1	–	–	–	–	–	–
Childbirth	6	2	6	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	2	1	1	–	–	1	2	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	–	–	–	–	1	–	1	1	2	1	–	1	1	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	2	3	6	4	4	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2242	319	96	155	235	108	70	61	103	55	74	60	83
Specified Causes	2164	291	76	147	233	106	68	60	101	54	74	59	82
I. Zymotic Class	478	29	24	48	77	44	32	31	43	15	16	9	9
II. Diseases of Uncertain Seat	102	1	–	2	3	–	1	2	1	4	6	–	8
III. Tubercular Class	450	4	10	36	48	32	30	19	37	24	35	29	29
IV. Brain and Nervous System	201	36	13	8	6	7	1	2	6	2	4	3	7
V. Organs of Circulation	76	1	–	–	3	–	–	–	1	–	1	2	5
VI. Respiratory Organs	213	8	11	13	24	13	–	3	8	2	2	5	6
VII. Organs of Digestion	174	9	10	39	63	6	2	1	4	3	2	–	5
VIII. Urinary Organs	14	–	–	–	–	–	–	–	–	1	–	1	–
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	6	4
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	2	–	1	–	1	–	–	–	–	–	–	–	–
XII. Malformation	5	4	–	–	–	–	–	–	–	–	1	–	–
XIII. Premature Debility	198	193	5	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	4	–	–	–	1	1	–	1	–
XV. Age	147	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	68	6	2	1	4	4	2	2	–	1	6	3	9
I. Small Pox	7	1	–	1	2	1	–	–	–	1	–	1	–
Measles	3	1	1	–	–	1	–	–	–	–	–	–	–
Scarlatina	93	1	1	9	14	13	13	13	19	2	–	1	–
Diphtheria	3	–	–	–	2	–	–	1	–	–	–	–	–
Hooping Cough	75	4	10	18	25	7	5	3	3	–	–	–	–
Croup	71	7	3	8	22	14	6	6	5	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	66	9	6	4	7	3	1	1	2	–	2	1	–
Dysentery	19	–	1	2	–	1	–	–	–	–	–	1	–
Cholera	8	2	1	1	2	–	–	–	1	1	–	–	–
Influenza	11	–	1	–	–	1	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	1	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	2	–	–	–	–	–	–	–	–	–	–	–
Typhus	101	–	–	2	2	3	7	7	12	10	11	4	6
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	5	–	–	1	–	–	–	–	–	1	1	–	1
Syphilis	7	2	–	2	1	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	6	1	–	–	1	–	–	–	–	–	1	–	–
Dropsy	59	–	–	2	2	–	1	2	1	4	4	–	5
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	30	–	–	–	–	–	–	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	16	–	–	–	2	3	–	–	5	2	2	–	–
Tabes Mesenterica	18	1	–	4	6	1	2	1	2	1	–	–	–
Phthisis	300	–	1	4	19	18	13	4	18	17	33	29	29
Hydrocephalus	116	3	9	28	21	10	15	14	12	4	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	62	58	79	69	96	74	80	63	87	74	54	18	9	–	–	–
Specified Causes	62	58	77	67	91	73	80	63	87	74	54	18	9	–	–	–
Zymotic Class	11	13	14	12	7	8	9	4	11	8	3	–	1	–	–	–
Uncertain Seat	5	4	5	4	20	12	10	6	4	3	–	1	–	–	–	–
Tubercular Class	27	17	23	14	18	7	9	1	1	–	–	–	–	–	–	–
Brain, etc.	5	4	5	9	8	9	16	14	17	11	7	1	–	–	–	–
Heart, etc.	2	5	6	5	6	10	9	6	6	4	3	1	–	–	–	–
Respiratory Organs	7	2	15	11	21	18	19	10	8	6	1	–	–	–	–	–
Digestive Organs	1	2	1	6	5	5	2	3	3	1	1	–	–	–	–	–
Urinary Organs	1	–	–	1	2	2	1	2	3	–	–	–	–	–	–	–
Generative Organs	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	13	32	40	38	14	8	–	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	4	4	4	2	1	2	4	2	1	1	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	1	2	1	2	3	1	7	8	2	–	1	–	–	–
Dysentery	2	2	2	1	1	1	1	1	2	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	4	2	1	–	–	1	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	6	6	4	3	4	5	2	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Dropsy	2	1	3	1	9	9	5	3	2	3	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	–	–	1	–	–	–	1	–	–	–	–
Cancer	3	3	1	3	8	3	4	1	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	17	22	14	18	6	9	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	–	–	1	2	2	–	1	2	–	–	–	–
Apoplexy	29	–	–	2	–	–	1	–	–	1	2	–	1
Paralysis	56	–	–	–	–	–	–	–	–	–	–	1	1
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	11	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	64	35	13	5	4	5	–	1	1	–	–	–	–
Brain Disease	25	1	–	–	–	–	–	–	3	1	1	1	3
V. Pericarditis	2	–	–	–	1	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	74	1	–	–	2	–	–	–	–	–	1	2	5
VI. Laryngitis	5	–	1	–	1	1	–	1	–	–	–	–	1
Bronchitis	88	7	4	7	11	7	–	2	–	–	1	1	2
Pleurisy	1	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	67	1	6	6	12	4	–	–	6	1	1	3	2
Asthma	48	–	–	–	–	1	–	–	1	1	–	1	1
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	95	1	3	35	52	4	–	–	–	–	–	–	–
Quinsey	3	–	–	–	1	–	–	–	–	1	–	–	1
Gastritis	6	1	1	–	1	–	–	–	1	–	–	–	–
Enteritis	23	2	5	4	3	–	–	–	2	1	1	–	2
Peritonitis	5	–	–	–	–	–	–	–	–	–	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	17	2	1	–	3	–	–	1	–	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	11	2	–	–	3	2	1	–	1	–	–	–	–
Liver Disease	7	1	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	–	–	–	–	–	–	–	–	1	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	6	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	1	–	–	–	–	–	–	–	–	1	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	5	3	2	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	1	3	2	2	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	–	2	1	1
Fracture and Contusion	32	–	–	–	–	2	–	1	–	1	4	2	6
Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	6	2	–	–	1	–	–	–	–	–	–	–	1
Not Specified	78	28	20	8	2	2	2	1	2	1	–	1	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	4	2	1	4	4	2	3	1	1	–	–	–	–
Paralysis	1	2	1	3	2	5	9	7	11	8	5	–	–	–	–	–
Delirium Tremens	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	2	2	–	–	1	2	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	–	–	–	2	2	2	1	4	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	5	6	5	6	10	9	6	6	4	3	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	4	2	4	11	11	3	3	4	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	1	6	2	6	2	2	–	2	1	–	–	–	–	–	–
Asthma	1	–	4	7	10	4	6	7	3	–	1	–	–	–	–	–
Lung Disease	–	–	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	2	3	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	–	–	1	1	1	–	2	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	1	2	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	3	2	2	1	–	1	3	1	–	1	1	–	–	–	–
Wounds	–	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	2	2	5	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1085	179	51	87	125	45	40	33	52	30	34	24	36
SPECIFIED CAUSES	1047	164	43	84	123	43	40	33	50	30	34	23	36
I. Zymotic Class	209	17	12	29	33	16	18	15	21	7	3	3	2
II. Diseases of Uncertain Seat	37	–	–	1	3	–	–	2	–	3	5	–	2
III. Tubercular Class	226	4	7	20	28	16	19	11	20	12	17	13	10
IV. Brain and Nervous System	111	17	8	6	1	5	1	1	3	2	1	2	3
V. Organs of Circulation	39	–	–	–	2	–	–	–	–	–	–	–	3
VI. Respiratory Organs	113	5	6	7	17	5	–	2	4	1	1	3	5
VII. Organs of Digestion	92	7	5	20	34	1	1	1	2	3	1	–	2
VIII. Urinary Organs	9	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	2	–	1	–	1	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	112	109	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	5	–	–	–	1	–	–	–	–	1	–	–	–
XV. Age	43	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	46	3	1	1	3	–	1	1	–	1	6	2	9
I. Small Pox	4	–	–	1	1	1	–	–	–	1	–	–	–
Measles	1	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	47	–	1	5	9	5	8	6	10	1	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	32	1	7	11	6	3	2	2	–	–	–	–	–
Croup	34	3	1	5	11	4	4	3	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	32	7	3	4	3	1	–	1	1	–	–	–	–
Dysentery	6	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	3	2	–	–	1	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	2	–	–	–	–	–	–	–	–	–	–	–
Typhus	37	–	–	–	2	2	4	3	7	5	2	3	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	–	–	1	–	–	–	–	–	–	1	–	1
Syphilis	2	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	5	–	–	–	1	–	–	–	–	–	1	–	–
Dropsy	23	–	–	1	2	–	–	2	–	3	4	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	–	2	–	–	4	1	2	–	–
Tabes Mesenterica	9	1	–	1	3	1	2	–	–	1	–	–	–
Phthisis	133	–	1	–	11	9	6	3	8	8	15	13	10
Hydrocephalus	75	3	6	19	14	4	11	8	8	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	23	22	32	33	50	29	43	26	30	30	22	8	1	–	–	–
SPECIFIED CAUSES	23	22	32	32	47	28	43	26	30	30	22	8	1	–	–	–
Zymotic Class	2	5	5	3	4	–	4	–	4	6	–	–	–	–	–	–
Uncertain Seat	2	1	2	1	6	3	2	2	1	1	–	–	–	–	–	–
Tubercular Class	11	8	7	2	11	5	5	–	–	–	–	–	–	–	–	–
Brain, etc.	4	3	3	5	4	4	11	9	7	5	6	–	–	–	–	–
Heart, etc.	–	1	5	3	3	5	6	2	4	3	1	1	–	–	–	–
Respiratory Organs	2	–	5	9	14	6	10	5	3	3	–	–	–	–	–	–
Digestive Organs	–	1	1	4	2	2	1	2	1	–	1	–	–	–	–	–
Urinary Organs	–	–	–	1	2	1	1	2	2	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	3	8	11	13	7	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	3	3	3	1	1	2	1	–	1	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	–	–	2	–	2	6	–	–	–	–	–	–
Dysentery	–	–	2	–	1	–	–	–	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	3	2	1	1	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	2	1	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	8	7	2	11	5	5	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	–	1	–	1	–	1	2	–	–	–	–
Apoplexy	20	–	–	2	–	–	1	–	–	1	1	–	1
Paralysis	29	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	33	17	8	3	1	4	–	–	–	–	–	–	–
Brain Disease	14	–	–	–	–	–	–	–	1	1	–	–	2
V. Pericarditis	1	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	38	–	–	–	1	–	–	–	–	–	–	–	3
VI. Laryngitis	4	–	1	–	1	–	–	1	–	–	–	–	1
Bronchitis	45	5	2	5	6	3	–	1	–	–	1	1	1
Pleurisy	1	–	–	–	–	–	–	–	1	–	–	–	–
Pneumonia	35	–	3	2	10	2	–	–	3	–	–	2	2
Asthma	27	–	–	–	–	–	–	–	–	1	–	–	1
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	51	1	1	19	30	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	–	–	–	–	1	–	–	–
Gastritis	4	1	1	–	–	–	–	–	–	–	–	–	–
Enteritis	11	2	3	1	–	–	–	–	1	1	1	–	1
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	9	1	–	–	1	–	–	1	–	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	2	–	–	3	1	–	–	1	–	–	–	–
Liver Disease	3	–	–	–	–	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	1	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	1	2	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	–	–	2	–	1
Fracture and Contusion	25	–	–	–	–	–	–	1	–	1	4	2	6
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	1	–	–	1	–	–	–	–	–	–	–	1
Not Specified	38	15	8	3	2	2	–	–	2	–	–	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	3	1	–	2	3	1	3	1	–	–	–	–	–
Paralysis	1	1	1	2	–	2	6	5	4	2	4	–	–	–	–	–
Delirium Tremens	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	–	–	1	2	2	–	2	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	5	3	3	5	6	2	4	3	1	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	2	2	5	6	1	1	2	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	–	3	2	2	–	1	–	–	1	–	–	–	–	–	–
Asthma	–	–	1	5	9	1	3	4	2	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	3	1	2	1	–	1	1	–	–	1	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	3	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1157	140	45	68	110	63	30	28	51	25	40	36	47
SPECIFIED CAUSES	1117	127	33	63	110	63	28	27	51	24	40	36	46
I. Zymotic Class	269	12	12	19	44	28	14	16	22	8	13	6	7
II. Diseases of Uncertain Seat	65	1	–	1	–	–	1	–	1	1	1	–	6
III. Tubercular Class	224	–	3	16	20	16	11	8	17	12	18	16	19
IV. Brain and Nervous System	90	19	5	2	5	2	–	1	3	–	3	1	4
V. Organs of Circulation	37	1	–	–	1	–	–	–	1	–	1	2	2
VI. Respiratory Organs	100	3	5	6	7	8	–	1	4	1	1	2	1
VII. Organs of Digestion	82	2	5	19	29	5	1	–	2	–	1	–	3
VIII. Urinary Organs	5	–	–	–	–	–	–	–	–	1	–	1	–
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	6	4
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	2	–	–	–	–	–	–	–	–	1	–	–
XIII. Premature Debility	86	84	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	3	–	–	–	1	–	–	1	–
XV. Age	104	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	22	3	1	–	1	4	1	1	–	–	–	1	–
I. Small Pox	3	1	–	–	1	–	–	–	–	–	–	1	–
Measles	2	–	1	–	–	1	–	–	–	–	–	–	–
Scarlatina	46	1	–	4	5	8	5	7	9	1	–	1	–
Diphtheria	3	–	–	–	2	–	–	1	–	–	–	–	–
Hooping Cough	43	3	3	7	19	4	3	1	3	–	–	–	–
Croup	37	4	2	3	11	10	2	3	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	34	2	3	–	4	2	1	–	1	–	2	1	–
Dysentery	13	–	1	1	–	1	–	–	–	–	–	1	–
Cholera	5	–	1	1	1	–	–	–	1	1	–	–	–
Influenza	7	–	1	–	–	1	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	1	–	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	64	–	–	2	–	1	3	4	5	5	9	1	5
Metria	2	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	5	1	–	1	1	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	36	–	–	1	–	–	1	–	1	1	–	–	5
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	1	–	–
Cancer	23	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	2	1	–	–	1	1	–	–	–
Tabes Mesenterica	9	–	–	3	3	–	–	1	2	–	–	–	–
Phthisis	167	–	–	4	8	9	7	1	10	9	18	16	19
Hydrocephalus	41	–	3	9	7	6	4	6	4	2	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	39	36	47	36	46	45	37	37	57	44	32	10	8	–	–	–
SPECIFIED CAUSES	39	36	45	35	44	45	37	37	57	44	32	10	8	–	–	–
Zymotic Class	9	8	9	9	3	8	5	4	7	2	3	–	1	–	–	–
Uncertain Seat	3	3	3	3	14	9	8	4	3	2	–	1	–	–	–	–
Tubercular Class	16	9	16	12	7	2	4	1	1	–	–	–	–	–	–	–
Brain, etc.	1	1	2	4	4	5	5	5	10	6	1	1	–	–	–	–
Heart, etc.	2	4	1	2	3	5	3	4	2	1	2	–	–	–	–	–
Respiratory Organs	5	2	10	2	7	12	9	5	5	3	1	–	–	–	–	–
Digestive Organs	1	1	–	2	3	3	1	1	2	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Generative Organs	1	3	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	10	24	29	25	7	7	–	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	1	1	–	–	3	2	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	2	1	2	1	1	5	2	2	–	1	–	–	–
Dysentery	2	2	–	1	–	1	1	1	–	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	2	–	1	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	6	3	2	4	3	2	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	2	–	6	7	4	2	1	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–
Cancer	1	2	1	3	6	2	4	1	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	16	9	15	12	7	1	4	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	2	1	–	–	–	–	–	–	–
Apoplexy	9	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	27	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	31	18	5	2	3	1	–	1	1	–	–	–	–
Brain Disease	11	1	–	–	–	–	–	–	2	–	1	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	36	1	–	–	1	–	–	–	–	–	1	2	2
VI. Laryngitis	1	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	43	2	2	2	5	4	–	1	–	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	32	1	3	4	2	2	–	–	3	1	1	1	–
Asthma	21	–	–	–	–	1	–	–	1	–	–	1	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	44	–	2	16	22	4	–	–	–	–	–	–	–
Quinsey	2	–	–	–	1	–	–	–	–	–	–	–	1
Gastritis	2	–	–	–	1	–	–	–	1	–	–	–	–
Enteritis	12	–	2	3	3	–	–	–	1	–	–	–	1
Peritonitis	5	–	–	–	–	–	–	–	–	–	1	–	1
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	1	–	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	1	1	–	–	–	–	–	–
Liver Disease	4	1	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	–	–	–	–	–	–	–	–	1	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	6	4
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	–	1	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	1	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	2	1	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	7	–	–	–	–	2	–	–	–	–	–	–	–
Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	40	13	12	5	–	–	2	1	–	1	–	–	1

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	1	1	2	1	1	–	–	1	–	–	–	–
Paralysis	–	1	–	1	2	3	3	2	7	6	1	–	–	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	–	1	–	–	1	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	4	1	2	3	5	3	4	2	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	3	–	2	6	5	2	2	2	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	3	–	4	2	1	–	2	–	–	–	–	–	–	–
Asthma	1	–	3	2	1	3	3	3	1	–	1	–	–	–	–	–
Lung Disease	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	2	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	–	–	–	–	2	1	–	–	1	–	–	–	–
Wounds	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1718	148	56	98	132	72	38	23	100	36	64	65	61
Specified Causes	1697	139	53	97	130	70	38	23	100	36	64	65	60
I. Zymotic Class	349	15	18	30	45	32	14	10	44	8	7	11	12
II. Diseases of Uncertain Seat	89	2	–	2	3	3	–	–	2	1	3	2	2
III. Tubercular Class	381	2	8	34	29	17	15	7	39	16	34	37	28
IV. Brain and Nervous System	185	24	10	5	7	1	1	2	6	5	5	3	5
V. Organs of Circulation	68	–	–	–	–	–	–	–	1	1	2	4	3
VI. Respiratory Organs	206	4	6	14	28	10	4	3	4	1	–	3	3
VII. Organs of Digestion	100	8	6	9	15	4	1	–	2	2	3	–	–
VIII. Urinary Organs	29	–	–	–	–	–	–	–	1	–	2	2	1
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	2	–	3
X. Organs of Locomotion	8	–	–	–	–	–	–	–	1	–	1	1	1
XI. Skin, etc.	3	1	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	3	1	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	85	82	3	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	17	–	–	–	3	3	2	1	–	2	–	–	1
XV. Age	132	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	26	–	–	1	–	–	1	–	–	–	5	2	1
I. Small Pox	5	–	1	1	–	–	–	–	–	–	1	1	–
Measles	72	1	6	12	21	12	7	4	8	–	1	–	–
Scarlatina	30	–	–	–	3	5	2	1	14	1	1	2	–
Diphtheria	1	–	–	–	–	–	–	–	1	–	–	–	–
Hooping Cough	14	1	1	4	3	4	1	–	–	–	–	–	–
Croup	16	–	–	3	5	5	1	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	58	3	5	6	6	–	–	1	1	–	–	–	1
Dysentery	18	–	–	3	3	–	–	1	–	–	–	–	–
Cholera	3	–	–	–	1	1	–	–	1	–	–	–	–
Influenza	9	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	1	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	1	–	–	1	–	–	–	–	–	–	–
Typhus	91	1	1	–	2	2	3	2	18	6	4	7	7
Metria	4	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	14	2	1	1	1	1	–	–	–	1	–	1	1
Syphilis	8	6	1	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	2	–	–	–	–	–	–	–	–	–	1	–
Dropsy	31	–	–	1	1	3	–	–	1	1	1	–	1
Abscess	6	–	–	1	–	–	–	–	1	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	1	–	–	–	–	–	1	1	–
Cancer	42	–	–	–	1	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	–	3	–	1	1	–	3	2	1	1	–
Tabes Mesenterica	14	–	–	4	3	–	–	–	3	1	3	–	–
Phthisis	253	–	3	3	2	4	1	1	18	12	30	36	28
Hydrocephalus	102	2	5	24	24	12	13	6	15	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	60	49	56	70	62	68	70	73	71	105	78	37	16	7	2	1
Specified Causes	60	49	56	68	61	68	70	73	71	105	78	37	16	7	2	1
Zymotic Class	8	10	5	8	5	7	8	10	8	16	9	7	2	–	–	–
Uncertain Seat	3	4	3	8	7	15	6	2	5	6	9	–	1	–	–	–
Tubercular Class	34	17	22	13	14	3	5	4	–	2	–	–	–	–	–	1
Brain, etc.	4	7	8	6	7	19	9	19	10	11	8	2	1	–	–	–
Heart, etc.	3	2	5	6	8	8	7	5	6	3	4	–	–	–	–	–
Respiratory Organs	2	3	7	12	8	10	16	14	15	22	12	3	2	–	–	–
Digestive Organs	2	4	3	5	7	1	5	4	8	9	2	–	–	–	–	–
Urinary Organs	1	–	–	4	2	1	6	4	–	2	2	–	1	–	–	–
Generative Organs	–	2	–	–	2	1	–	2	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	7	16	34	30	25	9	7	2	–
Sudden Deaths	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	3	–	1	4	–	2	4	2	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	3	2	1	–	4	5	8	6	3	1	–	–	–
Dysentery	1	–	–	2	–	–	–	3	–	3	–	1	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	1	1	2	1	2	–	–	–	–
Purpura	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	10	3	3	1	2	8	1	2	2	2	1	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	3	–	–	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	–	1	1	3	–	1	5	2	5	–	1	–	–	–
Abscess	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	–	–	1	1	–	–	–	–	–
Cancer	1	2	2	6	6	11	5	1	–	3	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	34	17	22	13	14	3	5	4	–	2	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	11	–	1	1	–	–	–	1	–	2	–	2	1
Apoplexy	46	–	–	–	1	–	–	–	–	–	1	–	1
Paralysis	39	–	–	–	–	–	–	–	1	–	–	1	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	2	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	44	24	9	4	5	1	–	1	–	–	–	–	–
Brain Disease	29	–	–	–	1	–	1	–	3	3	4	–	2
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	61	–	–	–	–	–	–	–	1	1	2	4	2
VI. Laryngitis	7	–	–	1	2	–	–	1	1	–	–	1	–
Bronchitis	113	2	3	9	17	5	2	1	–	–	–	–	–
Pleurisy	15	–	–	–	–	1	1	1	1	1	–	1	1
Pneumonia	40	2	3	3	7	3	1	–	2	–	–	1	2
Asthma	18	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	13	–	–	1	2	–	–	–	–	–	–	–	–
VII. Teething	26	–	3	6	14	3	–	–	–	–	–	–	–
Quinsey	2	–	1	–	–	1	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	11	1	1	–	1	–	–	–	1	–	1	–	–
Peritonitis	5	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	–	–	2	–	–	–	–	1	–	–	–	–
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	9	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	2	2	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	14	–	–	–	–	–	–	–	1	–	2	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	2	–	2
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	3	–	–	–	–	–	–	–	–	–	1	1	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	1	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	3	1	2	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	12	–	–	–	–	–	–	–	–	–	3	2	–
Fracture and Contusion	7	–	–	–	–	–	–	–	–	–	2	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	21	9	3	1	2	2	–	–	–	–	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	2	1	2	2	9	2	9	5	7	3	–	1	–	–	–
Paralysis	1	1	3	2	2	3	2	7	5	3	5	2	–	–	–	–
Delirium Tremens	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	2	2	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	1	1	2	4	2	1	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	3	6	6	8	7	5	6	3	4	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	5	3	4	12	6	11	15	11	3	2	–	–	–
Pleurisy	1	–	1	1	1	–	–	1	3	–	–	–	–	–	–	–
Pneumonia	1	1	1	4	1	2	1	5	–	–	–	–	–	–	–	–
Asthma	–	–	1	1	–	4	2	2	–	7	–	–	–	–	–	–
Lung Disease	–	1	3	1	2	–	1	–	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Enteritis	–	2	–	1	–	–	–	–	–	2	1	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	1	–	–	1	1	1	–	–	–	–	–	–
Hernia	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	1	2	1	–	1	–	2	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	1	1	2	–	–	–	1	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	3	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	2	1	1	2	1	–	1	1	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	2	1	–	1	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	1	–	1	3	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	823	90	32	50	77	36	19	15	44	22	24	34	28
SPECIFIED CAUSES	810	82	30	49	77	35	19	15	44	22	24	34	27
I. Zymotic Class	159	9	10	14	28	12	7	6	16	4	3	8	5
II. Diseases of Uncertain Seat	35	1	–	1	2	1	–	–	2	1	1	–	1
III. Tubercular Class	179	–	6	16	18	10	6	5	19	8	12	18	11
IV. Brain and Nervous System	100	17	5	2	6	1	1	2	4	3	2	2	3
V. Organs of Circulation	34	–	–	–	–	–	–	–	–	1	–	2	1
VI. Respiratory Organs	108	3	3	10	14	8	2	1	1	1	–	1	3
VII. Organs of Digestion	46	4	3	5	7	1	1	–	–	2	1	–	–
VIII. Urinary Organs	18	–	–	–	–	–	–	–	1	–	–	1	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	1	–	–	1	1
XI. Skin, etc.	2	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	1	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	48	46	2	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	2	2	2	1	–	2	–	–	–
XV. Age	46	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	20	–	–	–	–	–	–	–	–	–	5	1	1
I. Small Pox	4	–	–	1	–	–	–	–	–	–	1	1	–
Measles	33	–	2	6	14	5	3	2	1	–	–	–	–
Scarlatina	12	–	–	–	1	1	1	–	7	1	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	8	–	1	2	2	2	1	–	–	–	–	–	–
Croup	9	–	–	1	3	2	1	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	24	2	3	3	3	–	–	1	1	–	–	–	–
Dysentery	8	–	–	1	3	–	–	1	–	–	–	–	–
Cholera	1	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	1	–	–	1	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	41	1	1	–	1	–	1	1	6	3	2	6	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	2	1	–	–	–	–	–	–	–	–	1	1
Syphilis	5	4	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	1	–	1	–	–	1	1	1	–	–
Abscess	4	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	15	–	–	–	1	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	–	1	–	3	2	–	–	–
Tabes Mesenterica	10	–	–	3	3	–	–	–	2	1	1	–	–
Phthisis	107	–	2	1	1	–	1	1	6	5	11	18	11
Hydrocephalus	56	–	4	12	14	10	4	4	8	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	25	27	34	32	31	26	32	28	43	25	13	6	–	–	–
SPECIFIED CAUSES	30	25	27	34	32	31	26	32	28	43	25	13	6	–	–	–
Zymotic Class	4	6	1	3	2	4	2	6	1	2	2	3	1	–	–	–
Uncertain Seat	2	–	2	3	3	6	1	1	2	2	3	–	–	–	–	–
Tubercular Class	13	8	12	4	7	1	2	2	–	1	–	–	–	–	–	–
Brain, etc.	4	6	4	5	4	6	2	8	4	6	2	1	–	–	–	–
Heart, etc.	1	1	2	2	5	6	4	–	5	2	2	–	–	–	–	–
Respiratory Organs	2	2	5	8	5	4	5	6	7	12	2	3	–	–	–	–
Digestive Organs	1	2	1	3	5	1	1	2	4	1	1	–	–	–	–	–
Urinary Organs	–	–	–	2	1	1	5	2	–	1	2	–	1	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	3	5	16	11	6	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	–	–	4	–	2	2	2	–	–	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	1	1	1	–	3	1	–	1	2	1	–	–	–
Dysentery	–	–	–	–	–	–	–	1	–	1	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	6	1	2	–	–	2	–	–	1	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	–	–	–	1	1	–	–	2	–	2	–	–	–	–	–
Abscess	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	1	2	2	4	1	1	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	13	8	12	4	7	1	2	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	7	–	1	–	–	–	–	1	–	1	–	1	1
Apoplexy	21	–	–	–	1	–	–	–	–	–	–	–	1
Paralysis	17	–	–	–	–	–	–	–	1	–	–	1	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	17	4	2	4	1	–	1	–	–	–	–	–
Brain Disease	18	–	–	–	1	–	1	–	2	2	2	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	28	–	–	–	–	–	–	–	–	1	–	2	–
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	56	2	1	7	10	3	1	–	–	–	–	–	–
Pleurisy	8	–	–	–	–	1	–	1	–	1	–	–	1
Pneumonia	27	1	2	2	3	3	1	–	1	–	–	1	2
Asthma	7	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	8	–	–	1	–	–	–	–	–	–	–	–	–
VII. Teething	14	–	2	5	7	–	–	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	1	–	–	–	–	–	–
Enteritis	4	1	–	–	–	–	–	–	–	–	1	–	–
Peritonitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	2	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	–	–	–	–	–	1	–	–	–	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	–	–	1	1
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	2	1	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	10	–	–	–	–	–	–	–	–	–	3	1	–
Fracture and Contusion	7	–	–	–	–	–	–	–	–	–	2	–	1
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	13	8	2	1	–	1	–	–	–	–	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Apoplexy	–	2	1	1	1	3	1	5	2	3	–	–	–	–	–	–
Paralysis	1	–	2	2	1	1	–	1	2	2	2	1	–	–	–	–
Delirium Tremens	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	–	1	2	1	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	–	2	3	6	4	–	5	2	2	–	–	–	–	–
Laryngitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	3	1	2	3	4	5	9	2	3	–	–	–	–
Pleurisy	1	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Pneumonia	1	1	1	3	1	1	1	2	–	–	–	–	–	–	–	–
Asthma	–	–	1	1	–	1	–	–	–	3	–	–	–	–	–	–
Lung Disease	–	1	2	1	2	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Hernia	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	1	1	1	–	1	1	–	1	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	895	58	24	48	55	36	19	8	56	14	40	31	33
SPECIFIED CAUSES	887	57	23	48	53	35	19	8	56	14	40	31	33
I. Zymotic Class	190	6	8	16	17	20	7	4	28	4	4	3	7
II. Diseases of Uncertain Seat	54	1	–	1	1	2	–	–	–	–	2	2	1
III. Tubercular Class	202	2	2	18	11	7	9	2	20	8	22	19	17
IV. Brain and Nervous System	85	7	5	3	1	–	–	–	2	2	3	1	2
V. Organs of Circulation	34	–	–	–	–	–	–	–	1	–	2	2	2
VI. Respiratory Organs	98	1	3	4	14	2	2	2	3	–	–	2	–
VII. Organs of Digestion	54	4	3	4	8	3	–	–	2	–	2	–	–
VIII. Urinary Organs	11	–	–	–	–	–	–	–	–	–	2	1	–
IX. Organs of Generation	13	–	–	–	–	–	–	–	–	–	2	–	
X. Organs of Locomotion	5	–	–	–	–	–	–	–	–	–	1	–	–
XI. Skin, etc.	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	37	36	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	1	1	–	–	–	–	–	–	1
XV. Age	86	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	6	–	–	1	–	–	1	–	–	–	–	1	–
I. Small Pox	1	–	1	–	–	–	–	–	–	–	–	–	–
Measles	39	1	4	6	7	7	4	2	7	–	1	–	–
Scarlatina	18	–	–	–	2	4	1	1	7	–	1	2	–
Diphtheria	1	–	–	–	–	–	–	–	1	–	–	–	–
Hooping Cough	6	1	–	2	1	2	–	–	–	–	–	–	–
Croup	7	–	–	2	2	3	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	34	1	2	3	3	–	–	–	–	–	–	–	1
Dysentery	10	–	–	2	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	1	–	–	1	–	–	–	–
Influenza	8	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	50	–	–	–	1	2	2	1	12	3	2	1	3
Metria	4	–	–	–	–	–	–	–	–	–	–	–	2
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	–	–	1	1	1	–	–	–	1	–	–	–
Syphilis	3	2	–	–	–	–	–	–	–	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	1	–
Dropsy	18	–	–	–	1	2	–	–	–	–	–	–	1
Abscess	2	–	–	1	–	–	–	–	–	–	1	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	–	1	1	–
Cancer	27	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	3	–	1	–	–	–	–	1	1	–
Tabes Mesenterica	4	–	–	1	–	–	–	–	1	–	2	–	–
Phthisis	146	–	1	2	1	4	–	–	12	7	19	18	17
Hydrocephalus	46	2	1	12	10	2	9	2	7	1	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	30	24	29	36	30	37	44	41	43	62	53	24	10	7	2	1
SPECIFIED CAUSES	30	24	29	34	29	37	44	41	43	62	53	24	10	7	2	1
Zymotic Class	4	4	4	5	3	3	6	4	7	14	7	4	1	–	–	–
Uncertain Seat	1	4	1	5	4	9	5	1	3	4	6	–	1	–	–	–
Tubercular Class	21	9	10	9	7	2	3	2	–	1	–	–	–	–	–	1
Brain, etc.	–	1	4	1	3	13	7	11	6	5	6	1	1	–	–	–
Heart, etc.	2	1	3	4	3	2	3	5	1	1	2	–	–	–	–	–
Respiratory Organs	–	1	2	4	3	6	11	8	8	10	10	–	2	–	–	–
Digestive Organs	1	2	2	2	2	–	4	2	4	8	1	–	–	–	–	–
Urinary Organs	1	–	–	2	1	–	1	2	–	1	–	–	–	–	–	–
Generative Organs	–	2	–	–	2	1	–	2	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	2	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	4	11	18	19	19	5	7	2	–
Sudden Deaths	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	2	1	–	–	1	4	8	5	1	–	–	–	–
Dysentery	1	–	–	2	–	–	–	2	–	2	–	–	1	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	–	–	–	1	2	1	2	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	4	2	1	1	2	6	1	2	1	1	1	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	–	2	–	1	3	2	3	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Cancer	1	2	1	4	4	7	4	–	–	1	3	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	21	9	10	9	7	2	3	2	–	1	–	–	–	–	–	1
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	1	–	–	–	–	–	1	–	1	–
Apoplexy	25	–	–	–	–	–	–	–	–	–	1	–	–
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	15	7	5	2	1	–	–	–	–	–	–	–	–
Brain Disease	11	–	–	–	–	–	–	–	1	1	2	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	33	–	–	–	–	–	–	–	1	–	2	2	2
VI. Laryngitis	5	–	–	1	1	–	–	1	1	–	–	1	–
Bronchitis	57	–	2	2	7	2	1	1	–	–	–	–	–
Pleurisy	7	–	–	–	–	–	1	–	1	–	–	1	–
Pneumonia	13	1	1	1	4	–	–	–	1	–	–	–	–
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	2	–	–	–	–	–	–	–	–
VII. Teething	12	–	1	1	7	3	–	–	–	–	–	–	–
Quinsey	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	–	1	–	1	–	–	–	1	–	–	–	–
Peritonitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	–	–	2	–	–	–	–	1	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	7	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	1	–	1	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	2	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	1	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	–	–	–	–	2	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	2	–	2
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	1	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	8	1	1	–	2	1	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	1	6	1	4	3	4	3	–	1	–	–	–
Paralysis	–	1	1	–	1	2	2	6	3	1	3	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	1	–	–	3	1	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	3	4	3	2	3	5	1	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	2	2	2	9	2	6	6	9	–	2	–	–	–
Pleurisy	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–
Pneumonia	–	–	–	1	–	1	–	3	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	3	2	2	–	4	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hernia	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	1	2	–	–	1	–	2	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	2	1	–	1	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1443	146	59	122	170	91	41	32	80	38	49	51	58
Specified Causes	1358	94	49	114	165	89	39	32	78	37	49	51	58
I. Zymotic Class	442	8	18	45	79	54	27	24	44	12	15	11	14
II. Diseases of Uncertain Seat	54	–	1	1	1	–	2	1	–	2	–	1	3
III. Tubercular Class	237	3	5	12	33	14	4	4	22	10	25	27	30
IV. Brain and Nervous System	96	6	3	6	2	2	1	–	2	6	–	3	–
V. Organs of Circulation	16	–	–	–	–	–	1	–	–	–	1	–	1
VI. Respiratory Organs	106	3	9	11	11	10	–	1	3	2	–	3	3
VII. Organs of Digestion	150	18	9	32	36	6	2	–	2	3	2	–	2
VIII. Urinary Organs	8	1	–	–	–	–	–	–	–	–	1	1	–
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	3	2	1
X. Organs of Locomotion	6	–	–	–	–	–	–	–	–	1	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	64	54	4	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	16	–	–	–	3	2	1	1	1	–	–	1	1
XV. Age	124	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	24	1	–	1	–	1	1	1	4	1	2	1	3
I. Small Pox	33	–	2	7	7	5	4	1	5	–	–	1	–
Measles	59	–	1	8	21	12	4	6	7	–	–	–	–
Scarlatina	48	–	–	2	9	8	6	7	13	1	1	–	1
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	71	2	5	18	25	10	7	3	1	–	–	–	–
Croup	23	1	1	4	3	4	3	5	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	62	4	7	5	11	10	–	1	2	–	–	1	1
Dysentery	21	–	–	1	2	1	–	–	2	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	1
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	111	–	–	–	1	4	3	1	12	11	13	9	11
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	39	–	–	1	–	–	2	1	–	1	–	1	3
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	1	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	1	1	–	–	1	1	–	–	1
Tabes Mesenterica	14	–	2	1	9	1	1	–	–	–	–	–	–
Phthisis	168	–	1	3	10	3	1	1	12	9	25	27	29
Hydrocephalus	49	3	2	8	13	9	2	3	9	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	39	35	35	36	41	36	55	47	54	48	53	21	5	1	–	–
Specified Causes	39	35	35	34	41	35	55	47	54	48	53	21	5	1	–	–
Zymotic Class	10	6	10	12	19	7	9	6	4	7	–	1	–	–	–	–
Uncertain Seat	2	4	2	3	3	7	3	5	5	3	5	–	–	–	–	–
Tubercular Class	9	11	7	6	2	5	3	1	2	2	–	–	–	–	–	–
Brain, etc.	2	2	7	3	5	2	16	7	11	4	6	–	–	–	–	–
Heart, etc.	2	1	–	1	–	1	4	2	2	–	–	–	–	–	–	–
Respiratory Organs	4	4	3	3	3	6	3	11	1	6	5	1	–	–	–	–
Digestive Organs	3	1	3	2	5	5	6	8	1	1	3	–	–	–	–	–
Urinary Organs	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	3	3	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	3	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	5	28	25	32	19	5	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	2	1	–	1	–	–	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	–	3	1	2	1	3	2	1	5	–	–	–	–	–	–
Dysentery	–	1	1	1	4	1	1	2	2	1	–	1	–	–	–	–
Cholera	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	5	5	7	12	3	4	2	1	–	–	–	–	–	–	–
Metria	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	4	–	2	3	4	3	4	3	1	4	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Cancer	–	–	2	1	–	3	–	1	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	11	7	5	2	5	3	1	2	2	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	1	–	–	–	1	–	–	1	–
Apoplexy	19	–	1	2	–	–	1	–	–	–	–	–	–
Paralysis	32	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	3	1	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	5	1	1	–	1	–	–	–	–	–	–	–
Brain Disease	28	–	1	3	1	1	–	–	1	5	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	15	–	–	–	–	–	1	–	–	–	1	–	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	64	2	7	7	4	5	–	1	2	2	–	2	2
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	24	1	2	4	6	4	–	–	–	–	–	–	1
Asthma	10	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	8	–	–	–	1	1	–	–	1	–	–	1	–
VII. Teething	53	–	1	24	26	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	50	16	8	6	8	2	–	–	2	1	2	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	19	1	–	2	1	2	2	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	15	1	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	1	2	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	–	–	1	–	1	1	1	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	–	–	–	1	2	–	–	–	–
Fracture and Contusion	6	–	–	1	–	1	–	–	1	–	1	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	85	52	10	8	5	2	2	–	2	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	2	4	1	4	3	–	–	–	–	–	–
Paralysis	–	–	1	1	3	–	7	6	6	1	6	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	4	2	2	–	4	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	1	–	1	–	1	4	1	2	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	1	2	–	2	5	2	7	–	4	3	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	3	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Asthma	1	–	1	1	1	1	1	1	1	2	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	2	–	–	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	–	–	1	–	1	–	–	1	–	–	1	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	1	3	5	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	1	1	2	2	2	1	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	733	90	37	65	84	47	23	16	48	12	22	26	26
SPECIFIED CAUSES	685	62	30	61	81	46	21	16	47	11	22	26	26
I. Zymotic Class	224	6	11	23	39	29	13	11	24	4	5	7	5
II. Diseases of Uncertain Seat	24	–	1	1	1	–	2	1	–	–	–	1	1
III. Tubercular Class	121	3	2	6	18	6	2	4	13	4	13	12	13
IV. Brain and Nervous System	55	4	3	5	2	1	1	–	1	2	–	1	–
V. Organs of Circulation	7	–	–	–	–	–	1	–	–	–	–	–	1
VI. Respiratory Organs	50	1	6	6	5	3	–	–	3	–	–	1	1
VII. Organs of Digestion	79	13	4	15	15	4	1	–	1	1	2	–	1
VIII. Urinary Organs	6	1	–	–	–	–	–	–	–	–	–	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	40	33	3	4	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	1	2	–	–	1	–	–	1	1
XV. Age	47	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	20	1	–	1	–	1	1	–	4	–	2	1	3
I. Small Pox	19	–	1	6	2	3	3	–	2	–	–	1	–
Measles	31	–	1	3	10	8	2	4	3	–	–	–	–
Scarlatina	23	–	–	2	3	3	4	3	8	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	28	1	2	5	13	4	2	1	–	–	–	–	–
Croup	14	–	1	3	2	2	2	2	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	39	4	5	3	8	7	–	–	1	–	–	–	–
Dysentery	10	–	–	1	1	–	–	–	1	–	–	–	–
Cholera	3	–	–	–	–	–	–	–	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	–	–	–	2	–	1	7	4	4	6	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	21	–	–	1	–	–	2	1	–	–	–	1	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	4	–	–	–	–	–	–	–	1	1	–	–	1
Tabes Mesenterica	9	–	1	–	6	1	1	–	–	–	–	–	–
Phthisis	80	–	–	2	6	–	–	1	7	3	13	12	12
Hydrocephalus	28	3	1	4	6	5	1	3	5	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	15	16	17	18	23	19	21	19	29	22	26	9	3	–	–	–
SPECIFIED CAUSES	15	16	17	17	23	19	21	19	29	22	26	9	3	–	–	–
Zymotic Class	3	3	7	7	11	4	3	3	1	5	–	–	–	–	–	–
Uncertain Seat	–	3	–	1	1	2	1	1	3	1	3	–	–	–	–	–
Tubercular Class	6	4	4	5	1	2	1	–	1	1	–	–	–	–	–	–
Brain, etc.	–	2	3	2	3	2	7	3	7	2	4	–	–	–	–	–
Heart, etc.	1	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
Respiratory Organs	1	1	1	1	2	4	1	4	1	4	3	1	–	–	–	–
Digestive Organs	–	1	–	1	4	4	3	5	1	–	3	–	–	–	–	–
Urinary Organs	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	1	14	9	11	8	3	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Small Pox	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	2	–	–	1	2	2	–	3	–	–	–	–	–	–
Dysentery	–	1	1	1	3	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	4	4	7	2	–	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	3	–	1	1	2	1	1	2	1	3	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	4	4	4	1	2	1	–	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	1	–	–	–	–	–	–	1	–
Apoplexy	11	–	1	2	–	–	1	–	–	–	–	–	–
Paralysis	18	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	2	–	–	–	–	–	–	–	–	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	4	1	1	–	1	–	–	–	–	–	–	–
Brain Disease	14	–	1	2	1	–	–	–	1	1	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	7	–	–	–	–	–	1	–	–	–	–	–	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	32	1	5	3	2	–	–	–	2	–	–	–	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	10	–	1	3	2	3	–	–	–	–	–	–	–
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	1	–	–	–	1	–	–	1	–
VII. Teething	26	–	1	11	12	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	27	11	3	4	3	1	–	–	1	–	2	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	1	–	–	–	1	1	–	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	1	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	1	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	1	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	1
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	–	–	–	–	–	1	–	1	–	1	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	6	–	–	–	–	–	–	–	2	–	–	–	–
Fracture and Contusion	6	–	–	1	–	1	–	–	1	–	1	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	1	–
Not Specified	48	28	7	4	3	1	2	–	1	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	1	–	–	2	1	–	2	1	–	–	–	–	–	–
Paralysis	–	–	–	–	2	–	3	3	5	1	4	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	2	1	–	2	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	1	–	1	4	1	3	–	4	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Enteritis	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	1	5	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	–	–	2	1	1	–	1	–	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	710	56	22	57	86	44	18	16	32	26	27	25	32
SPECIFIED CAUSES	673	32	19	53	84	43	18	16	31	26	27	25	32
I. Zymotic Class	218	2	7	22	40	25	14	13	20	8	10	4	9
II. Diseases of Uncertain Seat	30	–	–	–	–	–	–	–	–	2	–	–	2
III. Tubercular Class	116	–	3	6	15	8	2	–	9	6	12	15	17
IV. Brain and Nervous System	41	2	–	1	–	1	–	–	1	4	–	2	–
V. Organs of Circulation	9	–	–	–	–	–	–	–	–	–	1	–	–
VI. Respiratory Organs	56	2	3	5	6	7	–	1	–	2	–	2	2
VII. Organs of Digestion	71	5	5	17	21	2	1	–	1	2	–	–	1
VIII. Urinary Organs	2	–	–	–	–	–	–	–	–	–	1	–	–
IX. Organs of Generation	15	–	–	–	–	–	–	–	–	–	3	2	1
X. Organs of Locomotion	2	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	24	21	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	2	–	1	1	–	–	–	–	–
XV. Age	77	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	4	–	–	–	–	–	–	1	–	1	–	–	–
I. Small Pox	14	–	1	1	5	2	1	1	3	–	–	–	–
Measles	28	–	–	5	11	4	2	2	4	–	–	–	–
Scarlatina	25	–	–	–	6	5	2	4	5	1	1	–	1
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	43	1	3	13	12	6	5	2	1	–	–	–	–
Croup	9	1	–	1	1	2	1	3	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	23	–	2	2	3	3	–	1	1	–	–	1	1
Dysentery	11	–	–	–	1	1	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	1	–	–	–	–	–	–	–	–	–	–
Typhus	60	–	–	–	1	2	3	–	5	7	9	3	7
Metria	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	18	–	–	–	–	–	–	–	–	1	–	–	2
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	1	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	–	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	5	–	1	1	3	–	–	–	–	–	–	–	–
Phthisis	88	–	1	1	4	3	1	–	5	6	12	15	17
Hydrocephalus	21	–	1	4	7	4	1	–	4	–	–	–	–

CAUSES OF DEATH in PAISLEY, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	24	19	18	18	18	17	34	28	25	26	27	12	2	1	–	–
SPECIFIED CAUSES	24	19	18	17	18	16	34	28	25	26	27	12	2	1	–	–
Zymotic Class	7	3	3	5	8	3	6	3	3	2	–	1	–	–	–	–
Uncertain Seat	2	1	2	2	2	5	2	4	2	2	2	–	–	–	–	–
Tubercular Class	3	7	3	1	1	3	2	1	1	1	–	–	–	–	–	–
Brain, etc.	2	–	4	1	2	–	9	4	4	2	2	–	–	–	–	–
Heart, etc.	1	1	–	1	–	1	2	1	1	–	–	–	–	–	–	–
Respiratory Organs	3	3	2	2	1	2	2	7	–	2	2	–	–	–	–	–
Digestive Organs	3	–	3	1	1	1	3	3	–	1	–	–	–	–	–	–
Urinary Organs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Generative Organs	3	3	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	3	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	4	14	16	21	11	2	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	1	2	–	1	–	1	2	–	–	–	–	–	–
Dysentery	–	–	–	–	1	1	1	2	2	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	3	1	3	5	1	4	1	–	–	–	–	–	–	–	–
Metria	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	–	1	2	2	2	3	1	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	–	–	2	1	–	3	–	1	1	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	3	7	3	1	1	3	2	1	1	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	1	–	–	–	–	–	–	–	1	–	–	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	14	–	–	–	–	–	–	–	–	–	–	1	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	1	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	14	–	–	1	–	1	–	–	–	4	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	8	–	–	–	–	–	–	–	–	–	1	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	32	1	2	4	2	5	–	1	–	2	–	2	1
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	14	1	1	1	4	1	–	–	–	–	–	–	1
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	1	–	–	–	–	–	–	–
VII. Teething	27	–	–	13	14	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	23	5	5	2	5	1	–	–	1	1	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	1	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	–	–	2	1	1	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	1	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	1	2	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	1	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	37	24	3	4	2	1	–	–	1	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	–	3	1	2	2	–	–	–	–	–	–
Paralysis	–	–	1	1	1	–	4	3	1	–	2	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	3	–	1	–	2	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	1	–	1	–	1	2	–	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	–	1	–	1	1	1	4	–	–	2	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Asthma	1	–	1	1	–	1	1	–	–	2	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1268	159	52	104	161	77	39	17	38	27	34	46	51
Specified Causes	1201	124	44	94	153	76	39	16	37	27	34	46	49
I. Zymotic Class	365	26	13	39	72	39	13	9	12	7	9	14	14
II. Diseases of Uncertain Seat	30	2	–	–	–	1	1	1	–	1	–	2	–
III. Tubercular Class	234	2	11	21	25	21	10	1	12	12	18	14	19
IV. Brain and Nervous System	86	4	1	6	2	2	3	–	5	2	1	1	1
V. Organs of Circulation	36	–	–	–	–	–	–	1	–	–	–	3	3
VI. Respiratory Organs	113	5	5	5	12	6	9	3	3	–	1	2	5
VII. Organs of Digestion	105	2	6	20	35	5	1	–	1	2	–	2	4
VIII. Urinary Organs	6	–	–	–	–	–	–	–	2	2	–	–	–
IX. Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	2	1
X. Organs of Locomotion	4	–	–	–	–	–	–	–	2	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	86	75	8	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	7	2	1	–	–	–	–	–	–
XV. Age	70	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	40	3	–	–	–	–	1	1	–	1	4	5	2
I. Small Pox	18	3	1	4	4	1	2	1	–	1	–	–	1
Measles	56	–	–	8	29	15	2	2	–	–	–	–	–
Scarlatina	17	–	–	2	2	1	3	2	4	1	1	1	–
Diphtheria	2	–	–	1	–	1	–	–	–	–	–	–	–
Hooping Cough	26	–	3	4	9	6	1	2	1	–	–	–	–
Croup	41	5	1	5	13	9	4	1	1	1	1	–	–
Thrush	2	–	–	1	1	–	–	–	–	–	–	–	–
Diarrhœa	58	13	8	11	9	4	–	–	–	1	–	–	–
Dysentery	10	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	7	1	–	–	2	–	–	–	–	–	–	1	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	105	–	–	1	3	2	1	–	5	2	7	11	9
Metria	4	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	9	1	–	1	–	–	–	1	–	1	–	–	1
Syphilis	6	3	–	1	–	–	–	–	–	–	–	–	1
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	1	–	–	–	–	–	1	–	–	–	–	–
Dropsy	14	–	–	–	–	1	1	–	–	1	–	2	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	10	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	6	–	–	–	–	1	–	–	–	1	3	–	–
Tabes Mesenterica	20	–	2	2	3	6	4	1	1	–	–	–	–
Phthisis	153	–	2	3	6	7	4	–	6	11	15	14	19
Hydrocephalus	55	2	7	16	16	7	2	–	5	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	34	51	50	41	50	44	46	46	32	28	25	7	4	2	–	3
Specified Causes	34	50	50	41	50	44	46	46	32	28	25	7	4	2	–	
Zymotic Class	9	13	13	11	17	7	11	8	6	1	1	1	–	–	–	–
Uncertain Seat	–	3	3	2	3	2	1	2	2	–	2	1	–	–	–	1
Tubercular Class	12	9	15	8	6	11	3	3	–	1	–	–	–	–	–	–
Brain, etc.	3	7	6	5	5	6	2	12	5	3	3	–	1	–	–	–
Heart, etc.	1	3	1	4	1	3	5	7	–	3	–	–	–	–	–	
Respiratory Organs	3	5	6	6	9	8	8	4	5	2	1	–	–	–	–	–
Digestive Organs	3	4	2	1	3	2	3	3	5	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Generative Organs	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	7	8	16	18	5	3	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	4	4	3	4	4	–	–	1	–	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	2	2	1	1	2	–	–	1	1	–	–	–	–
Dysentery	–	–	1	–	1	1	3	3	–	–	–	–	–	–	–	–
Cholera	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	9	7	8	14	4	6	3	3	1	–	–	–	–	–	–
Metria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	2	–	2	3	–	–	–	1	–	–	–	–	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	2	–	–	2	–	1	1	–	2	1	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	8	14	8	6	11	3	3	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	8	–	–	1	2	1	2	–	–	–	–	–	–
Apoplexy	17	–	–	–	–	–	–	–	1	1	–	–	–
Paralysis	26	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	10	3	1	4	–	–	–	–	2	–	–	–	–
Brain Disease	19	1	–	1	–	–	1	–	2	1	1	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	34	–	–	–	–	–	–	1	–	–	–	3	2
VI. Laryngitis	5	–	1	–	–	1	1	–	–	–	–	–	–
Bronchitis	50	4	1	5	8	1	1	3	2	–	–	–	1
Pleurisy	5	–	–	–	–	–	1	–	–	–	1	1	–
Pneumonia	31	1	3	–	3	4	6	–	–	–	–	–	1
Asthma	18	–	–	–	–	–	–	–	–	–	–	1	3
Lung Disease	4	–	–	–	1	–	–	–	1	–	–	–	–
VII. Teething	55	–	2	19	29	4	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	18	2	4	1	4	–	–	–	1	1	–	1	–
Peritonitis	3	–	–	–	1	–	–	–	–	–	–	–	1
Ascites	2	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	1
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	8	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	1	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	3	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	2	2	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	3	3	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	15	–	–	–	–	–	–	–	–	–	2	4	1
Fracture and Contusion	12	–	–	–	–	–	1	1	–	1	2	1	–
Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	67	35	8	10	8	1	–	1	1	–	–	–	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	3	2	1	1	3	–	1	2	1	–	–	–	–	–	–
Paralysis	–	–	4	1	2	1	1	10	3	2	2	–	–	–	–	–
Delirium Tremens	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	1	1	2	1	1	–	–	1	–	1	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	3	1	4	–	3	5	7	–	3	–	–	–	–	–	1
Laryngitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	4	3	4	4	3	1	4	1	–	–	–	–	–	–
Pleurisy	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	1	2	2	1	–	2	–	1	1	–	–	–	–	–
Asthma	–	2	1	–	3	2	4	1	1	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	1	–	1	–	2	1	1	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	3	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	651	85	29	59	83	41	19	7	13	13	18	21	21
SPECIFIED CAUSES	618	66	26	53	78	41	19	7	13	13	18	21	21
I. Zymotic Class	194	16	9	21	37	16	7	5	5	3	4	5	6
II. Diseases of Uncertain Seat	13	1	–	–	–	1	–	–	–	1	–	–	–
III. Tubercular Class	120	1	7	12	13	12	8	–	4	5	8	5	6
IV. Brain and Nervous System	47	2	–	1	–	2	1	–	–	1	–	1	1
V. Organs of Circulation	22	–	–	–	–	–	–	1	–	–	–	2	1
VI. Respiratory Organs	54	2	1	3	7	4	2	1	1	–	1	1	3
VII. Organs of Digestion	55	–	4	14	17	5	–	–	–	1	–	1	2
VIII. Urinary Organs	3	–	–	–	–	–	–	–	1	1	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	3	–	–	–	–	–	–	–	2	–	–	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	46	39	5	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	4	1	–	–	–	–	–	–	–
XV. Age	20	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	1	–	–
XVII. Violent Deaths	30	2	–	–	–	–	1	–	–	1	4	5	2
I. Small Pox	9	1	1	2	2	–	2	–	–	–	–	–	1
Measles	28	–	–	4	15	7	–	2	–	–	–	–	–
Scarlatina	10	–	–	1	1	–	3	2	3	–	–	–	–
Diphtheria	1	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	14	–	1	4	5	3	–	1	–	–	–	–	–
Croup	20	4	1	2	6	3	2	–	–	1	1	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	38	10	6	6	5	2	–	–	–	1	–	–	–
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	–	–	–	2	–	–	–	–	–	–	1	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	–	–	–	1	1	–	–	1	1	3	4	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	4	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	–	1
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	7	–	–	–	–	1	–	–	–	1	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	3	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	–	–	–	–	1	2	–	–
Tabes Mesenterica	11	–	1	1	1	5	3	–	–	–	–	–	–
Phthisis	70	–	1	2	1	1	3	–	2	4	6	5	6
Hydrocephalus	36	1	5	9	11	6	2	–	2	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	15	28	31	30	32	28	17	25	17	7	7	3	1	–	–	1
SPECIFIED CAUSES	15	28	31	30	32	28	17	25	17	7	7	3	1	–	–	1
Zymotic Class	6	6	8	9	12	5	4	4	4	–	1	1	–	–	–	–
Uncertain Seat	–	1	1	2	1	2	–	2	–	–	–	–	–	–	–	1
Tubercular Class	6	6	9	4	3	8	2	1	–	–	–	–	–	–	–	–
Brain, etc.	1	5	6	4	5	3	1	7	4	1	1	–	–	–	–	–
Heart, etc.	–	3	1	4	–	3	3	4	–	–	–	–	–	–	–	–
Respiratory Organs	–	1	1	4	6	4	4	3	3	1	1	–	–	–	–	–
Digestive Organs	–	2	2	1	2	–	–	1	2	1	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	3	4	4	4	2	1	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	4	3	2	2	2	–	–	–	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	2	–	1	1	1	–	–	1	1	–	–	–	–
Dysentery	–	–	1	–	1	1	1	2	–	–	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	5	5	6	11	2	2	1	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Syphilis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	6	9	4	3	8	2	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	1	–	–	–	–	–	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	17	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	2	–	1	–	–	–	–	–	–	–	–	–
Brain Disease	11	–	–	–	–	–	1	–	–	1	–	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	21	–	–	–	–	–	–	1	–	–	–	2	–
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	26	2	1	3	6	1	–	1	–	–	–	–	1
Pleurisy	4	–	–	–	–	–	1	–	–	–	1	1	–
Pneumonia	13	–	–	–	1	3	1	–	–	–	–	–	1
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	35	–	1	14	16	4	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	1
Enteritis	8	–	3	–	1	–	–	–	–	1	–	1	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	–	–	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	1	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	1	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	2	–	–	–	–	–	–	–	1	–	–	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	2	2	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	14	–	–	–	–	–	–	–	–	–	2	4	1
Fracture and Contusion	11	–	–	–	–	–	1	–	–	1	2	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	33	19	3	6	5	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	2	1	1	1	–	–	1	–	–	–	–	–	–	–
Paralysis	–	–	4	1	2	–	–	6	3	1	–	–	–	–	–	–
Delirium Tremens	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	–	1	2	1	1	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	3	1	4	–	3	3	4	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	1	2	3	1	1	2	–	–	–	–	–	–	–
Pleurisy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	–	2	1	–	–	1	–	1	1	–	–	–	–	–
Asthma	–	–	–	–	3	–	3	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	1	2	2	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	3	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	617	74	23	45	78	36	20	10	25	14	16	25	30
SPECIFIED CAUSES	583	58	18	41	75	35	20	9	24	14	16	25	28
I. Zymotic Class	171	10	4	18	35	23	6	4	7	4	5	9	8
II. Diseases of Uncertain Seat	17	1	–	–	–	–	1	1	–	–	–	2	–
III. Tubercular Class	114	1	4	9	12	9	2	1	8	7	10	9	13
IV. Brain and Nervous System	39	2	1	5	2	–	2	–	5	1	1	–	–
V. Organs of Circulation	14	–	–	–	–	–	–	–	–	–	–	1	2
VI. Respiratory Organs	59	3	4	2	5	2	7	2	2	–	–	1	2
VII. Organs of Digestion	50	2	2	6	18	–	1	–	1	1	–	1	2
VIII. Urinary Organs	3	–	–	–	–	–	–	–	1	1	–	–	–
IX. Organs of Generation	7	–	–	–	–	–	–	–	–	–	–	2	1
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	40	36	3	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	3	1	1	–	–	–	–	–	–
XV. Age	50	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	10	1	–	–	–	–	–	1	–	–	–	–	–
I. Small Pox	9	2	–	2	2	1	–	1	–	1	–	–	–
Measles	28	–	–	4	14	8	2	–	–	–	–	–	–
Scarlatina	7	–	–	1	1	1	–	–	1	1	1	1	–
Diphtheria	1	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	12	–	2	–	4	3	1	1	1	–	–	–	–
Croup	21	1	–	3	7	6	2	1	1	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	20	3	2	5	4	2	–	–	–	–	–	–	–
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	3	1	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	51	–	–	1	2	1	1	–	4	1	4	7	5
Metria	4	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	5	–	–	1	–	–	–	1	–	1	–	–	1
Syphilis	4	3	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	1	–	–	–	–	–
Dropsy	7	–	–	–	–	–	1	–	–	–	–	2	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	7	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	1	–	–	–	–	1	–	–
Tabes Mesenterica	9	–	1	1	2	1	1	1	1	–	–	–	–
Phthisis	83	–	1	1	5	6	1	–	4	7	9	9	13
Hydrocephalus	19	1	2	7	5	1	–	–	3	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	19	23	19	11	18	16	29	21	15	21	18	4	3	2	–	2
SPECIFIED CAUSES	19	22	19	11	18	16	29	21	15	21	18	4	3	2	–	2
Zymotic Class	3	7	5	2	5	2	7	4	2	1	–	–	–	–	–	–
Uncertain Seat	–	2	2	–	2	–	1	–	2	–	2	1	–	–	–	–
Tubercular Class	6	3	6	4	3	3	1	2	–	1	–	–	–	–	–	–
Brain, etc.	2	2	–	1	–	3	1	5	1	2	2	–	1	–	–	–
Heart, etc.	1	–	–	–	1	–	2	3	–	3	–	–	–	–	–	1
Respiratory Organs	3	4	5	2	3	4	4	1	2	1	–	–	–	–	–	–
Digestive Organs	3	2	–	–	1	2	3	2	3	–	–	–	–	–	–	–
Urinary Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Generative Organs	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	9	4	4	12	14	3	2	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	1	2	2	–	–	1	–	–	–	–	–	–	1
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	2	2	3	2	4	2	2	1	–	–	–	–	–	–
Metria	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	1	2	–	–	–	–	–	1	–	2	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	6	2	5	4	3	3	1	2	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	1	2	–	2	–	–	–	–	–	–
Apoplexy	9	–	–	–	–	–	–	–	1	1	–	–	–
Paralysis	9	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	1	1	3	–	–	–	–	2	–	–	–	–
Brain Disease	8	1	–	1	–	–	–	–	2	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	–	–	–	–	1	2
VI. Laryngitis	4	–	1	–	–	1	1	–	–	–	–	–	–
Bronchitis	24	2	–	2	2	–	1	2	2	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	18	1	3	–	2	1	5	–	–	–	–	–	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	1	2
Lung Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
VII. Teething	20	–	1	5	13	–	1	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	10	2	1	1	3	–	–	–	1	–	–	–	–
Peritonitis	2	–	–	–	1	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	1	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	3	–	–	–	–	–	–	–	–	–	–	2	–
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	–	–	–	–	1	–	–	–	–	–
Wounds	3	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	34	16	5	4	3	1	–	1	1	–	–	–	2

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	–	–	2	–	1	1	1	–	–	–	–	–	–
Paralysis	–	–	–	–	–	1	1	4	–	1	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	–	–	–	–	2	3	–	3	–	–	–	–	–	1
Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	3	2	2	1	2	–	2	1	–	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Asthma	–	2	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Not Specified	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	751	88	28	67	69	27	19	23	37	13	14	36	31
Specified Causes	727	79	25	66	67	26	18	20	37	13	14	36	30
I. Zymotic Class	190	14	9	26	41	21	9	12	20	3	3	8	4
II. Diseases of Uncertain Seat	37	1	–	–	–	1	–	–	1	–	–	–	2
III. Tubercular Class	118	6	5	13	6	2	4	2	12	4	7	17	10
IV. Brain and Nervous System	80	3	–	5	2	1	1	1	1	–	–	2	7
V. Organs of Circulation	29	–	–	–	–	–	–	1	–	–	–	3	2
VI. Respiratory Organs	72	6	7	9	9	1	1	3	1	–	1	2	1
VII. Organs of Digestion	56	8	1	10	4	–	–	–	–	1	2	1	–
VIII. Urinary Organs	9	–	–	–	–	–	1	–	–	1	–	–	–
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	2	2
X. Organs of Locomotion	2	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	41	35	3	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	5	–	1	–	–	1	–	–	–
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	37	4	–	–	–	–	1	1	1	3	1	1	2
I. Small Pox	60	7	4	15	10	5	4	–	7	–	1	5	–
Measles	8	–	2	–	3	2	–	1	–	–	–	–	–
Scarlatina	33	–	1	4	8	3	2	6	5	2	–	–	1
Diphtheria	2	–	–	–	–	–	–	–	1	–	–	–	1
Hooping Cough	21	3	–	4	9	3	–	1	1	–	–	–	–
Croup	14	–	–	–	8	2	2	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	1	1	3	2	–	–	–	–	–	–	–	–
Dysentery	2	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	2	–	–	–	1	1	–	–	–	–	–	–	–
Typhus	30	–	1	–	–	5	–	2	6	1	2	2	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	10	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	19	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	1	–	–	–
Tabes Mesenterica	10	1	1	1	–	1	–	–	3	1	1	1	–
Phthisis	74	5	–	–	2	–	–	1	3	2	6	15	10
Hydrocephalus	33	–	4	12	4	1	4	1	6	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	15	37	30	22	18	31	35	26	28	24	20	11	2	–	–	–
Specified Causes	14	37	30	21	17	31	35	26	28	24	20	11	2	–	–	–
Zymotic Class	3	2	4	3	–	–	2	1	2	1	–	2	–	–	–	–
Uncertain Seat	1	1	2	2	2	5	3	4	4	2	4	2	–	–	–	–
Tubercular Class	4	7	4	2	6	4	2	–	1	–	–	–	–	–	–	–
Brain, etc.	–	8	5	3	1	9	6	7	6	8	2	2	–	–	–	–
Heart, etc.	2	2	3	3	2	4	4	2	1	–	–	–	–	–	–	–
Respiratory Organs	–	4	3	–	2	3	7	4	4	3	1	–	–	–	–	–
Digestive Organs	–	6	4	3	2	2	3	4	3	1	–	1	–	–	–	–
Urinary Organs	1	1	1	–	1	–	1	–	1	1	–	–	–	–	–	–
Generative Organs	1	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	2	5	6	13	4	2	–	–	–
Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	5	2	5	1	2	3	2	–	2	–	–	–	–	–	–
Small Pox	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	–	–	–	1	1	–	2	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	4	3	–	–	1	1	1	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	–	–	1	–	3	2	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Cancer	–	–	2	2	2	4	3	1	2	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	4	7	4	2	6	4	2	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	1	–	–	1	–	1	–	–	–	1
Apoplexy	27	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	13	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	1	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	10	3	–	3	2	1	–	1	–	–	–	–	–
Brain Disease	12	–	–	1	–	–	–	–	–	–	–	–	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	27	–	–	–	–	–	–	1	–	–	–	3	2
VI. Laryngitis	2	–	–	–	–	–	1	1	–	–	–	–	–
Bronchitis	28	4	2	5	3	–	–	–	1	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	32	2	5	4	6	1	–	2	–	–	–	1	1
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	11	1	–	6	4	–	–	–	–	–	–	–	–
Quinsey	2	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	1	–	–	–
Enteritis	8	2	–	3	–	–	–	–	–	–	–	1	–
Peritonitis	7	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	4	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	5	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	7	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	–	–	–	–	–	1	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	–	–	1	–	–	–	1	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	12	–	–	–	–	–	–	–	–	1	–	–	2
Fracture and Contusion	12	–	–	–	–	–	–	–	1	2	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	24	9	3	1	2	1	1	3	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	3	2	1	4	–	3	3	7	2	–	–	–	–	–
Paralysis	–	1	–	–	–	1	3	4	2	1	–	1	–	–	–	–
Delirium Tremens	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	–	–	2	3	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	2	2	3	3	1	4	4	1	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	1	1	2	3	2	2	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	3	2	–	1	2	1	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	4	1	–	1	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	2	–	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	–	1	–	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	3	1	1	–	1	2	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	3	–	1	1	1	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	386	52	17	29	35	15	10	15	16	6	6	22	16
SPECIFIED CAUSES	368	43	15	29	34	14	9	13	16	6	6	22	16
I. Zymotic Class	97	6	5	11	16	12	6	7	10	2	2	6	3
II. Diseases of Uncertain Seat	9	1	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	55	3	5	7	4	2	1	2	4	1	2	12	4
IV. Brain and Nervous System	39	1	–	1	2	–	–	1	1	–	–	1	5
V. Organs of Circulation	14	–	–	–	–	–	–	1	–	–	–	1	1
VI. Respiratory Organs	40	5	3	3	6	–	–	1	–	–	1	–	1
VII. Organs of Digestion	30	7	–	6	2	–	–	–	–	–	1	1	–
VIII. Urinary Organs	7	–	–	–	–	–	1	–	–	1	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	21	18	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	4	–	1	–	–	–	–	–	–
XV. Age	20	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	27	1	–	–	–	–	–	1	1	2	–	1	2
I. Small Pox	28	4	2	5	4	1	3	–	4	–	–	4	–
Measles	2	–	1	–	1	–	–	–	–	–	–	–	–
Scarlatina	19	–	–	2	5	2	2	3	3	1	–	–	–
Diphtheria	1	–	–	–	–	–	–	–	–	–	–	–	1
Hooping Cough	5	–	–	1	1	2	–	–	1	–	–	–	–
Croup	8	–	–	–	4	1	1	2	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	1	1	3	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	22	–	1	–	–	5	–	2	2	1	2	1	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	6	–	1	1	–	1	–	–	1	1	–	1	–
Phthisis	31	3	–	–	2	–	–	1	1	–	2	10	4
Hydrocephalus	18	–	4	6	2	1	1	1	2	–	–	1	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	8	17	18	14	8	19	21	6	12	11	7	6	–	–	–	–
SPECIFIED CAUSES	8	17	18	13	7	19	21	6	12	11	7	6	–	–	–	–
Zymotic Class	2	1	4	2	–	–	–	–	2	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	–	1	1	2	–	1	–	–	2	–	–	–	–
Tubercular Class	2	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Brain, etc.	–	3	5	2	–	5	5	2	1	3	–	1	–	–	–	–
Heart, etc.	2	–	1	1	2	4	1	–	–	–	–	–	–	–	–	–
Respiratory Organs	–	2	2	–	1	3	5	3	1	2	1	–	–	–	–	–
Digestive Organs	–	4	1	2	1	1	1	–	2	–	–	1	–	–	–	–
Urinary Organs	–	1	1	–	1	–	1	–	–	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	1	4	4	6	2	–	–	–	–
Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	5	2	5	–	2	3	–	–	1	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	4	2	–	–	–	–	1	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Cancer	–	–	1	–	1	–	2	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	2	1	1	1	1	1	–	–	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	–	–	1	–	–	–	–	1	–	–	–	–
Apoplexy	10	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	5	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	1	2
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	4	1	–	–	2	–	–	1	–	–	–	–	–
Brain Disease	9	–	–	–	–	–	–	–	–	–	–	–	2
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	13	–	–	–	–	–	–	1	–	–	–	1	1
VI. Laryngitis	1	–	–	–	–	–	–	1	–	–	–	–	–
Bronchitis	16	3	1	2	1	–	–	–	–	–	–	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	1	–	–
Pneumonia	17	2	2	1	5	–	–	–	–	–	–	–	1
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	7	–	–	5	2	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	4	2	–	1	–	–	–	–	–	–	–	1	–
Peritonitis	4	–	–	–	–	–	–	–	–	–	1	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	4	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	4	3	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	1	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	1	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	1	1	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	11	–	–	–	–	–	–	–	–	1	–	–	2
Fracture and Contusion	9	–	–	–	–	–	–	–	1	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	18	9	2	–	1	1	1	2	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	3	1	–	2	–	1	–	3	–	–	–	–	–	–
Paralysis	–	–	–	–	–	–	3	1	–	–	–	1	–	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	–	–	1	2	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	–	1	1	1	4	1	–	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	1	1	1	2	1	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	2	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	1	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	3	1	1	–	1	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	2	–	3	–	1	1	–	–	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Not Specified	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	365	36	11	38	34	12	9	8	21	7	8	14	15
SPECIFIED CAUSES	359	36	10	37	33	12	9	7	21	7	8	14	14
I. Zymotic Class	93	8	4	15	25	9	3	5	10	1	1	2	1
II. Diseases of Uncertain Seat	28	–	–	–	–	1	–	–	1	–	–	–	2
III. Tubercular Class	63	3	–	6	2	–	3	–	8	3	5	5	6
IV. Brain and Nervous System	41	2	–	4	–	1	1	–	–	–	–	1	2
V. Organs of Circulation	15	–	–	–	–	–	–	–	–	–	–	2	1
VI. Respiratory Organs	32	1	4	6	3	1	1	2	1	–	–	2	–
VII. Organs of Digestion	26	1	1	4	2	–	–	–	–	1	1	–	–
VIII. Urinary Organs	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	9	–	–	–	–	–	–	–	–	–	–	2	2
X. Organs of Locomotion	1	–	–	–	–	–	–	–	1	–	–	–	–
XI. Skin, etc.	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	20	17	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	2	–	–	–	1	–	–	–	–	1	–	–	–
XV. Age	16	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	10	3	–	–	–	–	1	–	–	1	1	–	–
I. Small Pox	32	3	2	10	6	4	1	–	3	–	1	1	–
Measles	6	–	1	–	2	2	–	1	–	–	–	–	–
Scarlatina	14	–	1	2	3	1	–	3	2	1	–	–	1
Diphtheria	1	–	–	–	–	–	–	–	1	–	–	–	–
Hooping Cough	16	3	–	3	8	1	–	1	–	–	–	–	–
Croup	6	–	–	–	4	1	1	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	4	–	–	–	1	–	–	–	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	4	–	–	1	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	1
Dropsy	9	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	14	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	1	–	–	–	–	–	–	–	–	1	–	–	–
Tabes Mesenterica	4	1	–	–	–	–	–	–	2	–	1	–	–
Phthisis	43	2	–	–	–	–	–	–	2	2	4	5	6
Hydrocephalus	15	–	–	6	2	–	3	–	4	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	7	20	12	8	10	12	14	20	16	13	13	5	2	–	–	–
SPECIFIED CAUSES	6	20	12	8	10	12	14	20	16	13	13	5	2	–	–	–
Zymotic Class	1	1	–	1	–	–	2	1	–	1	–	2	–	–	–	–
Uncertain Seat	1	1	1	2	1	4	1	4	3	2	4	–	–	–	–	–
Tubercular Class	2	6	3	1	5	3	2	–	–	–	–	–	–	–	–	–
Brain, etc.	–	5	–	1	1	4	1	5	5	5	2	1	–	–	–	–
Heart, etc.	–	2	2	2	–	–	3	2	1	–	–	–	–	–	–	–
Respiratory Organs	–	2	1	–	1	–	2	1	3	1	–	–	–	–	–	–
Digestive Organs	–	2	3	1	1	1	2	4	1	1	–	–	–	–	–	–
Urinary Organs	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Generative Organs	1	1	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	1	1	2	7	2	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Small Pox	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	–	1	–	2	–	–	–	–
Dysentery	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Metria	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	–	–	–	–	–	3	2	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–
Cancer	–	–	1	2	1	4	1	1	1	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	2	6	3	1	5	3	2	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	2	–	–	–	–	–	1	–	–	–	–	–	1
Apoplexy	17	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	8	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	1
Convulsions	6	2	–	3	–	1	–	–	–	–	–	–	–
Brain Disease	3	–	–	1	–	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	14	–	–	–	–	–	–	–	–	–	–	2	1
VI. Laryngitis	1	–	–	–	–	–	1	–	–	–	–	–	–
Bronchitis	12	1	1	3	2	–	–	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	15	–	3	3	1	1	–	2	–	–	–	1	–
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	1	–
VII. Teething	4	1	–	1	2	–	–	–	–	–	–	–	–
Quinsey	2	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	1	–	–	–
Enteritis	4	–	–	2	–	–	–	–	–	–	–	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	2	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	1
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	1	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	1	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	–	1	–	–	–	1	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	–	–	–	–	–	1	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	–	1	1	1	–	–	1	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	2	–	1	1	2	–	2	3	4	2	–	–	–	–	–
Paralysis	–	1	–	–	–	1	–	3	2	1	–	–	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Heart Disease	–	2	2	2	–	–	3	1	1	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	767	45	11	44	68	41	38	40	75	10	27	21	20
Specified Causes	751	37	8	43	68	41	37	40	75	10	27	20	20
I. Zymotic Class	248	8	2	13	28	32	28	31	65	4	3	–	2
II. Diseases of Uncertain Seat	21	–	–	–	–	–	–	–	3	–	1	–	–
III. Tubercular Class	109	–	–	7	13	2	1	4	4	3	13	11	14
IV. Brain and Nervous System	83	1	–	1	3	–	2	1	1	–	1	3	1
V. Organs of Circulation	30	–	–	–	–	–	–	–	–	1	1	3	1
VI. Respiratory Organs	61	2	3	5	7	1	2	2	1	–	1	1	–
VII. Organs of Digestion	66	2	1	16	17	5	1	–	–	1	2	1	–
VIII. Urinary Organs	13	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	23	21	1	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	8	–	–	–	–	–	1	2	–	–	1	–	–
XV. Age	55	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	29	3	–	–	–	1	2	–	–	1	4	1	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	–	–	–	1	–	–	1	–	–	–	–
Scarlatina	151	–	1	4	21	19	24	23	56	3	–	–	–
Diphtheria	1	–	–	–	–	–	–	1	–	–	–	–	–
Hooping Cough	6	2	–	2	2	–	–	–	–	–	–	–	–
Croup	22	1	–	–	4	7	3	5	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	1	1	5	1	2	–	1	1	–	–	–	–
Dysentery	8	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	–	–	–	–	2	1	1	5	1	3	–	1
Metria	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	4	1	–	2	–	–	–	–	–	–	–	–	–
Noma	1	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	7	–	–	–	–	–	–	–	3	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	9	–	–	–	1	–	–	1	–	–	2	1	1
Tabes Mesenterica	6	–	–	1	2	1	–	–	1	–	–	–	1
Phthisis	76	–	–	–	2	1	–	–	3	3	11	10	12
Hydrocephalus	18	–	–	6	8	–	1	3	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	22	20	23	23	28	26	28	31	38	39	27	12	7	3	–	–
Specified Causes	22	20	22	23	28	26	27	31	38	39	27	12	7	3	–	–
Zymotic Class	1	3	4	2	5	1	4	1	2	3	3	2	1	–	–	–
Uncertain Seat	–	–	3	1	2	2	–	2	4	2	1	–	–	–	–	–
Tubercular Class	10	8	5	3	3	3	1	2	2	–	–	–	–	–	–	–
Brain, etc.	4	3	2	7	4	7	4	10	13	9	5	1	–	–	–	–
Heart, etc.	–	2	3	2	2	3	4	5	–	1	2	–	–	–	–	–
Respiratory Organs	2	1	1	1	6	1	4	2	5	10	2	1	–	–	–	–
Digestive Organs	–	2	1	2	2	4	3	4	2	–	–	–	–	–	–	–
Urinary Organs	1	–	1	2	2	1	1	1	–	1	–	1	–	–	–	–
Generative Organs	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	3	9	13	14	6	6	3	–	–
Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	2	1	2	3	5	1	1	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	2	–	2	–	3	–	1	–	3	2	–	–	–	–
Dysentery	–	1	1	–	2	1	1	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	1	1	–	–	–	–	2	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Cancer	–	–	2	1	1	2	–	1	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	7	5	3	3	3	–	2	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	16	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	37	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	3	1	–	–	1	–	–	1	–	–	–	–	–
Brain Disease	16	–	–	1	1	–	2	–	1	–	1	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	29	–	–	–	–	–	–	–	–	1	1	3	1
VI. Laryngitis	3	–	–	–	–	1	–	1	1	–	–	–	–
Bronchitis	31	2	3	4	5	–	1	1	–	–	1	–	–
Pleurisy	7	–	–	–	–	–	1	–	–	–	–	1	–
Pneumonia	7	–	–	1	2	–	–	–	–	–	–	–	–
Asthma	9	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	35	–	1	14	16	3	1	–	–	–	–	–	–
Quinsey	3	1	–	–	–	2	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	9	1	–	2	1	–	–	–	–	–	1	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	3	–	–	–	–	–	–	–	–	–	2	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	–	–	–	1	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	–	1	1	–	–
Fracture and Contusion	8	–	–	–	–	–	1	–	–	–	1	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	16	8	3	1	–	–	1	–	–	–	–	1	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	–	–	1	2	1	2	5	2	–	–	–	–	–	–
Paralysis	1	–	2	2	2	3	2	7	7	6	4	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	3	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	1	1	1	1	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	2	2	2	2	3	4	5	–	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	1	–	1	–	2	1	3	3	1	1	–	–	–	–
Pleurisy	1	–	–	–	2	1	–	1	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–	–
Asthma	–	–	–	–	2	–	2	–	1	4	–	–	–	–	–	–
Lung Disease	1	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	1	2	–	2	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	1	1	–	–	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	1	2	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	2	1	1	–	–	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	380	26	6	25	39	26	19	23	29	2	13	10	12
SPECIFIED CAUSES	374	23	4	24	39	26	19	23	29	2	13	10	12
I. Zymotic Class	113	3	1	6	16	19	14	17	24	1	3	–	1
II. Diseases of Uncertain Seat	10	–	–	–	–	–	–	–	1	–	–	–	–
III. Tubercular Class	50	–	–	3	6	1	1	1	2	–	5	7	9
IV. Brain and Nervous System	46	–	–	1	2	–	2	1	–	–	1	–	1
V. Organs of Circulation	17	–	–	–	–	–	–	–	–	–	–	–	–
VI. Respiratory Organs	36	2	2	3	5	1	1	2	1	–	–	1	–
VII. Organs of Digestion	36	1	–	11	10	4	–	–	–	–	1	1	–
VIII. Urinary Organs	9	–	–	–	–	–	–	–	1	–	–	–	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	16	15	1	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	–	–	1	2	–	–	–	–	–
XV. Age	19	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	16	2	–	–	–	1	–	–	–	1	3	1	–
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	2	–	–	–	–	1	–	–	1	–	–	–	–
Scarlatina	73	–	1	3	13	11	12	14	19	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	1	–	–	–	1	–	–	–	–	–	–	–	–
Croup	13	1	–	–	2	6	1	2	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	7	–	–	2	–	1	–	1	1	–	–	–	–
Dysentery	5	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	–	–	–	–	–	1	–	2	1	3	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	–	–	–	–	–	–	–	–	–
Noma	1	1	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	4	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	2	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	3	–	–	–	1	1	–	–	–	–	–	–	1
Phthisis	37	–	–	–	2	–	–	–	2	–	5	7	8
Hydrocephalus	8	–	–	3	3	–	1	1	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	9	10	9	10	15	12	14	19	22	15	9	4	–	2	–	–
SPECIFIED CAUSES	9	10	9	10	15	12	14	19	22	15	9	4	–	2	–	–
Zymotic Class	–	–	1	1	3	1	2	–	–	–	–	–	–	–	–	–
Uncertain Seat	–	–	1	1	2	1	–	2	1	1	–	–	–	–	–	–
Tubercular Class	2	4	2	1	1	1	–	2	2	–	–	–	–	–	–	–
Brain, etc.	2	1	2	4	3	4	3	4	8	4	2	1	–	–	–	–
Heart, etc.	–	1	1	1	1	3	4	3	–	1	2	–	–	–	–	–
Respiratory Organs	2	1	–	–	3	–	–	2	4	4	1	1	–	–	–	–
Digestive Organs	–	2	–	1	1	1	1	2	–	–	–	–	–	–	–	–
Urinary Organs	1	–	1	1	1	–	–	1	–	1	–	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	2	6	4	4	1	–	2	–	–
Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	–	–	1	4	1	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Dysentery	–	–	1	–	2	1	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cancer	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	1	3	2	1	1	1	–	2	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	22	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	1	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	–	–	–	1	–	–	1	–	–	–	–	–
Brain Disease	7	–	–	1	–	–	2	–	–	–	1	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	–	–	–	–	–	–	–	–	–	–	–	–
VI. Laryngitis	3	–	–	–	–	1	–	1	1	–	–	–	–
Bronchitis	18	2	2	3	3	–	–	1	–	–	–	–	–
Pleurisy	6	–	–	–	–	–	1	–	–	–	–	1	–
Pneumonia	3	–	–	–	2	–	–	–	–	–	–	–	–
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	22	–	–	10	9	3	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	2	–	–	1	1	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	–	–	–	–	–	–	–	–	–	1	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	1	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	1	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	1	1	–	–
Fracture and Contusion	6	–	–	–	–	–	–	–	–	–	1	1	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	6	3	2	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	–	–	–	1	1	4	–	–	–	–	–	–	–
Paralysis	1	–	2	1	2	2	1	3	4	3	2	1	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	1	1	3	4	3	–	1	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	1	–	–	–	–	–	1	2	2	–	1	–	–	–	–
Pleurisy	1	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	2	1	1	–	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	387	19	5	19	29	15	19	17	46	8	14	11	8
SPECIFIED CAUSES	377	14	4	19	29	15	18	17	46	8	14	10	8
I. Zymotic Class	135	5	1	7	12	13	14	14	41	3	–	–	1
II. Diseases of Uncertain Seat	11	–	–	–	–	–	–	–	2	–	1	–	–
III. Tubercular Class	59	–	–	4	7	1	–	3	2	3	8	4	5
IV. Brain and Nervous System	37	1	–	–	1	–	–	–	1	–	–	3	–
V. Organs of Circulation	13	–	–	–	–	–	–	–	–	1	1	3	1
VI. Respiratory Organs	25	–	1	2	2	–	1	–	–	–	1	–	–
VII. Organs of Digestion	30	1	1	5	7	1	1	–	–	1	1	–	–
VIII. Urinary Organs	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	7	6	–	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	–	–	–	–	–	–	1	–	–
XV. Age	36	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	13	1	–	–	–	–	2	–	–	–	1	–	1
I. Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	78	–	–	1	8	8	12	9	37	3	–	–	–
Diphtheria	1	–	–	–	–	–	–	1	–	–	–	–	–
Hooping Cough	5	2	–	2	1	–	–	–	–	–	–	–	–
Croup	9	–	–	–	2	1	2	3	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	19	1	1	3	1	1	–	–	–	–	–	–	–
Dysentery	3	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	2	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	11	–	–	–	–	2	–	1	3	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	1
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	1	–	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	4	–	–	–	–	–	–	–	2	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	1	–	–	1	–	–	2	1	1
Tabes Mesenterica	3	–	–	1	1	–	–	–	1	–	–	–	–
Phthisis	39	–	–	–	–	1	–	–	1	3	6	3	4
Hydrocephalus	10	–	–	3	5	–	–	2	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	13	10	14	13	13	14	14	12	16	24	18	8	7	1	–	–
SPECIFIED CAUSES	13	10	13	13	13	14	13	12	16	24	18	8	7	1	–	–
Zymotic Class	1	3	3	1	2	–	2	1	2	3	3	2	1	–	–	–
Uncertain Seat	–	–	2	–	–	1	–	–	3	1	1	–	–	–	–	–
Tubercular Class	8	4	3	2	2	2	1	–	–	–	–	–	–	–	–	–
Brain, etc.	2	2	–	3	1	3	1	6	5	5	3	–	–	–	–	–
Heart, etc.	–	1	2	1	1	–	–	2	–	–	–	–	–	–	–	–
Respiratory Organs	–	–	1	1	3	1	4	–	1	6	1	–	–	–	–	–
Digestive Organs	–	–	1	1	1	3	2	2	2	–	–	–	–	–	–	–
Urinary Organs	–	–	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Generative Organs	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	1	3	9	10	5	6	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	1	1	2	2	1	–	–	–	–	1	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	2	–	1	–	2	–	1	–	3	2	–	–	–	–
Dysentery	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	1	–	1	–	–	–	–	2	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cancer	–	–	2	–	–	1	–	–	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	8	4	3	2	2	2	–	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	8	–	–	–	–	–	–	–	–	–	–	–	–
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	1	–
Convulsions	1	1	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	9	–	–	–	1	–	–	–	1	–	–	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	12	–	–	–	–	–	–	–	–	1	1	3	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	13	–	1	1	2	–	1	–	–	–	1	–	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	4	–	–	1	–	–	–	–	–	–	–	–	–
Asthma	5	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	13	–	1	4	7	–	1	–	–	–	–	–	–
Quinsey	1	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	1	–	1	–	–	–	–	–	–	1	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	–	–	–	–	–	1	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint and Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	1
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	1	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	–	–	1	–	–	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	10	5	1	–	–	–	1	–	–	–	–	1	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1857.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	–	–	1	2	–	1	1	2	–	–	–	–	–	–
Paralysis	–	–	–	1	–	1	1	4	3	3	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	1	1	1	1	–	–	2	–	–	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	–	1	–	2	–	1	1	1	–	–	–	–	–
Pleurisy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Asthma	–	–	–	–	1	–	2	–	–	2	–	–	–	–	–	–
Lung Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	2	–	2	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Arthritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cyanosis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Spina Bifida	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Malformations	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

			DEATHS in 1857.												
			Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1857		35°·7	39°·3	39°·2	42°·7	49°·8	57°·4	58°·0	60°·0	56°·1	49°·6	43°·7	44°·9	48°·0
		Population 1857.													
	SCOTLAND . .	2,992,293	5788	5274	5622	5404	5179	4943	4789	4927	4997	4744	4855	5384	61,906
	INSULAR DISTRICTS .	162,943	247	204	209	196	178	211	236	158	154	150	165	198	2,306
	MAINLAND DISTRICTS	1,741,821	2824	2592	2721	2666	2620	2457	2238	2312	2534	2318	2316	2792	30,390
	TOWN DISTRICTS .	1,087,529	2717	2478	2692	2542	2381	2275	2315	2457	2309	2276	2374	2394	29,210
	DIVISIONS.														
1	Northern . . .	129,124	207	138	169	145	154	162	138	118	131	110	149	161	1,782
2	North-Western .	170,605	220	216	208	232	199	200	192	164	157	156	169	198	2,311
3	North-Eastern . .	359,310	521	439	596	565	530	496	443	485	488	451	549	621	6,184
4	East-Midland . .	520,013	984	916	892	843	839	803	821	804	862	886	832	949	10,431
5	West-Midland . .	242,453	429	421	396	382	387	376	379	343	379	358	345	409	4,604
6	South-Western .	957,287	2351	2144	2329	2252	2115	1963	1982	2123	2090	1893	1915	1973	25,130
7	South-Eastern . .	398,697	745	694	713	667	630	638	550	631	610	611	642	757	7,888
8	Southern . . .	214,804	331	306	319	318	325	305	284	259	280	279	254	316	3,576
	COUNTIES.														
	I. NORTHERN.														
1	Shetland . . .	31,438	71	27	41	30	28	45	39	42	25	27	32	48	455
2	Orkney . . .	32,031	46	35	41	28	43	45	38	21	25	22	40	37	421
3	Caithness . . .	41,295	60	43	48	50	55	49	38	39	51	38	50	56	577
4	Sutherland . .	24,360	30	33	39	37	28	23	23	16	30	23	27	20	329
	II. NORTH-WESTERN.														
5	Ross and Cromarty .	82,893	112	100	93	101	98	95	92	78	75	75	81	90	1,090
6	Inverness . . .	87,712	108	116	115	131	101	105	100	86	82	81	88	108	1,221
	III. NORTH-EASTERN.														
7	Nairn . . .	8,239	12	11	16	9	18	21	17	14	10	13	17	12	170
8	Elgin (or Moray) .	42,873	63	46	62	72	53	60	59	43	68	53	58	80	717
9	Banff . . .	54,034	78	47	67	71	68	57	54	68	55	59	84	104	812
10	Aberdeen . . .	219,279	317	293	397	374	337	315	278	325	314	296	347	388	3,981
11	Kincardine . .	34,885	51	42	54	39	54	43	35	35	41	30	43	37	504
	IV. EAST-MIDLAND.														
12	Forfar . . .	201,470	430	351	382	324	340	336	357	339	378	385	358	373	4,353
13	Perth . . .	134,363	214	247	235	213	207	209	211	231	230	242	213	245	2,697
14	Fife	154,396	288	267	231	264	253	218	215	199	210	225	232	285	2,887
15	Kinross . . .	9,089	10	12	18	12	16	15	13	11	9	10	5	8	139
16	Clackmannan . .	20,695	42	39	26	30	23	25	25	24	35	24	24	38	355
	V. WEST-MIDLAND.														
17	Stirling . . .	86,908	170	166	161	165	140	149	144	144	145	146	152	174	1,856
18	Dumbarton . .	51,306	103	94	81	70	97	92	81	88	109	94	80	102	1,091
19	Argyll . . .	87,883	127	133	129	128	122	106	108	83	96	96	91	103	1,322
20	Bute	16,356	29	28	25	19	28	29	46	28	29	22	22	30	335
	VI. SOUTH-WESTERN.														
21	Renfrew . . .	164,336	396	351	371	380	368	351	357	392	389	340	365	329	4,389
22	Ayr	195,421	422	357	349	348	337	343	295	333	377	276	291	311	4,039
23	Lanark . . .	597,530	1533	1436	1609	1524	1410	1269	1330	1398	1324	1277	1259	1333	16,702
	VII. SOUTH-EASTERN.														
24	Linlithgow . .	35,559	52	55	50	70	51	37	54	54	56	50	49	70	648
25	Edinburgh . .	268,399	542	520	539	468	471	473	383	454	408	434	491	552	5,735
26	Haddington . .	37,114	75	50	58	53	47	49	55	55	69	66	42	68	687
27	Berwick . . .	36,359	44	42	41	46	34	47	34	42	48	39	40	29	486
28	Peebles . . .	11,101	13	13	10	15	15	16	11	15	13	9	12	18	160
29	Selkirk . . .	10,165	19	14	15	15	12	16	13	11	16	13	8	20	172
	VIII. SOUTHERN.														
30	Roxburgh . . .	52,716	97	91	80	70	95	88	75	57	62	67	61	67	910
31	Dumfries . .	80,509	125	112	129	139	106	121	114	91	91	103	95	122	1,348
32	Kirkcudbright .	39,000	65	57	62	61	75	43	52	56	63	47	50	75	706
33	Wigtown . . .	42,579	44	46	48	48	49	53	43	55	64	62	48	52	612